

CESOP VM - User Manual (UMN)

TIS Central Electronic System Of Payment

Exported on 2024-10-11 15:47:44

Table of Contents

1 Document control information.....	4
2 Contractor information	5
3 Table of Content	9
4 Introduction	10
4.1 Document purpose	10
4.2 Target audience.....	10
4.3 Scope.....	10
4.4 Reference documents	10
4.5 Applicable documents	10
4.6 Abbreviations and acronyms	11
4.7 Definitions	11
5 General Information	12
5.1 System Overview.....	12
5.2 Hardware requirements	12
5.3 System requirements.....	12
5.4 Authorized Use Permission	13
5.5 User Support	13
6 Command Line Interface	14
6.1 Installation of the application	14
6.2 CLI usage	14
6.3 Configuration of the application	14
7 Programmatic Interface	16
7.1 Installation of the library.....	16
7.1.1 Shaded jar.....	16
7.1.2 Regular jar	16
7.2 API usage	16
7.2.1 Basic file validation.....	17
7.2.2 Evaluate validation result	17
7.2.3 Render XML reply	17
7.2.4 Configuration.....	17
8 Appendix	18
8.1 Links	18
8.1.1 Nexus.....	18
8.1.2 EU CESOP page.....	18
9 Mapping business rules & XSD version (CESOP v1.6.0)	19
9.1 Mapping between XSD, XSD User Guide and CESOP release versions	19
9.2 Mapping between business rules and XSD version	19
9.2.1 Business rules.....	20
9.2.2 Technical rules	22
9.3 List of RfCs impacting the XSD (User Guide) per CESOP release	22
9.3.1 CESOP v1.3.0.....	22
9.3.2 CESOP v1.4.0.....	24
9.3.3 CESOP v1.5.0.....	24
9.3.4 CESOP v1.6.0.....	24
10 VM - Scenarios	27
10.1 Abbreviations used	27
10.2 General Information	27
10.3 Scenarios that describe how the VM should be used and how it should NOT be used.	27
10.3.1 Valid scenario	27
10.3.2 Partial Rejection scenario	28
10.3.3 Full Rejection scenario.....	29
10.3.4 National implementation with additional business rules (to the XSD User Guide) scenario	29
10.3.5 Valid for VM/Invalid for CESOP	30

10.3.6	Why MS must NOT partially reject a message directly to the PSP!!	30
--------	--	----

1 Document control information

Property	Value
Document title	User Manual
Project title	CESOP Validation Module
Author	SOFT-DEV
Project owner	Head of Unit of DG TAXUD Unit C4 Tax administration and fight against tax fraud
Solution provider	DG TAXUD Unit B4 Taxation Systems & Digital Governance
DG TAXUD Project Manager	Simone BROGI
Reference number	DLV-566-7.3-89-2-5
Version	4.00
Confidentiality	Publicly Available (PA)
Date	03 Sep 2024
Status	SUBMITTED FOR ACCEPTANCE (SFA)

2 Contractor information

Property	Value
Framework Contract	TAXUD/2021/CC/162
Specific Contract	TAXUD/2023/DE/1036

The document author and any reviewers are authorized to make the following types of changes to the document and related JIRA issues without requiring that the artifact be re-approved:

- Editorial, formatting, and spelling;
- Clarifications.

To request a change to this document, contact the document author or project owner.

Changes to this document are summarized in the table in reverse chronological order (the latest version first).

Version	Date	Description	Sections																					
4.00	03 Sep 2024	Implementation of review comments. Version Submitted for Acceptance (SfA) in the scope of RfA SC15-566.	Document history, 6.2, 6.3, 8.1.1, 8.1.2, Mapping business rules & XSD version (CESOP v1.6.0)																					
3.10	21 Aug 2024	Implementation of the following RfCs in the scope of CESOP v1.6.0.	6.2 Mapping business rules & XSD version (CESOP v1.6.0)																					
		<table border="1"> <thead> <tr> <th>Key</th> <th>Summary</th> </tr> </thead> <tbody> <tr> <td>CESOP-1724</td> <td>Add BRs to ensure proper use of optional description element for "OTHER" in enumerations</td> </tr> <tr> <td>CESOP-1693</td> <td>CESOP VM: CLI batch validation</td> </tr> <tr> <td>CESOP-1598</td> <td>Documenting the supported XSD versions for CESOP releases</td> </tr> <tr> <td>CESOP-1589</td> <td>Remove error codes enumeration from the XSD</td> </tr> <tr> <td>CESOP-1222</td> <td>New BR to validate if transactions are included in the PMT message in case of deletion request</td> </tr> <tr> <td>CESOP-1103</td> <td>Support all ISO-3166 for BICs</td> </tr> <tr> <td>CESOP-985</td> <td>Remove Business Rule MH-BR-0020 (error code 10020)</td> </tr> <tr> <td colspan="2">7 issues</td></tr> <tr> <td colspan="2">Version Submitted for Review (SfR) in the scope of the RfA SC15-566</td><td></td></tr> </tbody> </table>	Key	Summary	CESOP-1724	Add BRs to ensure proper use of optional description element for "OTHER" in enumerations	CESOP-1693	CESOP VM: CLI batch validation	CESOP-1598	Documenting the supported XSD versions for CESOP releases	CESOP-1589	Remove error codes enumeration from the XSD	CESOP-1222	New BR to validate if transactions are included in the PMT message in case of deletion request	CESOP-1103	Support all ISO-3166 for BICs	CESOP-985	Remove Business Rule MH-BR-0020 (error code 10020)	7 issues		Version Submitted for Review (SfR) in the scope of the RfA SC15-566			
Key	Summary																							
CESOP-1724	Add BRs to ensure proper use of optional description element for "OTHER" in enumerations																							
CESOP-1693	CESOP VM: CLI batch validation																							
CESOP-1598	Documenting the supported XSD versions for CESOP releases																							
CESOP-1589	Remove error codes enumeration from the XSD																							
CESOP-1222	New BR to validate if transactions are included in the PMT message in case of deletion request																							
CESOP-1103	Support all ISO-3166 for BICs																							
CESOP-985	Remove Business Rule MH-BR-0020 (error code 10020)																							
7 issues																								
Version Submitted for Review (SfR) in the scope of the RfA SC15-566																								
3.03	18 Jun 2024	User Manual for CESOP VM v1.5.0, including the following RfC(s):	Document history																					

Version	Date	Description	Sections										
		<table border="1" data-bbox="430 300 969 750"> <thead> <tr> <th data-bbox="430 300 552 354">Key</th><th data-bbox="552 300 969 354">Summary</th></tr> </thead> <tbody> <tr> <td data-bbox="430 354 552 431">CESOP-1743</td><td data-bbox="552 354 969 431">Update links in VM UMN</td></tr> <tr> <td data-bbox="430 431 552 507">CESOP-1028</td><td data-bbox="552 431 969 507">CESOP VM: Update the validation API</td></tr> <tr> <td data-bbox="430 507 552 660">CESOP-970</td><td data-bbox="552 507 969 660">Modify BR_RT-BR-0030 to have at least one date in reporting period and to take into account the settlement date</td></tr> <tr> <td data-bbox="430 660 552 750">CESOP-916</td><td data-bbox="552 660 969 750">Remove Business Rule PS-BR-0010 (error code 30010)</td></tr> </tbody> </table> <p data-bbox="430 750 530 781">4 issues</p> <p data-bbox="430 848 895 880">Version Submitted for Information (Sfl).</p>	Key	Summary	CESOP-1743	Update links in VM UMN	CESOP-1028	CESOP VM: Update the validation API	CESOP-970	Modify BR_RT-BR-0030 to have at least one date in reporting period and to take into account the settlement date	CESOP-916	Remove Business Rule PS-BR-0010 (error code 30010)	
Key	Summary												
CESOP-1743	Update links in VM UMN												
CESOP-1028	CESOP VM: Update the validation API												
CESOP-970	Modify BR_RT-BR-0030 to have at least one date in reporting period and to take into account the settlement date												
CESOP-916	Remove Business Rule PS-BR-0010 (error code 30010)												
3.02	26 Apr 2024	<p>Small correction on the list of RfCs in the scope of CESOP v1.4.5.</p> <p>Following RfC(s) are in the scope of CESOP v1.4.5:</p> <table border="1" data-bbox="430 1154 969 1327"> <thead> <tr> <th data-bbox="430 1154 552 1208">Key</th><th data-bbox="552 1154 969 1208">Summary</th></tr> </thead> <tbody> <tr> <td data-bbox="430 1208 552 1284">CESOP-1888</td><td data-bbox="552 1208 969 1284">Trigger 99999 in case same reported payee is reported at least twice in the same message</td></tr> </tbody> </table> <p data-bbox="430 1327 520 1358">1 issue</p> <p data-bbox="430 1426 895 1457">Version Submitted for Information (Sfl).</p>	Key	Summary	CESOP-1888	Trigger 99999 in case same reported payee is reported at least twice in the same message	Document history						
Key	Summary												
CESOP-1888	Trigger 99999 in case same reported payee is reported at least twice in the same message												
3.01	22 Apr 2024	<p>Implementation of the following RfC(s), in the scope of CESOP v1.4.5:</p> <table border="1" data-bbox="430 1596 969 1769"> <thead> <tr> <th data-bbox="430 1596 552 1650">Key</th><th data-bbox="552 1596 969 1650">Summary</th></tr> </thead> <tbody> <tr> <td data-bbox="430 1650 552 1769">CESOP-1888</td><td data-bbox="552 1650 969 1769">Trigger 99999 in case same reported payee is reported at least twice in the same message</td></tr> </tbody> </table> <p data-bbox="430 1769 520 1801">1 issue</p> <p data-bbox="430 1868 961 1922">Version Submitted for Information (Sfl) in the scope of RfA SC08-707.</p>	Key	Summary	CESOP-1888	Trigger 99999 in case same reported payee is reported at least twice in the same message	Mapping business rules & XSD version (CESOP v1.5.0)						
Key	Summary												
CESOP-1888	Trigger 99999 in case same reported payee is reported at least twice in the same message												

Version	Date	Description	Sections						
3.00	27 Mar 2024	<p>Implementation of the review comments and of the following RfC(s), in the scope of CESOP v1.5.0:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Key</th><th>Summary</th></tr> </thead> <tbody> <tr> <td>CESOP-916</td><td>Remove Business Rule PS-BR-0010 (error code 30010)</td></tr> </tbody> </table> <p>1 issue</p> <p>Version Submitted for Acceptance (SfA) in the scope of RfA SC10-491.</p>	Key	Summary	CESOP-916	Remove Business Rule PS-BR-0010 (error code 30010)	4.3, 5.1, 8.1.1, 8.1.2, Mapping business rules & XSD version (CESOP v1.5.0)		
Key	Summary								
CESOP-916	Remove Business Rule PS-BR-0010 (error code 30010)								
2.10	14 Mar 2024	<p>Implementation of the following RfC(s), in the scope of CESOP v1.5.0:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Key</th><th>Summary</th></tr> </thead> <tbody> <tr> <td>CESOP-1028</td><td>CESOP VM: Update the validation API</td></tr> <tr> <td>CESOP-1743</td><td>Update links in VM UMN</td></tr> </tbody> </table> <p>2 issues</p> <p>Version Submitted for Review (SfR) in the scope of the RfA SC10-491.</p>	Key	Summary	CESOP-1028	CESOP VM: Update the validation API	CESOP-1743	Update links in VM UMN	7.2.2, 7.2.3, 8.1
Key	Summary								
CESOP-1028	CESOP VM: Update the validation API								
CESOP-1743	Update links in VM UMN								
2.01	17 Nov 2023	<p>Update of the confidentiality level of the present document, to "Publicly Available (PA)".</p> <p>Version Submitted for Information (SfI).</p>	1						
2.00	11 Sep 2023	<p>Implementation of review comments.</p> <p>Version Submitted for Acceptance (SfA) in the scope of RfA SC08-279.</p>	6.1, 8.1.1, 8.1.2, 8.2						
1.30	29 Aug 2023	<p>Changelog added, highlighting the changes between 1.2 and 1.3</p> <p>Elaborate on shaded and regular jars.</p> <p>Provide more examples of API usage through the implementation of the following RfC:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Key</th><th>Summary</th></tr> </thead> <tbody> <tr> <td>CESOP-1099</td><td>CESOP-VM - remove internal identifiers from public API</td></tr> </tbody> </table> <p>1 issue</p>	Key	Summary	CESOP-1099	CESOP-VM - remove internal identifiers from public API	8, 9, 10		
Key	Summary								
CESOP-1099	CESOP-VM - remove internal identifiers from public API								

Version	Date	Description	Sections				
		Version Submitted for Review (SfR) in the scope of the RfA SC08-279					
1.20	23 May 2023	<p>Implementation of the following RfC:</p> <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Key</th> <th>Summary</th> </tr> </thead> <tbody> <tr> <td>CESOP-898</td> <td>Update VM UMN following comments of v1.10</td> </tr> </tbody> </table> <p>1 issue</p> <p>Version Submitted for Information (SfI) in the scope of SC07-415</p>	Key	Summary	CESOP-898	Update VM UMN following comments of v1.10	5.1,7,8
Key	Summary						
CESOP-898	Update VM UMN following comments of v1.10						
1.10	26 Apr 2023	<p>Implementation of comments received from the member states.</p> <p>Version Submitted for Information (SfI) in the scope of SC07-384</p>	5, 6,7,8,9				
1.00	31 Jan 2023	<p>Implementation of review comments.</p> <p>Version Submitted for Acceptance (SfA) in the scope of RfA SC08-047.</p>	5.2, 5.4, 5.7, 6.1, 7.2, 7.3, 7.4, 8 and 8.1				
0.10	16 Jan 2023	<p>Initial version of the document in the scope of RfA SC08-047.</p> <p>Version Submitted for Review (SfR).</p>	All sections				

3 Table of Content

- [Document control information](#)
- [Contractor information](#)
- [Table of Content](#)
- [Introduction](#)
 - [Document purpose](#)
 - [Target audience](#)
 - [Scope](#)
 - [Reference documents](#)
 - [Applicable documents](#)
 - [Abbreviations and acronyms](#)
 - [Definitions](#)
- [General Information](#)
 - [System Overview](#)
 - [Hardware requirements](#)
 - [System requirements](#)
 - [Authorized Use Permission](#)
 - [User Support](#)
- [Command Line Interface](#)
 - [Installation of the application](#)
 - [CLI usage](#)
 - [Configuration of the application](#)
- [Programmatic Interface](#)
 - [Installation of the library](#)
 - [Shaded jar](#)
 - [Regular jar](#)
 - [API usage](#)
 - [Basic file validation](#)
 - [Evaluate validation result](#)
 - [Render XML reply](#)
 - [Configuration](#)
- [Appendix](#)
 - [Links](#)
 - [Nexus](#)
 - [EU CESOP page](#)
 - [Historical versions](#)

4 Introduction

4.1 Document purpose

The purpose of this document is to provide a user manual to the intended audience that explains how to operate the CESOP Validation Module using the command-line or programmatic interface.

Since access to Jira and Nexus is restricted, please check the DG TAXUD file-sharing system [CIRCABC](#) or the EU Website for the required resources.

4.2 Target audience

The target audience for this document includes:

- DG TAXUD, in particular, B4 as System Supplier and C4 as System Owner;
- The Payment Service Providers (PSPs);
- The Member State TAX Administrations (MSs);
- The Quality Assurance (QA5);
- The DG TAXUD contractors.

4.3 Scope

This document describes how the CESOP Validation Module is working, which rules are covered by which supported XSD version and provides detailed instructions on the use cases that validate the CESOP payment messages.

4.4 Reference documents

The table below lists the documents that are referred to in the current document.

Reference	Title	Originator	Version	Date
R01	CESOP – XSD User Guide	SOFT-DEV	5.00	05 Apr 2024

4.5 Applicable documents

The table below lists the documents to which the current document must be compliant.

Reference	Title	Originator	Version	Date
A01	SOFT-DEV Framework Contract	TAXUD/2021/CC/162	N/A	24 Jun 2021
A02	Specific Contract n°15	TAXUD/2023/DE/1036	N/A	13 Nov 2023

4.6 Abbreviations and acronyms

For a better understanding of the present document, the following table provides a list of the principal abbreviations and acronyms used.

See also the ‘list of acronyms’ on TEMPO.

Abbreviation/Acronym	Definition
API	Application Programming Interface
CESOP	Central Electronic System Of Payments
CLI	Command Line Interface
IPM	Installation Procedure Manual
JAR	Java Archive
Javadoc	API documentation in HTML format from Java source code
JVM	Java Virtual Machine
MS	Member State
N/A	Not Applicable
NA	National Administration
PMT	Paiement Data (as Message Type)
VLD	Validation Result (as Message Type)
XML	eXtensible Markup Language
XSD	XML Schema Definition
OS	Operating System
RHEL	Red Hat Enterprise Linux
SPI	Java Service Provider Interface

4.7 Definitions

See the ‘glossary’ on [TEMPO](#) and the definitions from the XSD User Guide [R01].

5 General Information

5.1 System Overview

The CESOP Validation Module v1.6.0 provides two interfaces:

1. The Command Line Interface (CLI) (see [Command Line Interface](#)) provides access to the functionalities from the command line.
2. The Application Programming Interface (API) (see [Programmatic Interface](#)) provides programmatic access to the functionalities.

In both cases, the CESOP Validation Module has:

- **as input:** the CESOP XML file to be validated. This file must be a Payment data message (with “PMT” as MessageType);
- **as output:** the resulting ValidationResult, which is a CESOP XML file with “VLD” as MessageType.

For details on the Validation Result structure, please refer to the XSD User Guide [[R01](#)].

The CESOP validation module v1.6.0 is compatible with versions **4.00, 4.01, 4.02, and 4.03 of the XSD**. The implementation works as follows:

- If a file is sent for validation with a supported version, the VM will always validate this file according to that version (e.g. if a file from v4.00 is sent for validation, the validation result will be generated based on the v4.00 of the XSD);
- If a file is sent for validation where the version of the XSD is not defined or is defined but not supported, the file will be considered invalid and will thus be fully rejected (with a related error message stating that the submitted file is not compliant with the supported versions of the XSD, and listing those supported versions);
- If the file header cannot be parsed, the response will be rendered for the default (latest) version which may not be the same as in the request.

5.2 Hardware requirements

The CESOP Validation Module requires this minimum hardware setup :

Processor	Running any Java-compatible instruction set, docked at 1 GHz
RAM	256 MB
Free hard disk space	90 MB

5.3 System requirements

The target system must meet the following requirements to execute the CESOP Validation Module:

Java	Version 8 or higher
Operating System (OS)	Any OS able to run Java SE ¹

5.4 Authorized Use Permission

No restriction on the application usage.

5.5 User Support

In case of issue, the ITSM Service Desk must be contacted via Support@itsmtaxud.europa.eu.

6 Command Line Interface

6.1 Installation of the application

Download the VM jar file (please consult [appendix 9.1](#)) and check the parameters (specified in [chapter 7.3](#)) that can be used for its execution.

6.2 CLI usage

The CESOP Validation Module is available as a Java jar file that can be executed using a JVM.

The command to validate a CESOP XML file using the standard console output has the following syntax:

```
java -jar cesop-vm-application-1.6.0.jar <path-to-message>
```

where

- <path-to-message> is the path to the CESOP XML file to validate.

Only XML output is written to standard output(stdout). If any execution error occurs, it's written to standard error(stderr) and the program exists with non-0 code. The command to validate a CESOP XML file using an output file has the following syntax:

```
java -jar cesop-vm-application-1.6.0.jar input.xml > output.xml
```

It is also possible to validate multiple XML files at once if they are part of the same folder:

```
java -jar cesop-vm-application-1.6.0.jar <path-to-folder>
```

This will create a CSV file with the following information for each XML file validated:

- **File Path** (relatively to provided folder);
- **File Size** (in bytes);
- **MessageRefId** (if readable);
- **Validation Result** (VALIDATED, PARTIALLY_REJECTED, FULLY_REJECTED).

When validating multiple files at once, in addition to the CSV results, it is possible to generate all related VLD files using the optional flag "true" at the end of the command.

```
java -jar cesop-vm-application-1.6.0.jar <path-to-folder> true
```

For more details on the CESOP XML file structure, please refer to the XSD User Guide [[R01](#)].

6.3 Configuration of the application

The CESOP Validation Module uses the following parameters:

Parameter name	Description	Format	Default value
psp.xsd.max.size	indicates the maximum file size allowed as input (in bytes)	int	1073741824
business.min.period	indicates the CESOP starting period (to allow testing in the future)	date (YYYYQ)	20241*
business.max.errors	indicates the maximum number of errors allowed in the ValidationResult output (to avoid too big output file)	int	5000

Example:

```
java -Dbusiness.min.period=20241 -Dbusiness.max.errors=10 -jar cesop-vm-application-1.6.0.jar input.xml
```

* The business.min.period setting can freely be updated as long as it refers to a past or ongoing period, otherwise, the VM will reject everything.

7 Programmatic Interface

7.1 Installation of the library

Add a dependency on cesop-validation to your project. It is available as a regular jar and a shaded jar.

```
<dependencies>
    <dependency>
        <groupId>eu.europa.ec.taxud.cesop</groupId>
        <artifactId>cesop-validation</artifactId>
        <version>1.6.0</version>
        <classifier>shaded</classifier>
    </dependency>
</dependencies>
```

7.1.1 Shaded jar

With `shaded` classifier, this jar encapsulates 3rd-party dependencies, meaning it's an all-in-one archive.

It also does not include META-INF/services folder from woodstox-core, effectively disabling the Java SPI for that module. This is helpful when the library is used in projects with other XML libraries that also provide their implementations via SPI.

This is the recommended variant of the library because it is easier and safer to use.

7.1.2 Regular jar

This is a regular maven-built thin jar. It has transitive dependencies on stax2-api and woodstox-core. Since this jar is distributed as a regular file and not via maven repository, you may need to add the transitive dependencies explicitly:

```
<dependencies>
    <dependency>
        <groupId>org.codehaus.woodstox</groupId>
        <artifactId>stax2-api</artifactId>
        <version>4.2.1</version>
    </dependency>
    <dependency>
        <groupId>com.fasterxml.woodstox</groupId>
        <artifactId>woodstox-core</artifactId>
        <version>6.5.0</version>
    </dependency>
</dependencies>
```

This variant may be used instead of the shaded jar when the project already depends on stax2-api and woodstox. In this case, using the shaded jar will add a lot of duplicate classes into the final project distributive.

7.2 API usage

CESOP VM Javadoc is included into CESOP FSR DOC archive (please consult [appendix 9.1](#)). It contains the documentation for the public and protected API of the Validation Module. It does not include private or package-private API documentation.

7.2.1 Basic file validation

The entry point for the programmatic access is the PspFileValidator class, managing the validation of the message and the generation of the ValidationResult.

```
import eu.europa.ec.taxud.cesop.validation.PspFileValidator;
import eu.europa.ec.taxud.cesop.validation.PspValidationResult;

PspValidationResult result = PspFileValidator.createDefault().validate(new
File("/test.xml"));
System.out.printf("File validated with %s errors%n",
result.getErrors().size());
```

7.2.2 Evaluate validation result

Evaluate the overall type of validation result - valid, full or partial rejection.

```
import eu.europa.ec.taxud.cesop.domain.ValidationResultTypeEnum;
import eu.europa.ec.taxud.cesop.validation.PspValidationResult;

PspValidationResult result = PspFileValidator.createDefault().validate(new
File("/test.xml"));
ValidationResultTypeEnum validationType = result.getResultType();
```

7.2.3 Render XML reply

Render an XML string with VLD reply message. The same as produced by CLI or CESOP core.

```
import java.io.ByteArrayOutputStream;
import eu.europa.ec.taxud.cesop.validation.PspValidationResult;
import eu.europa.ec.taxud.cesop.writers.ValidationMessageXmlWriter;

PspValidationResult result = PspFileValidator.createDefault().validate(new
File("/test.xml"));
String resultXML = result.getResultXml();
```

7.2.4 Configuration

In order to override the default settings (See [Configuration of the application](#)), the validator can be created via constructor. Normally, it should be used with default settings, but overriding them may be helpful in testing.

```
int transactionsPerPart = 10;
int minBusinessPeriod = 20211;
int maxInputBytes = 1024 * 1024;
int maxErrors = 50;
ValidationSettings settings = new ValidationSettings(minBusinessPeriod,
maxInputBytes, maxErrors);
PspFileValidator validator = new PspFileValidator(transactionsPerPart,
settings);
```

8 Appendix

8.1 Links

8.1.1 Nexus

[CESOP FSR folder on Nexus](#) contains three FSR archives per release:

- SRC with source code for CESOP VM API;
- DOC with javadoc for CESOP VM API;
- BIN with jar files for CESOP VM CLI and API.

Starting with CESOP v1.4.0, a dedicated VM package is also available and it contains all VM-related artifacts.

As MS or PSP, this link is not accessible - refer to the below section to find the CESOP VM package.

8.1.2 EU CESOP page

The latest version of the CESOP VM is publicly available at the following link:

https://taxation-customs.ec.europa.eu/taxation-1/central-electronic-system-payment-information-cesop_en

8.1.2.1 Historical versions

Historical versions of the CESOP VM can be found at the following link:

<https://circabc.europa.eu/ui/group/b79af4a6-a4e4-4e26-8cd9-02f9577a6f93>

-
1. Note that the CESOP Validation Module has been tested only on Windows and RHEL OS [OS](#)

9 Mapping business rules & XSD version (CESOP v1.6.0)

9.1 Mapping between XSD, XSD User Guide and CESOP release versions

The following table shows how the XML schema versions are correlated with the XSD User Guide and CESOP release versions (see also the below section [List of RfCs impacting the XSD \(User Guide\) per CESOP release](#)):

XML schema version	XSD User Guide version	CESOP release version
4.03	5.00	1.6.0
4.02	4.80	1.5.0
4.02	4.61	1.3.0, 1.4.0
4.02	4.60	
4.02	4.40	
4.01	4.20	
4.00	4.00	1.2.0

Note that:

- The above mapping only considers the final document versions delivered in the scope of a release (i.e. intermediate versions, including versions sent for review, are not listed);
- It might happen that a CESOP release does not foresee a change in the XML schema nor in the XSD User Guide. In this latter scenario, the XSD and XSD user guide versions mapped with the previous CESOP release version listed are to be considered.

9.2 Mapping between business rules and XSD version

The below table specifies the business rules that are (or were) triggered by the CESOP VM.

Note that:

- "Covered by VM" allows to know whether the rule is checked by the CESOP Validation Module or not (i.e. if the rule is stateless or stateful);
- If filled with "x", it means that the rule will breach for the related XSD version(s);
- If filled with "-", it means that the rule is removed for the related XSD version(s);
- This table only applies to version 1.6.0 of CESOP and thus to the v1.6.0 validation module;
- Starting from the XSD v4.03, a new type of message "PNG" will be introduced. Those ping messages allow National Tax Administrations to perform some connectivity testing without altering the Production data. Those messages, once successfully parsed, are thus not validated against the business rules.

9.2.1 Business rules

		XSD version					
Business rule ID	Error code	Covered by VM	v4.00	v4.01	v4.02	v4.03	Comment
MH-BR-0010	10010	✖	x	x	x	x	
MH-BR-0020	10020	-	-	-	-	-	Removed in release v1.6.0 & for all XSD versions: CESOP-985 - SAT COMPLETED
MH-BR-0030	10030	✓	x	x	x	x	
MH-BR-0040	10040	✖	x	x	x	x	
MH-BR-0050	10050	✓	x	x	x	x	
MH-BR-0060	10060	✓	x	x	x	x	
MH-BR-0070	10070	✓	x	x	x	x	
MH-BR-0080	10080	✓	x	x	x	x	
MH-BR-0090	10090	✓	x	x	x	x	Updated in release v1.3.0 & for all XSD versions: CESOP-818 - COMPLETED
MH-BR-0100	10100	✖	x	x	x	x	
MH-BR-0110	10110	✓	x	x	x	x	
MH-BR-0120	10120	✖	x	x	x	x	Added in release v1.3.0 & for all XSD versions (triggering error code 99999 with v4.00): CESOP-567 - COMPLETED
CM-BR-0010	20010	✓	x	x	x	x	
CM-BR-0020	20020	✖	x	x	x	x	
CM-BR-0030	20030	✓	x	x	x	x	
CM-BR-0040	20040	✖	x	x	x	x	
CM-BR-0050	20050	✓	x	x	x	x	
CM-BR-0060	20060	✓	x	x	x	x	
CM-BR-0070	20070	✖	x	x	x	x	
CM-BR-0100	20100	✓	x	x	x	x	Updated in release v1.6.0 and for all XSD versions: CESOP-1103 - FAT COMPLETED
CM-BR-0110	20110	✓	x	x	x	x	

		XSD version						
• CESOP v1.6.0								
• VM v1.6.0								
CM-BR-0120	20120	✖	-	-	-	x	Added in release v1.6.0 & & applicable from XSD v4.03 on: CESOP-908 - FAT COMPLETED	
CM-BR-0130	20130	✓	-	-	-	x	Added in release v1.6.0 & & applicable from XSD v4.03 on: CESOP-1724 - SAT COMPLETED	
CM-BR-0140	20140	✓	-	-	-	x	Added in release v1.6.0 & & applicable from XSD v4.03 on: CESOP-1724 - SAT COMPLETED	
PS-BR-0010 ¹	30010	-	-	-	-	-	Removed in release v1.5.0 & for all XSD versions: CESOP-916 - COMPLETED	
RP-BR-0010	40010	✓	x	x	x	x		
RP-BR-0020	40020	✓	x	x	x	x		
RP-BR-0030	40030	✓	x	x	x	x		
RP-BR-0040	40040	✓	x	x	x	x		
RP-BR-0050	40050	✓	x	x	x	x		
RP-BR-0060	40060	✓	x	x	x	x		
RP-BR-0070	40070	✓	x	x	x	x	Updated in release v1.6.0 and for all XSD versions: CESOP-1103 - FAT COMPLETED	
RP-BR-0080	40080	✓	x	x	x	x		
RP-BR-0090	40090	✓	-	-	-	x	Added in release v1.6.0 & applicable from XSD v4.03 on: CESOP-1222 - FAT COMPLETED	
RT-BR-0010	45010	✓	x	x	x	x		
RT-BR-0020	45020	-	-	-	-	-	Removed in release v1.3.0 & for all XSD versions (obsolete rule): CESOP-930 - COMPLETED	
RT-BR-0030 ²	45030	✓	x	x	x	x	Updated in release v1.5.0 and for all XSD versions: CESOP-970 - COMPLETED	
RT-BR-0040	45040	✓	x	x	x	x	As from release v1.6.0, the refund identifier can be equal to the original transaction: CESOP-1494 - SAT COMPLETED	
RT-BR-0050	45050	✖	x	x	x	x	As from release v1.6.0, the refund identifier can be equal to the	

		XSD version							
<ul style="list-style-type: none"> • CESOP v1.6.0 • VM v1.6.0 									
									original transaction: CESOP-1494 - SAT COMPLETED
RT-BR-0060	45060	✓	x	x	x	x			
RT-BR-0080	45080	✓	x	x	x	x			

9.2.2 Technical rules

		XSD version							
Technical rule ID	Error code	Covered by VM	v4.00	v4.01	v4.02	v4.03	Comment		
CM-TR-0010	50010	✓	x	x	x	x			
CM-TR-0020	50020	✗	x	x	x	x			
CM-TR-0030	50030	✗	x	x	x	x			
CM-TR-0040	50040	✗	x	x	x	x			
CM-TR-0050	50050	✗	x	x	x	x			
CM-TR-0060	50060	✗	x	x	x	x			
CM-TR-0070	50070	✓	x	x	x	x			
CM-TR-0080	50080	✓	x	x	x	x			
CM-TR-9000	99999	✓	x	x	x	x	Covers the following case(s):	<ul style="list-style-type: none"> When a message includes at least two same payees reported under different ReportedPayee elements - Added in release v1.4.5 & for all XSD versions: CESOP-1888 - COMPLETED 	

9.3 List of RfCs impacting the XSD (User Guide) per CESOP release

9.3.1 CESOP v1.3.0

Key	Summary	T	Component/s	Labels
CESOP-567	Validate if transmitting country equals the partner id country	↳	FSR, TDS, XSD, XSD User Guide	XSD_UserGuide_v4.20 XSD_v4.01
CESOP-568	Validate if transmitting country equals the country of the uploader	↳	FSR, TDS, XSD, XSD User Guide	XSD_UserGuide_v4.20 XSD_v4.01
CESOP-811	Migration of CFSS into XSD User Guide	↳	XSD User Guide	XSD_UserGuide_v4.20
CESOP-818	XSD - Update MH-BR-0090 to reject VLD messages (in both VM and CESOP app)	↳	FSR, TDS, VM-FSR, VM-TDS, XSD, XSD User Guide	AMD XSD-Addendum XSD_UserGuide_v4.40 XSD_v4.02
CESOP-819	CESOP - TransactionIdentifier Uniqueness in the System	↳	XSD, XSD User Guide	XSD-Addendum XSD_UserGuide_v4.40 XSD_v4.02
CESOP-821	XSD (User Guide) - Update of representative definitions	↳	XSD, XSD User Guide	XSD-Addendum XSD_UserGuide_v4.40 XSD_v4.02
CESOP-863	XSD User Guide - Update footnote related to files compression	↳	XSD User Guide	XSD-Addendum XSD_UserGuide_v4.40
CESOP-864	XSD - Update regex of TAXIdentification_Type	↳	XSD, XSD User Guide	XSD-Addendum XSD_UserGuide_v4.40 XSD_v4.02
CESOP-870	XSD User guide - Removal of DAC2 references	↳	XSD User Guide	XSD-Addendum XSD_UserGuide_v4.40
CESOP-878	XSD - Update of the Timestamp validation regex	↳	XSD, XSD User Guide	XSD-Addendum XSD_UserGuide_v4.40 XSD_v4.02
CESOP-903	XSD material update the comment for StringMin1Max40_Type	↳	XSD	XSD_UserGuide_v4.20 XSD_v4.01
CESOP-918	Clarification RP-BR-0040 in XSD user guide	↳	XSD User Guide	XSD-Addendum XSD_UserGuide_v4.40
CESOP-930	Remove obsolete business rule RT-BR-0020 (error code 45020)	↳	XSD, XSD User Guide	XSD-Addendum XSD_UserGuide_v4.40 XSD_v4.02
CESOP-967	Partial Rejection of a Spontaneous Correction Data Message	↳	XSD User Guide	AMD XSD-Addendum XSD_UserGuide_v4.40
CESOP-1032	[XSD User Guide] Correlation between two Payment Data messages	↳	XSD User Guide	XSD_UserGuide_v4.60
CESOP-1113	XSD - Update regex of TAXIdentification_Type to consider minus "-"	↳	XSD, XSD User Guide	XSD_UserGuide_v4.60 XSD_v4.02

Key	Summary	T	Component/s	Labels
CESOP-1194	CESOP XSD User Guide - Clarification regarding message where all payees are erroneous		XSD User Guide	XSD_UserGuide_v4.60

[17 issues](#)

9.3.2 CESOP v1.4.0

Key	Summary	T	Component/s	Labels
No issues found				

9.3.3 CESOP v1.5.0

Key	Summary	T	Component/s	Labels
CESOP-916	Remove Business Rule PS-BR-0010 (error code 30010)		FSR, TDS, VM-FSR, VM-TDS, VM-UMN, XSD User Guide	XSD_UserGuide_v5.00
CESOP-970	Modify BR RT-BR-0030 to have at least one date in reporting period and to take into account the settlement date		FSR, VM-FSR, VM-TDS, VM-UMN, XSD User Guide	XSD_UserGuide_v5.00
CESOP-1493	Adding clarifications for the correlation mechanism in the XSD User Guide		TS, XSD User Guide	XSD_UserGuide_v4.80
CESOP-1715	Handle "1" as "true" for xs:boolean fields		FSR, TDS, VM-FSR, XSD, XSD User Guide	XSD_UserGuide_v4.80 XSD_v4.02
CESOP-1782	CESOP non EU PSP BIC - Update the XSD User Guide to propose using the 'Other'		XSD User Guide	XSD_UserGuide_v4.80

[5 issues](#)

9.3.4 CESOP v1.6.0

Key	Summary	T	Component/s	Labels
CESOP-908	Correction of reported payees initially reported in different payment data messages - new BR		FSR, TDS, XSD User Guide	XSD_UserGuide_v5.00
CESOP-985	Remove Business Rule MH-BR-0020 (error code 10020)		FSR, VM-FSR, VM-TDS, VM-	XSD_UserGuide_v5.00

Key	Summary	T	Component/s	Labels
			UMN, XSD User Guide	
CESOP-1103	Support all ISO-3166 for BICs	⊕	FSR, VM-FSR, VM-TDS, VM-UMN, XSD User Guide	XSD_UserGuide_v5.00
CESOP-1222	New BR to validate if transactions are included in the PMT message in case of deletion request	⊕	FSR, VM-FSR, VM-TDS, VM-UMN, XSD User Guide	XSD_UserGuide_v5.00
CESOP-1226	Add a new scenario for the case where all payees are partially rejected	⊕	XSD User Guide	XSD_UserGuide_v5.00
CESOP-1336	Extend length of transactionIdentifier	⊕	FS, FSR, TS, VM-FSR, VM-TDS, XSD, XSD User Guide	TESTAX:High XSD_UserGuide_v5.00 XSD_v4.03
CESOP-1338	Add information regarding the implementation of error code 20010	⊕	XSD User Guide	XSD_UserGuide_v5.00
CESOP-1360	Settlement date as new value in TransactionDateType_Type enumeration	⊕	FS, FSR, TDS, TS, VM-FSR, VM-TDS, XSD, XSD User Guide	XSD_UserGuide_v5.00 XSD_v4.03
CESOP-1480	Reporting of both BIC AND Account Number must be allowed by XSD	⊕	FS, FSR, TDS, TS, UMN, VM-FSR, VM-TDS, XSD, XSD User Guide	PayeeCatalogue TESTAX:High XSD_UserGuide_v5.00 XSD_v4.03
CESOP-1494	Override transaction IDs in case the refund ID the same	⊕	FSR, TDS, TS, XSD User Guide	XSD_UserGuide_v5.00
CESOP-1541	Add support for VOES identifiers in PMT messages	⊕	FS, FSR, TDS, UMN, VM-FSR, VM-TDS, XSD, XSD User Guide	PayeeCatalogue TESTAX:High XSD_UserGuide_v5.00 XSD_v4.03
CESOP-1589	Remove error codes enumeration from the XSD	⊕	FS, FSR, TDS, VM-FSR, VM-TDS, VM-UMN, XSD, XSD User Guide	TESTAX:High XSD_UserGuide_v5.00 XSD_v4.03
CESOP-1598	Documenting the supported XSD versions for CESOP releases	⊕	FSR, VM-UMN, XSD User Guide	XSD_UserGuide_v5.00
CESOP-1681	XSD - Add optional description element for "OTHER" in enumerations	⊕	FS, FSR, TDS, TS, XSD, XSD User Guide	XSD_UserGuide_v5.00 XSD_v4.03
CESOP-1694	CESOP PING message type	⊕	FS, FSR, TDS, UMN, VM-FSR, VM-TDS, XSD, XSD User Guide	XSD_UserGuide_v5.00 XSD_v4.03

Key	Summary	T	Component/s	Labels
CESOP-1706	XSD - Currency Code Sierra Leone from SLL to SLE	 FSR, TDS, XSD		XSD_UserGuide_v5.00 XSD_v4.03
CESOP-1724	Add BRs to ensure proper use of optional description element for "OTHER" in enumerations	 FSR, VM-FSR, VM-TDS, VM-UMN, XSD User Guide		XSD_UserGuide_v5.00

[17 issues](#)

1. Note that this rule has been removed from CESOP v1.5.0 on, even if the XSD User Guide v4.80 (associated with CESOP v1.5.0) includes this rule. [_____](#)
2. Note that this rule has been updated from CESOP v1.5.0 on, even if it was updated in the XSD User Guide v5.00 (associated with CESOP v1.6.0). [_____](#)

10 VM - Scenarios

10.1 Abbreviations used

Abbreviation	Definition
VM	Validation Module
CESOP	Central Electronic System of Payment Information
PSP	Payment Service Provider
XML	Extensible Markup Language
XSD	XML Schema Definition
N.B.	Nota Bene


10.2 General Information

- The use of the VM is optional;
- VM validates only the stateless business rules;
- The PARTIAL_REJECTION response is introduced with the v1.2.0 of the VM.

10.3 Scenarios that describe how the VM should be used and how it should NOT be used.

10.3.1 Valid scenario


10.3.1.1 Description: The VM and CESOP confirm the XML sent by the PSP is valid and the response it is sent back to the PSP by CESOP via the MS



10.3.2 Partial Rejection scenario


10.3.2.1 Forward partial rejection

10.3.2.1.1 Description: The PSP sends an XML file that is partially rejected at MS level (either by the VM or by a national implementation based on the XSD User Guide). The MS chooses to continue the process and sends the XML file to CESOP. The MS must wait the validation result from CESOP and only after inform the PSP. More details on the scenario 3.6




10.3.2.2 Downgrade partial rejection to full rejection

10.3.2.2.1 Description: The PSP sends an XML file that is partially rejected at MS level (either by the VM or by a national implementation based on the XSD User Guide). The MS chooses to stop the process and inform the PSP on the validation result. In this case, the MS has to downgrade the response for PSP to FULL REJECTION.




10.3.3 Full Rejection scenario

- 10.3.3.1 Description: The PSP sends an XML file that is fully rejected at the MS level. In this case, the recommended option for the MS is to send the XML file back to PSP in order to save network bandwidth



10.3.4 National implementation with additional business rules (to the XSD User Guide) scenario


- 10.3.4.1 Description: When the national implementation contains additional business rules that are not listed in the XSD User Guide and ONLY these rules are violated, then the recommendation is to FULLY REJECT the XML file back to PSP. Otherwise, CESOP could process it as a VALID message.



10.3.5 Valid for VM/Invalid for CESOP

10.3.5.1 Description: Because the VM validates only the stateless rules, an XML file initially considered valid by the VM could be later on PARTIALLY REJECTED by CESOP(CESOP has additionally rules).

10.3.5.1.1 N.B. : A stateless rule is a rule that can be checked in isolation, without prior knowledge or reference to past transactions. Each evaluation is made from scratch.



10.3.6 Why MS must NOT partially reject a message directly to the PSP!!

10.3.6.1 Description: In case of partially rejection, ONLY the two scenarios presented in section 3.2 are allowed. Otherwise, when the PSP will send the correction, CESOP will REJECT the message since it does not have record of the initial message. This will create confusion and lack of consistency for the PSPs

