

ORIGINATOR: DG TAXUD	ISSUE DATE: 27/05/2011	VERSION: 3.20-EN
----------------------	------------------------	------------------

**SUBJECT:**

**TARIC3 Input Bridge**  
**System Test Plan**

**DOCUMENT HISTORY**

EDI.	REV.	DATE	DESCRIPTION	ACTION	PAGES
0	01	19/03/2009	Initial pre-application system test plan version, Submission for Internal review.	Insert	All
0	02	02/04/2009	Addition of Chapter 3.2 & 3.3.	Insert	30-34
0	10	21/04/2009	Implementation of internal review comments.  Sent for review.	Update	As requested
1	00	26/05/2009	Implementation of review comments.  Sent for acceptance.	Update	As required
2	00	21/09/2009	Implementation of review comments.  Sent for review.	Update	As required
2	10	19/01/2010	General update of test cases.  Sent for review.	Update	Section 3
2	11	26/01/2010	Update following FAT findings	Update	As required
3	00	18/02/2010	Sent for acceptance	-	-
3	01	25/11/2010	Update for possible issues with EDIFACT file tests.		Section 2.7, 3.5

3	10	18/05/2011	Submitted for Review to Taxation and Customs Union DG.	Update	As Required
---	----	------------	--	--------	-------------

3	20	27/05/2011	Implemented comments from DG TAXUD and QAC.  Submitted for Acceptance to Taxation and Customs Union DG.	Update	As Required
---	----	------------	---	--------	-------------

## TABLE OF CONTENTS

DOCUMENT HISTORY .....	1
LIST OF TABLES .....	15
1. INTRODUCTION .....	16
1.1. Objective of this document .....	16
1.2. Structure of this document .....	16
1.3. Intended audience .....	16
1.4. Abbreviations and acronyms .....	16
1.5. Reference documents .....	16
1.6. Applicable documents .....	17
2. TEST ENVIRONMENT .....	18
2.1. Test scenario coverage.....	18
2.2. Naming conventions .....	18
2.3. Test case structure .....	19
2.4. Test strategy.....	19
2.5. Test data set .....	19
2.5.1. User data set.....	19
2.6. Alimentation of Database .....	20
2.6.1. Reference data.....	20
2.6.2. Initialization data .....	68
2.7. Preliminary steps to complete before executing the test plan .....	83
3. INPUT BRIDGE XML MESSAGES .....	84
3.1. Configuration Management.....	84
3.1.1. Insert Issuer .....	84
3.1.2. Update Issuer .....	86
3.1.3. Delete Issuer.....	87
3.2. Input Bridge Interface.....	87
3.2.1. Message Insert .....	87
3.2.1.1. Insert additional code: inb_insert.additionalcode_01.xml .....	87
3.2.1.2. Insert additional code: inb_insert.additionalcode_02.xml .....	89
3.2.1.3. Insert additional code: inb_insert.additionalcode_03.xml .....	90

3.2.1.4.	Insert additional code: inb_insert.additionalcode_04.xml .....	92
3.2.1.5.	Insert additional code: inb_insert.additionalcode_05.xml .....	93
3.2.1.6.	Insert legal regulation: inb_insert_legalregulation_01.xml.....	95
3.2.1.7.	Insert base regulation: inb_insert_baseregulation_01.xml .....	96
3.2.1.8.	Insert base regulation: inb_insert_baseregulation_02.xml .....	98
3.2.1.9.	Insert modification regulation: inb_insert.modificationregulation_01.xml.....	99
3.2.1.10.	Insert certificate: inb_insert.certificate_01.xml.....	101
3.2.1.11.	Insert certificate: inb_insert.certificate_02.xml.....	104
3.2.1.12.	Insert certificate: inb_insert.certificate_03.xml.....	105
3.2.1.13.	Insert certificate: inb_insert.certificate_04.xml.....	106
3.2.1.14.	Insert ern: inb_insert.ern_01.xml.....	108
3.2.1.15.	Insert ern: inb_insert.ern_02.xml.....	109
3.2.1.16.	Insert footnote: inb_insert.footnote_01.xml.....	111
3.2.1.17.	Insert footnote: inb_insert.footnote_02.xml.....	112
3.2.1.18.	Insert footnote: inb_insert.footnote_03.xml.....	113
3.2.1.19.	Insert geographical area: inb_insert.geographicalarea_01.xml .....	116
3.2.1.20.	Insert geographical area: inb_insert.geographicalarea_02.xml .....	117
3.2.1.21.	Insert geographical area: inb_insert.geographicalarea_03.xml .....	117
3.2.1.22.	Insert geographical area: inb_insert.geographicalarea_04.xml .....	119
3.2.1.23.	Insert geographical area: inb_insert.geographicalarea_05.xml .....	119
3.2.1.24.	Insert geographical area: inb_insert.geographicalarea_06.xml .....	127
3.2.1.25.	Insert goods nomenclature: inb_insert.goodsnomenclature_01.xml .....	128

3.2.1.26.	Insert goods nomenclature: inb_insert.goodsnomenclature_02.xml .....	129
3.2.1.27.	Insert goods nomenclature: inb_insert.goodsnomenclature_03.xml .....	130
3.2.1.28.	Insert goods nomenclature: inb_insert.goodsnomenclature_04.xml .....	131
3.2.1.29.	Insert goods nomenclature: inb_insert.goodsnomenclature_05.xml .....	131
3.2.1.30.	Insert goods nomenclature: inb_insert.goodsnomenclature_06.xml .....	132
3.2.1.31.	Insert goods nomenclature: inb_insert.goodsnomenclature_07.xml .....	132
3.2.1.32.	Insert goods nomenclature: inb_insert.goodsnomenclature_08.xml .....	133
3.2.1.33.	Insert goods nomenclature: inb_insert.goodsnomenclature_09.xml .....	134
3.2.1.34.	Insert goods nomenclature: inb_insert.goodsnomenclature_10.xml .....	135
3.2.1.35.	Insert measure: inb_insert.measure_01.xml.....	137
3.2.1.36.	Insert measure: inb_insert.measure_02.xml.....	137
3.2.1.37.	Insert measure: inb_insert.measure_03.xml.....	138
3.2.1.38.	Insert measure: inb_insert.measure_04.xml.....	139
3.2.1.39.	Insert measure: inb_insert.measure_05.xml.....	139
3.2.1.40.	Insert measure: inb_insert.measure_06.xml.....	140
3.2.1.41.	Insert measure: inb_insert.measure_07.xml.....	140
3.2.1.42.	Insert measure: inb_insert.measure_08.xml.....	141
3.2.1.43.	Insert measure: inb_insert.measure_09.xml.....	142
3.2.2.	Message Update.....	144
3.2.2.1.	Update measure: inb_update.measure_01.xml .....	144
3.2.2.2.	Update measure: inb_update.measure_02.xml .....	145
3.2.2.3.	Update measure: inb_update.measure_03.xml .....	147

3.2.2.4.	Update additional inb_update.additionalcode_01.xml .....	code: 147
3.2.2.5.	Update additional inb_update.additionalcode_02.xml .....	code: 148
3.2.2.6.	Update additional inb_update.additionalcode_03.xml .....	code: 148
3.2.2.7.	Update additional inb_update.additionalcode_04.xml .....	code: 149
3.2.2.8.	Update additional inb_update.additionalcode_05.xml .....	code: 150
3.2.2.9.	Update additional inb_update.additionalcode_06.xml .....	code: 151
3.2.2.10.	Update additional inb_update.additionalcode_07.xml .....	code: 152
3.2.2.11.	Update additional inb_update.additionalcode_08.xml .....	code: 152
3.2.2.12.	Update additional inb_update.additionalcode_09.xml .....	code: 153
3.2.2.13.	Update additional inb_update.additionalcode_07.xml .....	code: 153
3.2.2.14.	Update additional inb_update.additionalcode_08.xml .....	code: 154
3.2.2.15.	Update additional inb_update.additionalcode_09.xml .....	code: 154
3.2.2.16.	Update base inb_update.baseregulation_01.xml.....	regulation: 155
3.2.2.17.	Update base inb_update.baseregulation_02.xml.....	regulation: 156
3.2.2.18.	Update certificate: inb_update.certificate_01.xml .....	156
3.2.2.19.	Update certificate: inb_update.certificate_02.xml .....	157
3.2.2.20.	Update certificate: inb_update.certificate_03.xml .....	158
3.2.2.21.	Update certificate: inb_update.certificate_04.xml .....	158
3.2.2.22.	Update certificate: inb_update.certificate_05.xml .....	159
3.2.2.23.	Update certificate: inb_update.certificate_06.xml .....	159

3.2.2.24.	Update export refund nomenclature: inb_update.ern_01.xml .....	160
3.2.2.25.	Update export refund nomenclature: inb_update.ern_02.xml .....	160
3.2.2.26.	Update export refund nomenclature: inb_update.ern_03.xml .....	161
3.2.2.27.	Update export refund nomenclature: inb_update.ern_04.xml .....	162
3.2.2.28.	Update footnote: inb_update.footnote_01.xml.....	162
3.2.2.29.	Update footnote: inb_update.footnote_02.xml.....	163
3.2.2.30.	Update geographical area: inb_update.geographicalarea_01.xml.....	164
3.2.2.31.	Update geographical area: inb_update.geographicalarea_02.xml.....	165
3.2.2.32.	Update geographical area: inb_update.geographicalarea_03.xml.....	166
3.2.2.33.	Update geographical area: inb_update.geographicalarea_04.xml.....	167
3.2.2.34.	Update geographical area: inb_update.geographicalarea_05.xml.....	167
3.2.2.35.	Update geographical area: inb_update.geographicalarea_06.xml.....	168
3.2.2.36.	Update geographical area: inb_update.geographicalarea_07.xml.....	169
3.2.2.37.	Update goods nomenclature: inb_update.goodsnomenclature_01.xml .....	170
3.2.2.38.	Update goods nomenclature: inb_update.goodsnomenclature_02.xml .....	170
3.2.2.39.	Update goods nomenclature: inb_update.goodsnomenclature_03.xml .....	172
3.2.2.40.	Update goods nomenclature: inb_update.goodsnomenclature_04.xml .....	173
3.2.2.41.	Update legal regulation: inb_update.legalregulation_01.xml .....	173

3.2.2.42.	Update modification regulation:	
	inb_update.modificationregulation_01.xml .....	174
3.2.3.	Message Delete .....	175
3.2.3.1.	Delete additional code: inb_delete.additionalcode_01.xml .....	175
3.2.3.2.	Delete additional code: inb_delete.additionalcode_02.xml .....	175
3.2.3.3.	Delete additional code: inb_delete.additionalcode_03.xml .....	176
3.2.3.4.	Delete additional code: inb_delete.additionalcode_04.xml .....	176
3.2.3.5.	Delete legal regulation inb_delete.legalregulation_01.xml .....	177
3.2.3.6.	Delete base regulation inb_delete.baseregulation_01.xml .....	177
3.2.3.7.	Delete certificate: inb_delete.certificate_01.xml .....	177
3.2.3.8.	Delete certificate: inb_delete.certificate_02.xml .....	178
3.2.3.9.	Delete ern: inb_delete.ern_01.xml .....	178
3.2.3.10.	Delete ern: inb_delete.ern_02.xml .....	179
3.2.3.11.	Delete ern: inb_delete.ern_03.xml .....	180
3.2.3.12.	Delete footnote: inb_delete.footnote_01.xml .....	181
3.2.3.13.	Delete geographical area: inb_delete.geographicalarea_01.xml.....	181
3.2.3.14.	Delete geographical area: inb_delete.geographicalarea_02.xml.....	181
3.2.3.15.	Delete geographical area: inb_delete.geographicalarea_03.xml.....	182
3.2.3.16.	Delete geographical area: inb_delete.geographicalarea_04.xml.....	182
3.2.3.17.	Delete geographical area: inb_delete.geographicalarea_05.xml.....	182
3.2.3.18.	Delete geographical area: inb_delete.geographicalarea_06xml.....	183

3.2.3.19.	Delete goods nomenclature: inb_delete.goodsnomenclature_01.xml.....	183
3.2.3.20.	Delete goods nomenclature: inb_delete.goodsnomenclature_02.xml.....	184
3.2.3.21.	Delete goods nomenclature: inb_delete.goodsnomenclature_03.xml.....	185
3.2.3.22.	Delete measure: inb_delete.measure_01.xml.....	186
3.2.3.23.	Delete measure: inb_delete.measure_02.xml.....	187
3.2.3.24.	Delete measure: inb_delete.measure_03.xml.....	187
3.2.3.25.	Delete measure: inb_delete.measure_04.xml.....	189
3.2.3.26.	Delete measure: inb_delete.measure_05.xml.....	190
3.2.3.27.	Delete modification regulation: inb_delete.modificationregulation_01.xml .....	191
3.2.4.	Message Query.....	191
3.2.4.1.	Query insert additional code: inb_insert.additionalcode_01.query.xml .....	191
3.2.4.2.	Query insert base regulation: inb_insert.baseregulation_01.query.xml .....	191
3.2.4.3.	Query insert certificate: inb_insert.certificate_01.query.xml.....	192
3.2.4.4.	Query insert ern: inb_insert.ern_01.query.xml.....	192
3.2.4.5.	Query insert footnote: inb_insert.footnote_01.query.xml .....	192
3.2.4.6.	Query insert geographical area: inb_insert.geographicalarea_01.query.xml .....	193
3.2.4.7.	Query insert geographical area: inb_insert.geographicalarea_05.query.xml .....	193
3.2.4.8.	Query insert goods nomenclature: inb_insert.goodsnomenclature_01.query.xml .....	193
3.2.4.9.	Query insert legal regulation: inb_insert.legalregulation_01.query.xml.....	194
3.2.4.10.	Query insert measure: inb_insert_measure_01.query.xml .....	194

3.2.4.11.	Query insert modification regulation: inb_insert.modificationregulation_01.query.xml.....	195
3.2.4.12.	Query update additional code: inb_update.additionalcode_01.query.xml .....	195
3.2.4.13.	Query update base regulation: inb_update.baseregulation_01.query.xml .....	195
3.2.4.14.	Query update certificate: inb_update.certificate_01.query.xml .....	196
3.2.4.15.	Query update ern: inb_update.ern_01.query.xml.....	196
3.2.4.16.	Query update footnote: inb_update.footnote_01.query.xml.....	196
3.2.4.17.	Query update geographical area: inb_update.geographicalarea_01.query.xml .....	197
3.2.4.18.	Query update geographical area: inb_update.geographicalarea_03.query.xml .....	197
3.2.4.19.	Query update goods nomenclature: inb_update.goodsnomenclature_01.query.xml .....	197
3.2.4.20.	Query update legal regulation: inb_update.legalregulation_01.query.xml.....	198
3.2.4.21.	Query update measure: inb_update.measure_01.query.xml.....	198
3.2.4.22.	Query delete additional code: inb_delete.additionalcode_01.query.xml .....	198
3.2.4.23.	Query delete base regulation: inb_delete.baseregulation_01.query.xml.....	199
3.2.4.24.	Query delete certificate: inb_delete.certificate_01.query.xml .....	199
3.2.4.25.	Query delete ern: inb_delete..ern_01.query.xml .....	199
3.2.4.26.	Query delete footnote: inb_delete.footnote_01.query.xml.....	200
3.2.4.27.	Query delete geographical area: inb_delete.geographicalarea_01.query.xml .....	200
3.2.4.28.	Query delete geographical area: inb_delete.geographicalarea_05.query.xml.....	200

3.2.4.29.	Query delete goods nomenclature: inb_delete.goodsnomenclature_01.query.xml.....	201
3.2.4.30.	Query delete legal regulation: inb_delete.legalregulation_01.query.xml .....	201
3.2.4.31.	Query delete measure: inb_delete.measure_01.query.xml.....	201
3.2.4.32.	Query delete modification regulation: inb_delete.modificationregulation_01.query.xml .....	202
3.3.	Message NOK.....	202
3.3.1.	inb_nok.delete_issuer_nok.xml.....	202
3.3.2.	inb_nok.init_issuer_nok.xml .....	203
3.3.3.	inb_nok.Init_Measure_nok.xml .....	203
3.3.4.	inb_nok.measure_nok.xml.....	204
3.3.5.	inb_nok.PR-INB-CM-1.query.xml .....	206
3.3.6.	inb_nok.PR-INB-CM-1_2.xml .....	207
3.3.7.	inb_nok.PR-INB-CM-1_2.query.xml.....	207
3.3.8.	inb_nok.SEC-RQ-DATA.xml .....	208
3.3.9.	inb_nok.SEC-RQ-DATA.query.xml .....	210
3.3.10.	inb_nok.SEC-RQ-DATA_2.query.xml .....	211
3.3.11.	inb_nok.SEC-RQ-DATA_3.query.xml .....	211
3.3.12.	inb_nok.TARIC-INB-SPEC-02.query.xml .....	213
3.3.13.	inb_nok.TARIC-INB-SPEC-03.query.xml .....	215
3.3.14.	inb_nok.TARIC-INB-SPEC-03_2.xml .....	216
3.3.15.	inb_nok.TARIC-INB-SPEC-03_2.query.xml .....	217
3.3.16.	inb_nok.TARIC-INB-SPEC-03_2.query.xml .....	218
3.3.17.	inb_nok.TARIC-INB-SPEC-04.xml.....	219
3.3.18.	inb_nok.TARIC-INB-SPEC-04.query.xml .....	219
3.3.19.	inb_nok.TARIC-INB-SPEC-05.query.xml .....	221
3.3.20.	inb_nok.TARIC-INB-SPEC-06.xml.....	221
3.3.21.	inb_nok.TARIC-INB-SPEC-08.query.xml .....	223
3.3.22.	inb_nok.TARIC-INB-SPEC-10.query.xml .....	225
3.3.23.	inb_nok.TARIC-INB-SPEC-12.xml.....	226
3.3.24.	inb_nok.TARIC-INB-SPEC-12.query.xml .....	226
3.3.25.	inb_nok.VR-INB-GEN-1.xml.....	227
3.3.26.	inb_nok.VR-INB-GEN-1.query.xml .....	228

3.3.27.	inb_nok.VR-INB-GEN-1_2.xml .....	229
3.3.28.	inb_nok.VR-INB-GEN-2.query.xml .....	229
3.3.29.	inb_nok.VR-INB-GEN-2.xml.....	230
3.3.30.	inb_nok.VR-INB-GEN-3.xml.....	231
3.3.31.	inb_nok.VR-INB-GEN-3.query.xml .....	232
3.3.32.	inb_nok.VR-INB-GEN-4.xml.....	232
3.3.33.	inb_nok.VR-INB-GEN-4.query.xml .....	233
3.3.34.	inb_nok.VR-INB-MEM-1.query.xml .....	235
3.3.35.	inb_nok.VR-INB-MEM-2.xml .....	236
3.3.36.	inb_nok.VR-INB-MEM-2.query.xml .....	236
3.3.37.	inb_nok.VR-INB-MEM-4.xml .....	238
3.3.38.	inb_nok.VR-INB-MEM-5.xml .....	238
3.4.	Message CDCOKO .....	239
3.4.1.	inb_insert_kocdco.additionalcode_01.xml .....	239
3.4.2.	inb_insert_kocdco.additionalcode_01.query.xml .....	239
3.4.3.	inb_insert_kocdco.baseregulation_01.xml.....	240
3.4.4.	inb_insert_kocdco.baseregulation_01.query.xml .....	242
3.4.5.	inb_insert_kocdco.certificate_01.xml .....	243
3.4.6.	inb_insert_kocdco.certificate_01.query.xml .....	247
3.4.7.	inb_insert_kocdco.ern_01.xml .....	247
3.4.8.	inb_insert_kocdco.ern_01.query.xml .....	248
3.4.9.	inb_insert_kocdco.footnote_01.xml.....	249
3.4.10.	inb_insert_kocdco.footnote_01.query.xml.....	251
3.4.11.	inb_insert_kocdco.geographicalarea_01.xml.....	252
3.4.12.	inb_insert_kocdco.geographicalarea_01.query.xml .....	253
3.4.13.	inb_insert_kocdco.geographicalarea_01.query.xml .....	254
3.4.14.	inb_insert_kocdco.goodsnomenclature_01.xml .....	255
3.4.15.	inb_insert_kocdco.goodsnomenclature_01.query.xml .....	256
3.4.16.	inb_insert_kocdco.goodsnomenclature_01.query.xml .....	257
3.4.17.	inb_insert_kocdco.legalregulation_01.xml.....	257
3.4.18.	inb_insert_kocdco.legalregulation_01.query.xml.....	258
3.4.19.	inb_insert_kocdco.measure_01.query.xml.....	260
3.4.20.	inb_insert_kocdco.modificationregulation_01.xml .....	261
3.4.21.	inb_insert_kocdco.modificationregulation_01.query.xml .....	263
3.4.22.	inb_update_kocdco.additionalcode_01.xml .....	263

3.4.23.	inb_update_kocdco.additionalcode_01.query.xml .....	264
3.4.24.	inb_update_kocdco.baseregulation_01.xml.....	265
3.4.25.	inb_update_kocdco.baseregulation_01.query.xml.....	266
3.4.26.	inb_update_kocdco.certificate_01.query.xml .....	267
3.4.27.	inb_update_kocdco.ern_01.xml .....	268
3.4.28.	inb_update_kocdco.ern_01.query.xml .....	268
3.4.29.	inb_update_kocdco.footnote_01.xml.....	269
3.4.30.	inb_update_kocdco.footnote_01.query.xml.....	270
3.4.31.	inb_update_kocdco.geographicalarea_01.xml.....	271
3.4.32.	inb_update_kocdco.geographicalarea_01.query.xml.....	271
3.4.33.	inb_update_kocdco.goodsnomenclature_01.xml.....	272
3.4.34.	inb_update_kocdco.goodsnomenclature_01.query.xml .....	273
3.4.35.	inb_update_kocdco.legalregulation_01.xml.....	273
3.4.36.	inb_update_kocdco.legalregulation_01.query.xml .....	274
3.4.37.	inb_update_kocdco.measure_01.xml.....	275
3.4.38.	inb_update_kocdco.measure_01.query.xml.....	275
3.4.39.	inb_update_kocdco.modificationregulation_01.xml .....	277
3.4.40.	inb_update_kocdco.modificationregulation_01.query.xml .....	277
3.4.41.	inb_delete_kocdco.additionalcode_01.xml.....	278
3.4.42.	inb_delete_kocdco.additionalcode_01.query.xml .....	278
3.4.43.	inb_delete_kocdco.baseregulation_01.xml.....	279
3.4.44.	inb_delete_kocdco.baseregulation_01.query.xml.....	280
3.4.45.	inb_delete_kocdco.certificate_01.xml .....	280
3.4.46.	inb_delete_kocdco.certificate_01.query.xml .....	281
3.4.47.	inb_delete_kocdco.ern_01.xml .....	281
3.4.48.	inb_delete_kocdco.ern_01.query.xml .....	282
3.4.49.	inb_delete_kocdco.footnote_01.xml .....	283
3.4.50.	inb_delete_kocdco.footnote_01.query.xml .....	284
3.4.51.	inb_delete_kocdco.geographicalarea_01.xml.....	284
3.4.52.	inb_delete_kocdco.geographicalarea_01.query.xml.....	285
3.4.53.	inb_delete_kocdco.goodsnomenclature_01.xml.....	286
3.4.54.	inb_delete_kocdco.goodsnomenclature_01.query.xml.....	286
3.4.55.	inb_delete_kocdco.legalregulation_01.xml .....	287
3.4.56.	inb_delete_kocdco.legalregulation_01.query.xml .....	288
3.4.57.	inb_delete_kocdco.measure_01.xml .....	288

3.4.58.	inb_delete_kocdco.measure_01.query.xml .....	289
3.4.59.	inb_delete_kocdco.modificationregulation_01.xml .....	290
3.4.60.	inb_delete_kocdco.modificationregulation_01.query.xml .....	290
3.5.	Message EDIFACT.....	291
3.5.1.	Insert Message .....	291
3.5.2.	Insert Message .....	295
3.5.3.	Insert Message .....	298
3.5.4.	Insert Message .....	300
3.5.5.	Insert Message .....	302
3.5.6.	Insert Message .....	305
3.5.7.	Update Message.....	309
3.5.8.	Update Message.....	309
3.5.9.	Update Message.....	312
3.5.10.	Update Message.....	313
3.5.11.	Update Message.....	314
3.5.12.	Update Message.....	315
3.5.13.	Delete Message .....	316
3.5.14.	Delete Message .....	316
3.5.15.	Delete Message .....	317
3.5.16.	Delete Message .....	318
3.5.17.	Delete Message .....	319
4.	TEST REPORT FORM.....	321
4.1.	Environment description .....	321
4.2.	Test case execution .....	321
	ANNEX 1: COVERAGE TABLE .....	331

**LIST OF TABLES**

Abbreviations and acronyms.....	16
Reference documents .....	17
Applicable documents.....	17
Environment description .....	321
Test report form.....	330
Coverage table .....	331

## 1. INTRODUCTION

### 1.1. Objective of this document

This document defines the System Test Plan to be followed in order to:

- Test & validate the current limited functionalities of the TARIC3 Input Bridge;
- Check if functionalities of TARIC3 Input Bridge are implemented according to the requirements.

### 1.2. Structure of this document

This document has 3 chapters after this introduction chapter. Chapter 2 describes the test environment. Chapter 3 describes the various test cases of input bridge xml messages as messages update, insert and delete, and the queries used for. The screen configuration management and message exchange management are described in chapters 3.2 and 3.3 Finally, chapter 4 gives the template of the Test Report Form that must be filled in during performing TARIC3 Input Bridge System Test Plan and it also contains coverage table and domain tested.

### 1.3. Intended audience

This document is intended for people responsible for the testing & validation of the TARIC3 Input Bridge functionalities.

### 1.4. Abbreviations and acronyms

EDIFACT	Electronic Data Interchange For Administration, Commerce & Transport
INB	Input Bridge
MS	Member State
TARIC	<i>Tarif Intégré Communautaire</i>
UNIX	Unix operating system
XML	eXtensible Markup Language

**Table 1: Abbreviations and acronyms**

### 1.5. Reference documents

[TARIC3-INB-UIS]	“TARIC3 - INB – User Interface Specifications”, version 0.10
[TARIC3-INB-FS]	“TARIC3 - INB - Functional Specifications”, version 1.02

[TARIC3-INB-PM]	“TARIC3 - INB – Process Model”, version 0.10
[TARIC3-INB-TMES]	“TARIC3 - INB – Technical Message Exchange Specification”, version 0.10
[TARIC3-INB-FMES]	“TARIC3 - INB – Functional Message Exchange Specification”, version 0.10

**Table 2: Reference documents****1.6. Applicable documents**

[TARIC3-INB-FTS]	“TARIC3 - INB – Functional Test Scenarios”, version 1.00
------------------	--

**Table 3: Applicable documents**

## 2. TEST ENVIRONMENT

### 2.1. Test scenario coverage

The System Test Plan does not only cover the functional test scenarios defined in [[TARIC3-INB-FTS](#)] but some additional TARIC3-INB core specifications as well. For each functional test scenario, one or several test cases are defined. The table in Annex [1](#) clearly identifies test cases implemented based on concerned domains. At the moment this is a pre-application system test plan, tester may experience inconsistency due to the fact that application is under the development process.

### 2.2. Naming conventions

Each test case defined in the system test plan has a unique test identifier that has the following structure:

*test-area:\_affected-data:\_description:*

where:

- *test-area*: is the area of the test. Two areas are defined: *init* (initialisation), *dm* (data maintenance).
- *affected-data*: is the kind(s) of data affected by the test case. This can be: *inb\_mrg* (INB message registration), *inb\_mvl* (INB message validation), *inb\_mpr* (INB message process), *inb\_ref* (INB reference data) or any combination of them.
- *description*: is a small description of the purpose of this test. Normally, the description would make reference to the process to be tested, e. g.: *Insert*, *Update*, *Query*, *Delete*, *Full*, *setup*.

During the execution of a test case, several input messages can be sent to the Input Bridge Satellite Module. Those messages receive a name with the following format:

*test-area:\_affected-data:\_description:\_id:[.sub\_no].xml*

where:

- *test-area:\_affected-data:\_description*: identifies the test case ID.
- *id*: is a sequential number that identifies several messages constituting a test case. A special *setup* notation is used to identify a message that establishes the environment for a test case. These set-up messages must be properly processed in order to ensure the correct execution of the test case but they are not a test as such.
- *sub-no*: is an optional sub-number. It is used to clarify the fact that several messages are processed in the same work package.

For each input message the expected output message is provided with a name being *test-area:\_affected-data:\_description:\_seq\_no:[.sub\_no][.cnt].out.xml*.

### 2.3. Test case structure

A scenario is composed of one or more test cases that are specified in the following way:

<b><u>Test case ID:</u></b>	The identification number of test case to be executed.
<b><u>Purpose:</u></b>	A short description of what is performed by the test case.
<b><u>Precondition:</u></b>	All the required conditions that must be fulfilled before the test case is executed. Please note that the default precondition is mentioned only once.
<b><u>Content:</u></b>	The description of the actions to be performed, together with the data to be used, when deemed relevant.
<b><u>Expected output:</u></b>	The output or response message that the tester has to check.

### 2.4. Test strategy

Entire system test plan is based on pre-defined scenarios [[TARIC3-INB-FTS](#)] and as well as some additional core functionality depended cases and all will perform “insert, update and delete” cycles to justify the scenarios. Input Bridge can accept both XML and EDIFACT messages; therefore following test data set has to load each time in beginning of XML or EDIFACT type test executions. For XML messages scripts are mentioned in following test cases however for EDIFACT input similar transactions can be performed to achieve the test plan targeted scenarios.

### 2.5. Test data set

#### 2.5.1. User data set

The following users having all the rights applicable for a DG TAXUD user must be defined:

**user1:** correspond to the [T3-U1], as defined in the [ITP](#) this user is used in CDCO mode for all CDCO operations and in input bridge mode for all input bridge operations.

**user3:** correspond to the [T3-U3], as defined in the [ITP](#) this user is used in input bridge mode for all input bridge operations.

And following “Issuers or Senders” will be used for test case [3.2](#) and [3.3](#):

- **Custom Authority - 0001, directory : CA**
- **Custom Authority - 0004, directory : CA2**

## 2.6. Alimentation of Database

### 2.6.1. Reference data

Execute the script start\_inb.sh that calls the xml file TARIC3\_INB\_TST.xml

The reference data correspond at the minimum of reference data to answer at all test cases.

The testing reference data must be present in the system before the execution of each test case. This section presents the specification of the input message that must be sent to the system to insert those testing reference data. All transactions must be executed without error. The user who sends those messages must have sufficient privileges to manage common reference data.

<u>Name:</u>	REFDATA_001
<u>Purpose:</u>	Filled the empty database with
<u>Precondition:</u>	<p>Database is empty</p> <p>Respect the order of xml files to respect the interaction of the different fields in TARIC3_INB_TST.xml.</p>
<u>Content:</u>	<p>The TARIC3_INB_TST.xml file respects the order of creation of reference datas:</p> <ul style="list-style-type: none"> <li>1-Inb_Refdata_languages.xml</li> <li>2-Inb_Refdata_footnotetypes.xml</li> <li>3-Inb_Refdata_TransmissionComment.xml</li> <li>4-Inb_Refdata_CertificateType.xml</li> <li>5-Inb_Refdata_AdditionalCodeType.xml</li> <li>6-Inb_Refdata_MeasureTypeSeries.xml</li> <li>7-Inb_Refdata_RegulationGroup.xml</li> <li>8-Inb_Refdata_RegulationRoleType.xml</li> <li>9-Inb_Refdata_PublicationSigle.xml</li> <li>10-Inb_Refdata_MeasurementUnitQualifier.xml</li> <li>11-Inb_Refdata_MeasurementUnit.xml</li> <li>12-Inb_Refdata_Certificate.xml</li> <li>13-Inb_Refdata_Footnote.xml</li> <li>14-Inb_Refdata_MonetaryUnit.xml</li> <li>15-Inb_Refdata_DutyExpression.xml</li> <li>16-Inb_Refdata_CountryGroup.xml</li> <li>17-Inb_Refdata_Countries.xml</li> <li>18-Inb_Refdata_GoodsNomenclatureGroup.xml</li> <li>19-Inb_Refdata_MeasureAction.xml</li> <li>20-Inb_Refdata_MeasureConditionCode.xml</li> <li>21-Inb_Refdata_MeasuringTablePlan.xml</li> <li>22-Inb_Refdata_MeasuringAdditionalCodes.xml</li> <li>23-Inb_Refdata_AdditionalCode.xml</li> <li>24-Inb_Refdata_MonetaryExchange.xml</li> <li>25-Inb_Refdata_MeasureType.xml</li> <li>26-Inb_Refdata_LegalRegulation.xml</li> <li>27-Inb_Refdata_BaseRegulation.xml</li> </ul>

	28-Inb_Refdata_ModificationRegulation.xml 29-Inb_Refdata_ExplicitAbrogationRegulation.xml 30-Inb_Refdata_CompleteAbrogationRegulation.xml 31-Inb_Refdata_ProrationRegulation.xml 32-Inb_Refdata_FullTemporaryStopRegulation.xml 33-Inb_Refdata_GoodsNomenclature.xml 34-Inb_Refdata_Export_Refund_Nomenclature.xml 35-Inb_Refdata_Measure.xml
<u>Expected output:</u>	The TARIC3_INB_TST.xml file is correctly executed and put in the TARIC3 database transactions:  Reply to the transaction: Status ok.

Details of init referential data creation:

<u>Message:</u>	TARIC3_INB_TST.xml
<u>Precondition:</u>	Make sure the database is empty.
<u>Content:</u>	<p><u>Transaction 1: Inb_Refdata_AdditionalCode.xml</u></p> <p><b>Acn_1:</b> additional code type id = <i>P</i>, additional code id = <i>501</i>, start date = <i>1998-04-15</i>  description period 1: start date = <i>1998-04-15</i>:  language id = <i>EN</i>, description = <i>Birds' eggs, in shell, fresh, preserved or cooked, of poultry, of CN code 0407 00 30, on exportation of ovalbumin of CN codes 3502 11 90 and 3502 19 90..</i>  language id = <i>FR</i>, description = <i>Oeufs d'oiseaux, en coquilles, frais, conservés ou cuits, de volailles de basse-cour, relevant du code NC 0407 00 30, en cas d'exportation d'ovoalbumine relevant des codes NC 3502 11 90 et 3502 19 90..</i>  language id = <i>NL</i>, description = <i>Vogeleiieren in de schaal, vers, verduurzaamd of gekookt, van pluimvee, van de GN-code 0407 00 30, in geval van uitvoer van ovoalbumine van de GN-codes 3502 11 90 en 3502 19 90..</i>  language id = <i>EL</i>, description = <i>Αυγά πτηνών με το τσόφι λι τους, νωπά, διατη?ημένα ή β?ασμένα, πουλε?ικών ο?νιθώνα, του κωδικο? ΣΟ 0407 00 30, για την εξαγωγή ανγοαλβουμίνης των κωδικών ΣΟ 3502 11 90 και 3502 19 90..</i></p> <p><b>Acn_2:</b> additional code type id = <i>8</i>, additional code id = <i>616</i>, start date = <i>1999-02-19</i>:  description period 1: start date = <i>1999-02-19</i>:  language id = <i>EN</i>, description = <i>Drótárú és Drótkötél Ipari és Kereskedelmi Rt..</i>  language id = <i>FR</i>, description = <i>Drótárú és Drótkötél</i></p>

	<p><i>Ipari és Kereskedelmi Rt..</i>  language id = <i>NL</i>, description = <i>Drótárú és Drótkötél</i>  <i>Ipari és Kereskedelmi Rt..</i>  language id = <i>EL</i>, description = <i>Drótárú és Drótkötél</i>  <i>Ipari és Kereskedelmi Rt..</i>  associated footnote 1: footnote type id = <i>CA</i>, footnote id = <i>002</i>, start date = <i>1999-02-19</i>.</p> <p><b>Acn_3:</b> additional code type id = <i>3</i>, additional code id = <i>400</i>, start date = <i>1996-01-01</i>, end date = <i>1997-05-31</i>:</p> <p>description period 1: start date = <i>1996-01-01</i>:  language id = <i>EN</i>, description = <i>Imports/Exports governed by the Washington Convention [Council Regulation (EEC) No 3626/82, as last amended by Commission Regulation (EC) No 558/95].</i>  language id = <i>FR</i>, description = <i>Importations/Exportations régies par la Convention de Washington [Règlement du Conseil (CEE) n° 3626/82, modifié en dernier lieu par le Règlement de la Commission (CE) n° 558/95].</i></p> <p>language id = <i>NL</i>, description = <i>Invoer/uitvoer die het voorwerp uitmaakt van de Conventie van Washington [Verordening (EEG) nr. 3626/82 van de Raad, laatst gewijzigd met Verordening (EG) nr. 558/95 van de Commissie].</i></p> <p>language id = <i>EL</i>, description = <i>Εισαγωγές/εξαγωγές που διέπονται από την Σ?μβαση της Ονάσινγκτον (Κανονισμός Συμβούλιον (EK) α?ιθ. 3626/82, όπως τ?οποποιήθηκε τελευταία από τον Κανονισμό της Επιτ?οπής (EK) α?ιθ. 558/95)..</i></p>
	<p><b>Transaction 2: Inb_Refdata_AdditionalCodeType.xml</b></p> <p><b>Ct_1:</b> additional code type id = <i>3</i>, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Prohibition/Restriction/Surveillance.</i>  language id = <i>FR</i>, description = <i>Prohibition/Restriction/Surveillance.</i>  language id = <i>NL</i>, description = <i>Verbod/Beperking/Toezicht.</i>  language id = <i>EL</i>, description = <i>Απαγό?ενση/Πε?ιο?ισμός/Επιτή?ηση.</i>  application code = <i>1</i>.</p> <p><b>Ct_2:</b> additional code type id = <i>P</i>, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Refund for basic products.</i>  language id = <i>FR</i>, description = <i>Restitution produits de base.</i>  language id = <i>NL</i>, description = <i>RIX, Basisproducten.</i>  language id = <i>EL</i>, description = <i>Επιδοτήσεις, Βασικά</i></p>

	<p><math>\pi?o\ddot{o}\nuta.</math> application code = 4.</p> <p><b>Ct_3:</b> additional code type id = 8, start date = 1970-01-01:  language id = EN, description = <i>Antidumping/countervailing</i>.  language id = FR, description = <i>Antidumping/antisubvention</i>.  language id = NL, description = <i>Antidumping-/compenserende maatregelen</i>.  language id = EL, description = <i>Αντιντάμπινγκ/Αντισταθμιστικοί δασμοί</i>.  application code = 1.</p> <p><b>Ct_4:</b> additional code type id = 4, start date = 2001-01-01, end date = 2010-01-01:  language id = EN, description = <i>Restrictions</i>.  language id = FR, description = <i>Restrictions</i>.  language id = NL, description = <i>Beperkingen</i>.  language id = EL, description = <i>Πε?ιο?ισμοί(εξαι?ο?νται τα αγαθά διπλής χ?ήσης)</i>.  application code = 1.</p> <p><b>Ct_5:</b> additional code type id = 9, start date = 1970-01-01:  language id = EN, description = <i>Export Refunds</i>.  language id = FR, description = <i>Restitutions à l'exportation</i>.  language id = NL, description = <i>Uitvoerrestituties</i>.  language id = EL, description = <i>Εξαγωγικές επιδοτήσεις</i>.  application code = 0.</p>
--	--

Transaction 3: Inb\_Refdata\_BaseRegulation.xml

**Br\_1:** regulation id = I9502840, regulation role type = 1, start date = 1995-10-28, community code = 1, regulation group id = DUM, approved flag = 1.

**Br\_2:** regulation id = I9902130, regulation role type = 1, start date = 1999-07-24, community code = 1, regulation group id = DUM, approved flag = 1.

**Br\_3:** regulation id = I9902180, regulation role type = 1, start date = 1999-07-30, community code = 1, regulation group id = DUM, approved flag = 1.

**Br\_4:** regulation id = I0201110, regulation role type = 1, start date = 2002-05-08, community code = 1, regulation group id = DUM, approved flag = 1.

**Br\_5:** regulation id = R0608170, regulation role type = 1, start date = 2006-06-02, community code = 1, regulation group id = PRS, approved flag = 1.

**Br\_6:** regulation id = R8633020, regulation role type

	<p>= 1, start date = 1986-10-31, community code = 1, regulation group id = PRS, approved flag = 1.</p> <p><b>Br_7:</b> regulation id = I9700320, regulation role type = 1, start date = 1997-02-01, community code = 1, regulation group id = DUM, approved flag = 1.</p> <p><b>Br_8:</b> regulation id = R0125423, regulation role type = 1, start date = 2002-01-01, end date = 2002-12-31, community code = 1, regulation group id = PRF, approved flag = 1.</p> <p><b>Br_9:</b> regulation id = R9801510, regulation role type = 1, start date = 1997-02-01, community code = 1, regulation group id = PRF, approved flag = 1.</p> <p><b>Br_10:</b> regulation id = R9700210, regulation role type = 1, start date = 1997-01-01, end date = 1997-04-30, community code = 1, regulation group id = PRF, approved flag = 1.</p> <p><b>Br_11:</b> regulation id = R9509330, regulation role type = 1, start date = 1995-01-01, end date = 1997-12-31, community code = 1, regulation group id = PRF, approved flag = 1.</p> <p><b>Br_12:</b> regulation id = R9419810, regulation role type = 1, start date = 1994-07-01, end date = 1996-12-31, community code = 1, regulation group id = PRF, approved flag = 1.</p> <p><b>Br_13:</b> regulation id = R0020070, regulation role type = 1, start date = 2000-11-01, end date = 2002-12-31, community code = 1, regulation group id = PRF, approved flag = 1.</p> <p><b>Br_14:</b> regulation id = R0201190, regulation role type = 1, start date = 2002-01-01, community code = 1, regulation group id = PRF, approved flag = 1.</p> <p><b>Br_15:</b> regulation id = R0402350, regulation role type = 3, start date = 2004-02-13, community code = 1, regulation group id = DUM, approved flag = 1.</p> <p><b>Br_16:</b> regulation id = R0714200, regulation role type = 3, start date = 2007-12-06, community code = 1, regulation group id = DUM, approved flag = 1.</p> <p><b>Br_17:</b> regulation id = R9921141, regulation role type = 1, start date = 2007-12-06, community code = 1, regulation group id = DUM, approved flag = 1.</p> <p><b>Br_18:</b> regulation id = R9900820, regulation role type = 2, start date = 1999-01-15, end date = 1999-05-13, effective end date = 1999-05-13, community code = 1, regulation group id = DUM, approved flag = 1.</p> <p><b>Br_19:</b> regulation id = R9910031, regulation role type = 3, start date = 1999-05-14, effective end date = 2003-05-29, regulation id = R9900820, regulation role type = 2, community code = 1, regulation group id = DUM, approved flag = 1.</p>
--	---

Transaction 4: Inb\_Refdata\_Certificate.xml

	<p><b>Ce_1:</b> certificate type code = <i>D</i>, certificate code = 022, start date = 2006-07-01:      description period 1: start date = 2006-07-01:      language id = EN, description = <i>Certificate of authenticity B "Basmati Rice" for export to the European Community..</i>      language id = FR, description = <i>Certificat d'authenticité: "Certificate of authenticity B "Basmati Rice" for export to the European Community".</i>      language id = NL, description = <i>Echtheidscertificaat: "Certificate of authenticity B "Basmati Rice" for export to the European Community".</i>      language id = EL, description = <i>Πιστοποιητικό γνησιότητας: "Certificate of authenticity B "Basmati Rice" for export to the European Community".</i></p> <p><b>Ce_2:</b> certificate type code = <i>V</i>, certificate code = 046, start date = 2006-03-01:      description period 1: start date = 2006-03-01:      language id = EN, description = <i>Movement certificate EUR-MED.</i>      language id = FR, description = <i>Certificat de circulation des marchandises EUR-MED.</i>      language id = NL, description = <i>Certificaten inzake goederenverkeer EUR-MED.</i>      language id = EL, description = <i>Πιστοποιητικό κυκλοφορίας EUR-MED.</i></p> <p><b>Ce_3:</b> certificate type code = <i>V</i>, certificate code = 005, start date = 2006-03-31:      description period 1: start date = 2006-03-31:      language id = EN, description = <i>Certificate of origin meeting the conditions laid down in article 55 of Regulation (EEC) No 2454/93.</i>      language id = FR, description = <i>Certificat d'origine répondant aux conditions prévues à l'article 55 du règlement (CEE) no 2454/93.</i>      language id = NL, description = <i>Certificaat van oorsprong overeenkomstig artikel 55 van Verordening (EEG) nr. 2454/93.</i>      language id = EL, description = <i>Πιστοποιητικό καταγωγής το οποίο ανταποκρίνεται στους όρους που προβλέπονται στο άρθρο 55 του κανονισμού (ΕΟΚ) αριθ. 2454/93.</i></p> <p>description period 2: start date = 2008-01-01:      language id = EN, description = <i>Proof of origin established in accordance with Articles 55 to 65 of Regulation (EEC) No 2454/93.</i>      language id = FR, description = <i>Preuve de l'origine établie conformément aux articles des 55 à 65 du règlement (CEE) n° 2454/93.</i>      language id = NL, description = <i>Bewijs van oorsprong overeenkomstig het bepaalde in de artikelen 55 tot en</i></p>
--	--

	<p><i>met 65 van Verordening (EEG) nr. 2454/93.</i>  <b>language id = EL, description = Αποδεικτικό καταγωγής που εκδίδεται σ?μφωνα με τα á?θ?α 55 έως 65 του κανονισμο? (EOK) α?ιθ. 2454/93.</b></p> <p><b>Transaction 5: Inb_Refdata_CertificateType.xml</b></p> <p><b>Ct_1:</b> certificate type code = <i>D</i>, start date = <i>1970-01-01</i>:  <i>language id = EN, description = Certificate of authenticity.</i>  <i>language id = FR, description = Certificat d'authenticité.</i>  <i>language id = NL, description = Echtheidscertificaat.</i>  <i>language id = EL, description = Πιστοποιητικό γνησιότητας.</i></p> <p><b>Ce_2:</b> certificate type code = <i>K</i>, start date = <i>1970-01-01</i>, end date = <i>2011-04-01</i>:  <i>language id = EN, description = Tariff quota.</i>  <i>language id = FR, description = Contingent tarifaire.</i>  <i>language id = NL, description = Tariefcontingent.</i>  <i>language id = EL, description = Δασμολογική ποσόστωση.</i></p> <p><b>Ce_3:</b> certificate type code = <i>V</i>, start date = <i>1970-01-01</i>:  <i>language id = EN, description = Certificate of origin.</i>  <i>language id = FR, description = Certificat d'origine.</i>  <i>language id = NL, description = Oorsprongcertificaat.</i>  <i>language id = EL, description = Πιστοποιητικό καταγωγής.</i></p> <p><b>Transaction 6: Inb_Refdata_CompleteAbrogationRegulation.xml</b></p> <p><b>Car_1:</b> regulation id = <i>R0207480</i>, regulation role type = <i>6</i>, approved flag = <i>1</i>.  <b>Car_2:</b> regulation id = <i>R9808461</i>, regulation role type = <i>6</i>, approved flag = <i>1</i>.  <b>Car_3:</b> regulation id = <i>R9703041</i>, regulation role type = <i>6</i>, approved flag = <i>1</i>.</p> <p><b>Transaction 7: Inb_Refdata_Countries.xml</b></p> <p><b>Ctr_1:</b> country id = <i>SU</i>, start date = <i>1984-01-01</i>, end date = <i>1992-05-31</i>, area code = <i>2</i>:  <i>description period 1: start date = 1984-01-01:</i>  <i>language id = EN, description = Soviet Union.</i>  <i>language id = FR, description = Union soviétique.</i>  <i>language id = NL, description = Sovjetunie.</i>  <i>language id = EL, description = Σοβιετική Ένωση.</i>  <i>country group membership 1: country group id = 1011, start date = 1958-01-01, start date = 1988-01-01, end date = 1992-05-31.</i>  <i>country group membership 2: country group id =</i></p>
--	--

	<p>2130, start date = 1975-10-01, start date = 1988-01-01, end date = 1992-04-30.</p> <p><b>Ctr_2:</b> country id = XD, start date = 1984-01-01, end date = 1994-12-31, area code = 2:</p> <p>description period 1: start date = 1984-01-01:  language id = EN, description = <i>Mayotte</i>.  language id = FR, description = <i>Mayotte</i>.  language id = NL, description = <i>Mayotte</i>.  language id = EL, description = <i>Μαγιότ</i>.  country group membership 1: country group id = 1011, start date = 1958-01-01, start date = 1986-07-01, end date = 1994-12-31.  country group membership 2: country group id = 1030, start date = 1984-01-01, start date = 1984-01-01, end date = 1994-12-31.  country group membership 3: country group id = 2020, start date = 1984-01-01, start date = 1984-01-01, end date = 1994-12-31.  country group membership 4: country group id = 2029, start date = 1984-01-01, start date = 1988-01-01, end date = 1994-12-31.  country group membership 5: country group id = 2040, start date = 1973-01-01, start date = 1984-01-01, end date = 1994-12-31.  country group membership 6: country group id = 2080, start date = 1985-03-01, start date = 1985-03-01, end date = 1994-12-31.  country group membership 7: country group id = 2090, start date = 1983-07-31, start date = 1985-03-01, end date = 1994-12-31.</p> <p><b>Ctr_3:</b> country id = XB, start date = 1986-01-01, end date = 1996-12-31, area code = 2:</p> <p>description period 1: start date = 1986-01-01:  language id = EN, description = <i>Canary Islands</i>.  language id = FR, description = <i>Iles Canaries</i>.  language id = NL, description = <i>Canarische eilanden</i>.  language id = EL, description = <i>Κανάριες Νήσοι</i>.  country group membership 1: country group id = 1011, start date = 1958-01-01, start date = 1986-01-01, end date = 1996-12-31.  country group membership 2: country group id = 2060, start date = 1986-01-01, start date = 1988-01-01, end date = 1995-12-31.</p> <p><b>Ctr_4:</b> country id = CN, start date = 1984-01-01, area code = 0:</p> <p>description period 1: start date = 1984-01-01:  language id = EN, description = <i>China</i>.  language id = FR, description = <i>Chine</i>.  language id = NL, description = <i>China</i>.  language id = EL, description = <i>Κίνα</i>.</p> <p>country group membership 1: country group id =</p>
--	--

	<p>1011, start date = 1958-01-01, start date = 1988-01-01.</p> <p>country group membership 2: country group id = 2130, start date = 1975-10-01, start date = 1988-01-01, end date = 1992-04-30.</p> <p>country group membership 3: country group id = 2020, start date = 1984-01-01, start date = 1984-01-01.</p> <p>country group membership 4: country group id = 1030, start date = 1984-01-01, start date = 1984-01-01.</p> <p><b>Ctr_5:</b> country id = NE, start date = 1984-01-01, area code = 0:</p> <p>description period 1: start date = 1984-01-01:  language id = EN, description = <i>Niger</i>.  language id = FR, description = <i>Niger</i>.  language id = NL, description = <i>Niger</i>.  language id = EL, description = <i>?íγη?</i>.</p> <p>country group membership 1: country group id = 1011, start date = 1958-01-01, start date = 1986-01-01.</p> <p>country group membership 2: country group id = 2040, start date = 1973-01-01, start date = 1984-01-01, end date = 1998-12-31.</p> <p>country group membership 3: country group id = 2090, start date = 1983-07-31, start date = 1985-03-01.</p> <p>country group membership 4: country group id = 1030, start date = 1984-01-01, start date = 1984-01-01.</p> <p><b>Ctr_6:</b> country id = JP, start date = 1972-01-01, area code = 0:</p> <p>description period 1: start date = 1972-01-01:  language id = EN, description = <i>Japan</i>.  language id = FR, description = <i>Japon</i>.  language id = NL, description = <i>Japan</i>.  language id = EL, description = <i>Ιαπωνία</i>.</p> <p>country group membership 1: country group id = 1011, start date = 1958-01-01, start date = 1988-01-01.</p> <p><b>Ctr_7:</b> country id = RU, start date = 1992-06-01, area code = 0:</p> <p>description period 1: start date = 1992-06-01:  language id = EN, description = <i>Russian Federation</i>.  language id = FR, description = <i>Russie, Fédération de</i>.  language id = NL, description = <i>Russische Federatie</i>.  language id = EL, description = <i>Ρωσία</i>.</p> <p>country group membership 1: country group id = 1011, start date = 1958-01-01, start date = 1992-06-01.</p> <p>country group membership 2: country group id =</p>
--	---

	<p>2020, start date = 1984-01-01, start date = 1993-01-01.</p> <p>country group membership 3: country group id = 1030, start date = 1984-01-01, start date = 1993-01-01.</p> <p>country group membership 4: country group id = 2029, start date = 1984-01-01, start date = 1993-01-01, end date = 1993-12-31.</p> <p><b>Ctr_8:</b> country id = CM, start date = 1984-01-01, area code = 0:</p> <p>description period 1: start date = 1984-01-01: language id = EN, description = Cameroon. language id = FR, description = Cameroun. language id = NL, description = Kameroen. language id = EL, description = Καμερούν.</p> <p>country group membership 1: country group id = 1011, start date = 1958-01-01, start date = 1986-05-01.</p> <p>country group membership 2: country group id = 2020, start date = 1984-01-01, start date = 1984-01-01.</p> <p>country group membership 3: country group id = 1030, start date = 1984-01-01, start date = 1984-01-01.</p> <p>country group membership 4: country group id = 2040, start date = 1973-01-01, start date = 1984-01-01, end date = 1998-12-31.</p> <p>country group membership 5: country group id = 2090, start date = 1983-07-31, start date = 1985-03-01.</p> <p>country group membership 6: country group id = 2029, start date = 1984-01-01, start date = 1988-01-01, end date = 1994-12-31.</p> <p><b>Ctr_9:</b> country id = BD, start date = 1958-01-01, area code = 0:</p> <p>description period 1: start date = 1958-01-01: language id = EN, description = Belgium. language id = FR, description = Belgique. language id = NL, description = België. language id = EL, description = Βέλγιο.</p> <p>country group membership 1: country group id = 1010, start date = 1958-01-01, start date = 1988-01-01.</p> <p><b>Ctr_10:</b> country id = IT, start date = 1958-01-01, area code = 0:</p> <p>description period 1: start date = 1958-01-01: language id = EN, description = Italy. language id = FR, description = Italie. language id = NL, description = Italië. language id = EL, description = Ιταλία.</p> <p>country group membership 1: country group id = 1010, start date = 1958-01-01, start date = 1988-01-01.</p> <p><b>Ctr_11:</b> country id = FD, start date = 1958-01-01, area code = 0:</p>
--	---

	<p>description period 1: start date = <i>1958-01-01</i>:  language id = <i>EN</i>, description = <i>France</i>.  language id = <i>FR</i>, description = <i>France</i>.  language id = <i>NL</i>, description = <i>Frankrijk</i>.  language id = <i>EL</i>, description = <i>Γαλλία</i>.  country group membership 1: country group id = <i>1010</i>, start date = <i>1958-01-01</i>, start date = <i>1988-01-01</i>.</p> <p><b>Ctr_12:</b> country id = <i>DD</i>, start date = <i>1958-01-01</i>, area code = <i>0</i>:  description period 1: start date = <i>1958-01-01</i>:  language id = <i>EN</i>, description = <i>Germany</i>.  language id = <i>FR</i>, description = <i>Allemagne</i>.  language id = <i>NL</i>, description = <i>Duitsland</i>.  language id = <i>EL</i>, description = <i>Γερμανία</i>.  country group membership 1: country group id = <i>1010</i>, start date = <i>1958-01-01</i>, start date = <i>1988-01-01</i>.</p> <p><b>Ctr_13:</b> country id = <i>ES</i>, start date = <i>1958-01-01</i>, area code = <i>0</i>:  description period 1: start date = <i>1958-01-01</i>:  language id = <i>EN</i>, description = <i>Spain (excluding XC XL)</i>.  language id = <i>FR</i>, description = <i>Espagne (non compris XC et XL)</i>.  language id = <i>NL</i>, description = <i>Spanje (met uitz. van XC XL)</i>.  language id = <i>EL</i>, description = <i>Ισπανία (δεν συμπεριλαμβάνεται XC, XL)</i>.  country group membership 1: country group id = <i>1010</i>, start date = <i>1958-01-01</i>, start date = <i>1988-01-01</i>.</p> <p><b>Ctr_14:</b> country id = <i>AB</i>, start date = <i>1984-01-01</i>, area code = <i>2</i>:  description period 1: start date = <i>1984-01-01</i>:  language id = <i>EN</i>, description = <i>Mayotte</i>.  language id = <i>FR</i>, description = <i>Mayotte</i>.  language id = <i>NL</i>, description = <i>Mayotte</i>.  language id = <i>EL</i>, description = <i>Mayotte</i>.  country group membership 1: country group id = <i>2080</i>, start date = <i>1985-03-01</i>, start date = <i>1985-03-01</i>.</p> <p><b>Transaction 8: Inb_Refdata_CountryGroup.xml</b></p> <p><b>Cg_1:</b> country group id = <i>1011</i>, start date = <i>1958-01-01</i>, area code = <i>1</i>:  description period 1: start date = <i>1958-01-01</i>:  language id = <i>EN</i>, description = <i>ERGA OMNES-CEE</i>.  language id = <i>FR</i>, description = <i>ERGA OMNES-CEE</i>.  language id = <i>NL</i>, description = <i>ERGA OMNES-CEE</i>.  language id = <i>EL</i>, description = <i>ERGA OMNES-CEE</i>.</p>
--	---

	<p>description period 2: start date = <i>2000-01-01</i>:  language id = <i>EN</i>, description = <i>ERGA OMNES</i>.  language id = <i>FR</i>, description = <i>ERGA OMNES</i>.  language id = <i>NL</i>, description = <i>ERGA OMNES</i>.  language id = <i>EL</i>, description = <i>ERGA OMNES</i>.</p> <p><b>Cg_2:</b> country group id = <i>2060</i>, start date = <i>1986-01-01</i>, country group sid = <i>2060</i>, end date = <i>1995-12-31</i>, area code = <i>1</i>:</p> <p>description period 1: start date = <i>1986-01-01</i>:  language id = <i>EN</i>, description = <i>SPAIN (INCLUDING XB, XC)</i>.  language id = <i>FR</i>, description = <i>ESPAGNE (AVEC XB ET XC)</i>.  language id = <i>NL</i>, description = <i>SPANJE (MET INBEGRIJP VAN XB, XC)</i>.  language id = <i>EL</i>, description = <i>ΙΣΠΑ?ΙΑ (ΔΕ? ΣΥΜΠΕΡΙΑ XB, XC)</i>.</p> <p><b>Cg_3:</b> country group id = <i>2130</i>, start date = <i>1975-10-01</i>, country group sid = <i>2130</i>, end date = <i>1992-04-30</i>, area code = <i>1</i>:</p> <p>description period 1: start date = <i>1975-10-01</i>:  language id = <i>EN</i>, description = <i>STATE-TRADING COUNT..</i>  language id = <i>FR</i>, description = <i>COMMERCE D'ETAT</i>.  language id = <i>NL</i>, description = <i>STAATSHANDELSLANDEN</i>.  language id = <i>EL</i>, description = <i>Xώ?ες κ?ατικο? εμπο?iov</i>.</p> <p><b>Cg_4:</b> country group id = <i>2040</i>, start date = <i>1973-01-01</i>, country group sid = <i>2040</i>, end date = <i>2001-12-31</i>, area code = <i>1</i>:</p> <p>description period 1: start date = <i>1973-01-01</i>:  language id = <i>EN</i>, description = <i>Col. 11</i>.  language id = <i>FR</i>, description = <i>Col. 11</i>.  language id = <i>NL</i>, description = <i>Col. 11</i>.  language id = <i>EL</i>, description = <i>Col. 11</i>.</p> <p><b>Cg_5:</b> country group id = <i>2020</i>, start date = <i>1984-01-01</i>, country group sid = <i>2020</i>, area code = <i>1</i>:</p> <p>description period 1: start date = <i>1984-01-01</i>:  language id = <i>EN</i>, description = <i>SPG-C</i>.  language id = <i>FR</i>, description = <i>SPG-C</i>.  language id = <i>NL</i>, description = <i>SPG-C</i>.  language id = <i>EL</i>, description = <i>SPG-C</i>.</p> <p>description period 2: start date = <i>1997-01-01</i>:  language id = <i>EN</i>, description = <i>SPG-SPGA-SPGE (R96/1256)</i>.  language id = <i>FR</i>, description = <i>SPG-SPGA-SPGE (R96/1256)</i>.  language id = <i>NL</i>, description = <i>SPG-SPGA-SPGE (R96/1256)</i>.</p>
--	--

	<p>language id = <i>EL</i>, description = <i>SPG-SPGA-SPGE (R96/1256)</i>.</p> <p>description period 3: start date = <i>1999-07-01</i>:  language id = <i>EN</i>, description = <i>SPG -SPGA-SPGE (R98/2820)</i>.</p> <p>language id = <i>FR</i>, description = <i>SPG -SPGA-SPGE (R98/2820)</i>.</p> <p>language id = <i>NL</i>, description = <i>SPG -SPGA-SPGE (R98/2820)</i>.</p> <p>language id = <i>EL</i>, description = <i>SPG -SPGA-SPGE (R98/2820)</i>.</p> <p>description period 4: start date = <i>2002-01-01</i>:  language id = <i>EN</i>, description = <i>GSP (R 01/2501) - General arrangements</i>.</p> <p>language id = <i>FR</i>, description = <i>SPG (R 01/2501) - Régime général</i>.</p> <p>language id = <i>NL</i>, description = <i>SAP (V 01/2501) - Algemene regelingen</i>.</p> <p>language id = <i>EL</i>, description = <i>ΣΓΠ (K 01/2501) - Γενικές διατάξεις</i>.</p> <p>description period 5: start date = <i>2009-01-01</i>:  language id = <i>EN</i>, description = <i>GSP (R 08/732) - General arrangements</i>.</p> <p>language id = <i>FR</i>, description = <i>SPG (R 08/732) - Régime général</i>.</p> <p>language id = <i>NL</i>, description = <i>SAP (V 08/732) - Algemene regelingen</i>.</p> <p>language id = <i>EL</i>, description = <i>ΣΓΠ (K 08/732) - Γενικές διατάξεις</i>.</p> <p><b>Cg_6:</b> country group id = <i>2080</i>, start date = <i>1985-03-01</i>, area code = <i>1</i>:  description period 1: start date = <i>1985-03-01</i>:  language id = <i>EN</i>, description = <i>LOMB O'SEAS C'TRIES &amp; T'TORIES</i>.</p> <p>language id = <i>FR</i>, description = <i>PTOMA OUTRE MER ASSOCIES</i>.</p> <p>language id = <i>NL</i>, description = <i>LANDEN GEBIEDEN OVERZEE</i>.</p> <p>language id = <i>EL</i>, description = <i>YΣΧΕ</i>.</p> <p><b>Cg_7:</b> country group id = <i>2090</i>, start date = <i>1983-07-31</i>, area code = <i>1</i>:  description period 1: start date = <i>1983-07-31</i>:  language id = <i>EN</i>, description = <i>LOMA + LOMB</i>.  language id = <i>FR</i>, description = <i>LOMA + LOMB</i>.  language id = <i>NL</i>, description = <i>LOMA + LOMB</i>.  language id = <i>EL</i>, description = <i>LOMA + LOMB</i>.</p> <p><b>Cg_9:</b> country group id = <i>1030</i>, start date = <i>1984-01-01</i>, area code = <i>1</i>:  description period 1: start date = <i>1984-01-01</i>:  language id = <i>EN</i>, description = <i>GSP (GEN. SYSTEM OF PREFS.)</i>.</p>
--	---

	<p>language id = <i>FR</i>, description = <i>SYSTEME PREF. GENERALISEES.</i></p> <p>language id = <i>NL</i>, description = <i>SYSTEEM VOOR ALG. TARIEFPREF..</i></p> <p>language id = <i>EL</i>, description = <i>ΣΥΣΤΗΜΑ ΓΕ?ΙΚΕΥΜΕ?Ω? ΠΡΟΤΙΜΗΣ..</i></p> <p><b>Cg_10:</b> country group id = 2029, start date = <i>1984-01-01</i>, end date = <i>1994-12-31</i>, area code = 1: description period 1: start date = <i>1984-01-01</i>: language id = <i>EN</i>, description = <i>SPG-AMF-C.</i> language id = <i>FR</i>, description = <i>SPG-AMF-C.</i> language id = <i>NL</i>, description = <i>SPG-AMF-C.</i> language id = <i>EL</i>, description = <i>SPG-AMF-C.</i></p> <p><b>Cg_11:</b> country group id = 2019, start date = <i>2002-03-29</i>, area code = 1: description period 1: start date = <i>2002-03-29</i>: language id = <i>EN</i>, description = <i>R 02/560 - Annex IV - excluded countries (GSP).</i> language id = <i>FR</i>, description = <i>R 02/560 - Annexe IV - pays exclus (SPG).</i> language id = <i>NL</i>, description = <i>V 02/560 - Bijlage IV - uitgesloten landen (SAP).</i> language id = <i>EL</i>, description = <i>K 02/560 - Πα?ά?τημα IV - Χώ?ες που αποκλείονται (ΣΓΠ).</i></p> <p><b>Cg_12:</b> country group id = 9E09, start date = <i>2002-07-10</i>, country group sid = 9000, area code = 1: description period 1: start date = <i>2002-07-10</i>: language id = <i>EN</i>, description = <i>Export refund Sector 8.</i> language id = <i>FR</i>, description = <i>Restitutions à l'exportation secteur 8.</i> language id = <i>NL</i>, description = <i>Uitvoerrestituties sector 8.</i> language id = <i>EL</i>, description = <i>Επιστ?οφές κατά την εξαγωγή, τομέας 8.</i></p> <p><b>Cg_14:</b> country group id = 9E10, start date = <i>2002-07-10</i>, area code = 1: description period 1: start date = <i>2002-07-10</i>: language id = <i>EN</i>, description = <i>Export refund Sector 8.</i> language id = <i>FR</i>, description = <i>Restitutions à l'exportation secteur 8.</i> language id = <i>NL</i>, description = <i>Uitvoerrestituties sector 8.</i> language id = <i>EL</i>, description = <i>Επιστ?οφές κατά την εξαγωγή, τομέας 8.</i></p> <p><b>Cg_15:</b> country group id = 1099, start date = <i>2000-11-01</i>, area code = 1: description period 1: start date = <i>2000-11-01</i>: language id = <i>EN</i>, description = <i>AL, BA, ME, XK, XS.</i> language id = <i>FR</i>, description = <i>AL, BA, ME, XK, XS.</i></p>
--	--

	<p>language id = <i>NL</i>, description = <i>AL, BA, ME, XK, XS.</i>  language id = <i>EL</i>, description = <i>AL, BA, ME, XK, XS.</i>  <b>Cg_16:</b> country group id = 1012, start date = 2003-01-01, area code = 1:  description period 1: start date = 2003-01-01:  language id = <i>EN</i>, description = <i>Countries belonging to country group no 5 of Regulation (EC) no 2366/2002 (OJ L 351)..</i>  language id = <i>FR</i>, description = <i>Pays appartenant au groupe de pays n° 5 du règlement (CE) n° 2366/2002 (JO L 351)..</i>  language id = <i>NL</i>, description = <i>Landen behorende tot landengroep 5 van Verordening (EG) nr. 2366/2002 (PB L 351)..</i>  language id = <i>EL</i>, description = <i>Χώρες που ανήκουν στην ομάδα χωρών με αριθμό 5 του κανονισμού (ΕΚ) αριθ. 2366/2002 (ΕΕ L 351).</i>  <b>Cg_17:</b> country group id = 2400, start date = 1997-01-01, area code = 1:  description period 1: start date = 1997-01-01:  language id = <i>EN</i>, description = <i>Diagonal "Pan-European" cumulation.</i>  language id = <i>FR</i>, description = <i>Cumul diagonal "paneuropéen".</i>  language id = <i>NL</i>, description = <i>"Paneuropese" diagonale cumulatie.</i>  language id = <i>EL</i>, description = <i>"Πανευρωπαϊκή" διαγώνια σύνθηση.</i>  <b>Cg_18:</b> country group id = 2021, start date = 2003-11-01, area code = 1:  description period 1: start date = 2003-11-01:  language id = <i>EN</i>, description = <i>GSP (R03/0815 - Art. I(1)) - MA.</i>  language id = <i>FR</i>, description = <i>SPG (R03/0815 - Art. I(1)) - MA.</i>  language id = <i>NL</i>, description = <i>SAP (R03/0815 - Art. I(1)) - MA.</i>  language id = <i>EL</i>, description = <i>ΣΓΠ (R03/0815 - Art. I(1)) - MA.</i>  <b>Cg_19:</b> country group id = 2022, start date = 2003-11-01, area code = 1:  description period 1: start date = 2003-11-01:  language id = <i>EN</i>, description = <i>GSP (R03/0815 - Art. I(1)) - MX.</i>  language id = <i>FR</i>, description = <i>SPG (R03/0815 - Art. I(1)) - MX.</i>  language id = <i>NL</i>, description = <i>SAP (R03/0815 - Art. I(1)) - MX.</i>  language id = <i>EL</i>, description = <i>ΣΓΠ (R03/0815 - Art. I(1)) - MX.</i>  <b>Cg_20:</b> country group id = 2023, start date = 2003-</p>
--	---

	<p><i>11-01</i>, area code = <i>I</i>:      description period 1: start date = <i>2003-11-01</i>:      language id = <i>EN</i>, description = <i>GSP (R03/0815 - Art. I(1)) - TN</i>.      language id = <i>FR</i>, description = <i>SPG (R03/0815 - Art. I(1)) - TN</i>.      language id = <i>NL</i>, description = <i>SAP (R03/0815 - Art. I(1)) - TN</i>.      language id = <i>EL</i>, description = <i>ΣΓΠ (R03/0815 - Art. I(1)) - TN</i>.</p> <p><b>Cg_21:</b> country group id = <i>1010</i>, start date = <i>1958-01-01</i>, area code = <i>I</i>:      description period 1: start date = <i>1958-01-01</i>:      language id = <i>EN</i>, description = <i>EEC</i>.      language id = <i>FR</i>, description = <i>CEE</i>.      language id = <i>NL</i>, description = <i>EEG</i>.      language id = <i>EL</i>, description = <i>EOK</i>.      description period 2: start date = <i>1993-11-01</i>:      language id = <i>EN</i>, description = <i>European Community</i>.      language id = <i>FR</i>, description = <i>Communauté européenne</i>.      language id = <i>NL</i>, description = <i>Europese Gemeenschap</i>.      language id = <i>EL</i>, description = <i>Ευρωπαϊκή Κοινότητα</i>.</p>
	<p><u>Transaction 9: Inb_Refdata_DutyExpression.xml</u></p> <p><b>De_1:</b> duty expression id = <i>03</i>, start date = <i>1972-01-01</i>, end date = <i>1995-08-31</i>:      language id = <i>EN</i>, description = <i>The rate is replaced by the levy</i>.      language id = <i>FR</i>, description = <i>Le taux est remplacé par le prélèvement</i>.      language id = <i>NL</i>, description = <i>Het recht is vervangen door een heffing</i>.      language id = <i>EL</i>, description = <i>Ο δασμός αντικαθίσταται από εισφορά</i>.</p> <p>duty amount applicability code = <i>2</i>, measurement unit applicability code = <i>0</i>, monetary unit applicability code = <i>0</i>.</p> <p><b>De_2:</b> duty expression id = <i>20</i>, start date = <i>1972-01-01</i>:      language id = <i>EN</i>, description = <i>+_%_or amount</i>.      language id = <i>FR</i>, description = <i>+_%_ou montant</i>.      language id = <i>NL</i>, description = <i>+_%_of bedrag</i>.      language id = <i>EL</i>, description = <i>+_%_ή ποσό</i>.      duty amount applicability code = <i>1</i>, measurement unit applicability code = <i>1</i>, monetary unit applicability code = <i>1</i>.</p> <p><b>De_3:</b> duty expression id = <i>40</i>, start date = <i>2007-12-</i></p>

	<p><i>01:</i>  language id = <i>EN</i>, description = <i>Export refunds for cereals.</i>  language id = <i>FR</i>, description = <i>Restitutions à l'exportation pour les céréales.</i>  language id = <i>NL</i>, description = <i>Uitvoerrestituties voor granen.</i>  language id = <i>EL</i>, description = <i>Επιστροφές κατά την εξαγωγή για τα σιτηρά.</i>  duty amount applicability code = 2, measurement unit applicability code = 2, monetary unit applicability code = 2.</p>
	<p><u>Transaction 10:</u>  Inb_Refdata_ExplicitAbrogationRegulation.xml  <b>Ear_1:</b> regulation id = <i>R0407980</i>, regulation role type = 7:  regulation id = <i>R0608170</i>, regulation role type = 1.  abrogation date = <i>2008-03-09</i>, approved flag = 1.  <b>Ear_2:</b> regulation id = <i>R9202190</i>, regulation role type = 7:  regulation id = <i>R8633020</i>, regulation role type = 1.  abrogation date = <i>1992-01-31</i>, approved flag = 1.  <b>Ear_3:</b> regulation id = <i>R9721400</i>, regulation role type = 7:  regulation id = <i>I9700320</i>, regulation role type = 1.  abrogation date = <i>1997-10-31</i>, approved flag = 1.</p>
	<p><u>Transaction 11:</u>  Inb_Refdata_Export_Refund_Nomenclature.xml  <b>Ern_1:</b> footnote type id = <i>NX</i>, start date = <i>1970-01-01</i>:  language id = <i>EN</i>, description = <i>Export Refund Nomenclature.</i>  language id = <i>FR</i>, description = <i>Nomenclature de restitution à l'exportation.</i>  language id = <i>NL</i>, description = <i>Nomenklatur uitvoerrestituties.</i>  language id = <i>EL</i>, description = <i>Oνοματολογία Επιστροφών κατά την εξαγωγή.</i>  application code = 3.  <b>Ern_2:</b> footnote type id = <i>NX</i>, footnote id = <i>057</i>, start date = <i>1997-01-01</i>:  description period 1: start date = <i>1997-01-01</i>:  language id = <i>EN</i>, description = <i>Carcasses of half-carcasses may be presented with or without the chaps..</i>  language id = <i>FR</i>, description = <i>Les carcasses ou demi-carcasses peuvent être présentées avec ou sans la partie de la gorge appelée "joues basses".</i>  language id = <i>NL</i>, description = <i>Hele of halve</i></p>

	<p><i>karkassen kunnen met of zonder kinnebakspiek worden aangeboden..</i></p> <p>language id = <i>EL</i>, description = <i>Τα σφάγια ή τα μισά σφάγια μπορούν να παρουσιασθούν με ή χωρίς μέρος του λαιμού που ονομάζεται "κάτω μάγονλα".</i></p> <p><b>Ern_3:</b> goods nomenclature id = 0100000000, productline suffix = 80, additional code type id = 9, export refund code = 300, productline suffix = 80, start date = 1996-01-01, end date = 1998-03-03:  description period 1: start date = 1996-01-01:  language id = <i>EN</i>, description = <i>Of an ash content, referred to dry matter, not exceeding 1% by weight (without talc), second category.</i>  language id = <i>FR</i>, description = <i>d'une teneur en cendres, rapportée à la matière sèche, inférieure ou égale à 1% en poids et d'une teneur en cellulose brute, rapportée à la matière sèche, inférieure ou égale à 0,9% en poids.</i>  language id = <i>NL</i>, description = <i>met een asgehalte, berekend op de droge stof, van ten hoogste 1 gewichtspercent en met een gehalte aan ruwe celstof, berekend op de droge stof, van ten hoogste 0,9 gewichtspercent.</i>  language id = <i>EL</i>, description = <i>Πειραικότητας σε τέφρες, αναγόμενης σε ξηρά ουσία, κατώτερης ή ίσης του 1% κατά βάσης και πειραικότητας σε ακατέργαστη κυνταίνη, αναγόμενης σε ξηρά ουσία, κατώτερης ή ίσης του 0,9% κατά βάσης.</i>  associated footnote 1: footnote type id = NX, footnote id = 057, start date = 1997-01-01, end date = 1997-01-01.  indent 1: start date = 1996-01-01, indent number = 4.</p> <p><b>Ern_4:</b> goods nomenclature id = 0200000000, productline suffix = 80, additional code type id = 9, export refund code = 200, productline suffix = 80, start date = 1996-01-01, end date = 1998-03-03:  description period 1: start date = 1996-01-01:  language id = <i>EN</i>, description = <i>Of a fat content not exceeding 1,3% by weight and of a crude fibre content, referred to dry matter, not exceeding 0,8% by weight.</i>  language id = <i>FR</i>, description = <i>d'une teneur en matières grasses inférieure ou égale à 1,3% en poids et d'une teneur en cellulose brute, rapportée à la matière sèche, inférieure ou égale à 0,8% en poids.</i>  language id = <i>NL</i>, description = <i>met een gehalte aan vetstoffen van ten hoogste 1,3 gewichtspercent en met een gehalte aan ruwe celstof, berekend op de droge stof, van ten hoogste 0,8 gewichtspercent.</i>  language id = <i>EL</i>, description = <i>Πειραικότητας σε λιπαρές ουσίες κατώτερης ή ίσης του 1,3% κατά βάσης</i></p>
--	---

	<p>και πε?ιεκτικότητας σε ακατέ?γαστη κυττα?ίνη, αναγόμενης σε ξη?ά ουσία, κατώτε?ης ή ίσης του 0,8% κατά βά?ος.</p> <p>indent 1: start date = 1996-01-01, indent number = 4.</p> <p><b>Ern_5:</b> goods nomenclature id = 0400000000, productline suffix = 80, additional code type id = 9, export refund code = 400, productline suffix = 80, start date = 1996-01-01, end date = 1998-03-03:</p> <p>description period 1: start date = 1996-01-01:</p> <p>language id = EN, description = <i>In the form of powder, whether or not agglomerated.</i></p> <p>language id = FR, description = <i>en poudre, même agglomérée.</i></p> <p>language id = NL, description = <i>in poeder, ook indien geaggloemereerd.</i></p> <p>language id = EL, description = <i>Σε σκόνη έστω και συσσωματωμένη.</i></p> <p>indent 1: start date = 1996-01-01, indent number = 4.</p>
<p><u>Transaction 12: Inb_Refdata_Footnote.xml</u></p> <p><b>Fo_1:</b> footnote type id = CD, footnote id = 271, start date = 2000-11-01:</p> <p>description period 1: start date = 2000-11-01:</p> <p>language id = EN, description = <i>Exportation is subject to presentation of an export licence, issued in accordance with Reg. (EEC) No 3911/92 (OJ L 395), as last amended by Reg. (EEC) No 2469/96 (OJ L 335)..</i></p> <p>language id = FR, description = <i>L'exportation est subordonnée à la présentation d'une licence d'exportation délivrée en accord avec le Règl. (CEE) n. 3911/92 (JO L 395), modifié en dernier lieu par le Règl. (CEE) n. 2469/96 (JO L 335)..</i></p> <p>language id = NL, description = <i>De uitvoer is onderworpen aan de voorlegging van een uitvoervergunning, afgegeven overeenkomstig VO (EEG) nr. 3911/92 (PB L 395), laatstelijk gewijzigd bij VO (EEG) nr. 2469/96 (PB L 335)..</i></p> <p>language id = EL, description = <i>Η εξαγωγή εξα?τάπαι από την π?οσκόμιση μιας άδειας εξαγωγής που εκδίδεται σ?μφωνα με τον Κανονισμό (ΕΟΚ) α?ιθ. 3911/92 (ΕΕ L 395), όπως τ?οποποιήθηκε τελευταία από τον Κανονισμό (ΕΟΚ) α?ιθ. 2469/96 (ΕΕ L 335)..</i></p> <p><b>Fo_2:</b> footnote type id = NC, footnote id = 018, start date = 2001-01-01:</p> <p>description period 1: start date = 2001-01-01:</p> <p>language id = EN, description = <i>Entry under this subheading is subject to the conditions laid down in the relevant Community provisions (see Council Directive 94/28/EC (OJ L 178, 12.7.1994, p. 66); Commission Decision 93/623/EEC (OJ L 298,</i></p>	

	<p><i>3.12.1993, p. 45))..</i></p> <p>language id = <i>FR</i>, description = <i>L'admission dans cette sous-position est subordonnée aux conditions prévues par les dispositions communautaires édictées en la matière (voir directive 94/28/CE du Conseil (JO L 178 du 12.7.1994, p. 66); décision 93/623/CEE de la Commission (JO L 298 du 3.12.1993, p. 45))..</i></p> <p>language id = <i>NL</i>, description = <i>Indeling onder deze onderverdeling is onderworpen aan de voorwaarden en bepalingen vastgesteld bij de op dit gebied geldende communautaire bepalingen (zie Richtlijn nr. 94/28/EG van de Raad - PB L 178 van 12.7.1994, blz. 66; Beschikking van de Commissie 93/623/EWG - PB L 298 van 3.12.1993, blz. 45)..</i></p> <p>language id = <i>EL</i>, description = <i>H νπαγωγή στη διάκριση αυτή εξαιτίας τάσης από τους οδούς που προβλέπονται από τις σχετικές κοινοτικές διατάξεις (βλέπε Οδηγία α?θ 94/28/EK του Συμβουλίου - EE L 178 της 12.7.1994, σ. 66 ; Απόφαση 93/623/EOK της Επιτ?οπής - EE L 298 της 3.12.1993, σ. 45)..</i></p> <p><b>Fo_3:</b> footnote type id = <i>NC</i>, footnote id = <i>028</i>, start date = <i>2001-01-01</i>:</p> <p>description period 1: start date = <i>2001-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Entry under this subheading is subject to the conditions laid down in the relevant Community provisions (see Articles 291 to 300 of Commission Regulation (EEC) No 2454/93 (OJ L 253, 11.10.1993, p. 1) and subsequent amendments). See also section II, paragraph B, of the preliminary provisions..</i></p> <p>language id = <i>FR</i>, description = <i>L'admission dans cette sous-position est subordonnée aux conditions prévues par les dispositions communautaires édictées en la matière (voir articles 291 à 300 du règlement (CEE) n/o!2454/93 de la Commission (JO L 253 du 11.10.1993, p. 1) et modifications ultérieures). Voir également le titre II, point B, des dispositions préliminaires..</i></p> <p>language id = <i>NL</i>, description = <i>L'admission dans cette sous-position est subordonnée aux conditions prévues par les dispositions communautaires édictées en la matière (voir articles 291 à 300 du règlement (CEE) n/o!2454/93 de la Commission (JO L 253 du 11.10.1993, p. 1) et modifications ultérieures). Voir également le titre II, point B, des dispositions préliminaires..</i></p> <p>language id = <i>EL</i>, description = <i>H νπαγωγή στη διάκριση αυτή εξαιτίας τάσης από τους οδούς που προβλέπονται από τις σχετικές κοινοτικές διατάξεις (βλέπε α?θ?α 291 μέχ?i 300 του Κανονισμο? EOK α?θ. 2454/93 της Επιτ?οπής - EE L 253 της</i></p>
--	--

	<p>11.10.1993, σ. 1 και τις μεταγενέστε?ες τ?οποποιήσεις). Βλέπε επίσης τίτλο II σημείο B των π?οκατα?κτικών διατάξεων (ΣΟ)..</p> <p><b>Fo_4:</b> footnote type id = NC, footnote id = 024, start date = 2001-01-01:      description period 1: start date = 2001-01-01:      language id = EN, description = <i>Entry under this subheading is subject to conditions laid down in the relevant Community provisions (see Article 3, first indent, of Commission Regulation (EC) No. 1374/98 - OJ L 185, 30.6.1998, p. 21 and subsequent amendments)..</i>      language id = FR, description = <i>L'admission dans cette sous-position est subordonnée aux conditions prévues par les dispositions communautaires édictées en la matière (voir article 3, premier alinéa, du règlement (CE) n!o!1374/98 de la Commission - JO L 185 du 30.6.1998, p. 21 et modifications ultérieures)..</i>      language id = NL, description = <i>Indeling onder deze onderverdeling is onderworpen aan de voorwaarden en bepalingen vastgesteld bij de op dit gebied geldende communautaire bepalingen (zie artikel 3, eerste alinea, van Verordening (EG) nr. 1374/98 van de Commissie - PB L 185 van 30.6.1998, blz. 21, en latere wijzigingen)..</i>      language id = EL, description = <i>H νπαγωγή στη διάκ?ιση αυτή εξα?τάσι από τους ό?ους που π?οβλέπονται από τις σχετικές κοινοτικές διατάξεις (βλέπε á?θ?o 3 π?ώτο εδάφιο του Κανονισμο? (ΕΚ) a?iθ. 1374/98 της Επιτ?οπής - EE L 185 της 30.6.1998, σ. 21 και τις μεταγενέστε?ες τ?οποποιήσεις)..</i>      description period 2: start date = 2003-01-01:      language id = EN, description = <i>Entry under this subheading is subject to the conditions laid down in the relevant Community provisions (see Article 4 of Commission Regulation (EC) No. 2535/2001 (OJ L 341, 22.12.2001, p. 29) and subsequent amendments)..</i>      language id = FR, description = <i>L'admission dans cette sous-position est subordonnée aux conditions prévues par les dispositions communautaires édictées en la matière (voir article 4 du règlement (CE) n!o!2535/2001 de la Commission (JO L 341 du 22.12.2001, p. 29) et modifications ultérieures)..</i>      language id = NL, description = <i>Indeling onder deze onderverdeling is onderworpen aan de voorwaarden en bepalingen vastgesteld bij de op dit gebied geldende communautaire bepalingen (zie artikel 4, van Verordening (EG) nr. 2535/2001 van de Commissie - PB L 341 van 22.12.2001, blz. 29, en</i></p>
--	---

	<p><i>latere wijzigingen)..</i></p> <p>language id = <i>EL</i>, description = <i>H νπαγωγή στη διάκριση αντή εξαπάταται από τους όμοιους που προβλέπονται από τις σχετικές κοινοτικές διατάξεις (βλέπε άρθρο 4 του Κανονισμού (ΕΚ) αριθ. 2535/2001 της Επιτοπίου - EE L 341 της 22.12.2001, σ. 29 και τις μεταγενέστερες τοποποιήσεις)..</i></p> <p><b>Fo_5:</b> footnote type id = <i>MH</i>, footnote id = <i>001</i>, start date = <i>1994-09-09</i>:</p> <p>description period 1: start date = <i>1994-09-09</i>:</p> <p>language id = <i>EN</i>, description = <i>The content of the goods (as presented) in starch, its degradation products, i.e. all the polymers of glucose, and the glucose, determined as glucose and expressed as starch (on a dry matter basis, 100 percent purity; factor for conversion of glucose to starch : 0,9). However, where a mixture of glucose and fructose is declared (in whatever form) and/or is found to be present in the goods, the amount of glucose to be included in the above calculation is that which is in excess of the fructose content of the goods..</i></p> <p>language id = <i>FR</i>, description = <i>La teneur de la marchandise (en l'état) en amidon ou féculles, leurs produits de dégradation - tous les polymères de glucose compris -, et le glucose éventuellement présent, déterminés sur la base de glucose et exprimés en amidon (substance sèche, pureté 100 procent; facteur de conversion du glucose en amidon : 0,9). Toutefois le glucose est repris dans le calcul ci-dessus seulement dans son pourcentage qui excède la quantité de fructose, si un mélange de glucose et de fructose sera déclaré (sous quelque forme que ce soit) et/ou trouvé présent dans la marchandise..</i></p> <p>language id = <i>NL</i>, description = <i>Het gehalte van de goederen (in oorspronkelijke toestand) aan zetmeel, afbraakprodukten daarvan - met inbegrip van alle glucosepolymeren - en de eventueel aanwezige glucose, bepaald op basis van glucose en uitgedrukt in zetmeel (watervrij, 100 percent zuiver; omrekeningsfactor van glucose naar zetmeel : 0,9). Als een mengsel van glucose en fructose wordt aangegeven (in welke vorm dan ook) en/of in de goederen wordt aangetroffen, wordt echter slechts dat deel van de glucose in bovenstaande berekening opgenomen, dat overeenkomt met het verschil tussen de hoeveelheid glucose en fructose..</i></p> <p>language id = <i>EL</i>, description = <i>Άμυλα/Γλυκόζη Η πειρατικότητα του εμπορευματος (ως έχει) σε άμυλα, τα προϊόντα αποικοδόμησης του -με όλα τα πολύμερη της γλυκόζης μέσα- και η γλυκόζη που ενδεχόμενα να πάρει, προσδιοισμένα με βάση τη γλυκόζη και</i></p>
--	---

	<p>εκφρασμένα σε άμυλο (ζητά ουσία, καθαρότητα 100 percent, συντελεστής μετατοπής της γλυκόζης σε άμυλο: 0,9). Εντούτοις, η γλυκόζη περιλαμβάνεται στον παραπάνω υπολογισμό μόνο με το ποσοστό της που νηστεύει την ποσότητα της φρουκτόζης αν ένα μείγμα γλυκόζης και φρουκτόζης δηλώθει (σε οποιαδήποτε μορφή) ή/και προσδιορίστεί μέσα στο εμπόρευμα..</p> <p><b>Fo_6:</b> footnote type id = MH, footnote id = 002, start date = 1994-09-09:  description period 1: start date = 1994-09-09:  language id = EN, description = <i>The content of the goods (as presented), in sucrose, together with the sucrose which results from expressing as sucrose any mixture of glucose and fructose (the arithmetical sum of the amounts of these two sugars multiplied by 0,95), which is declared (ein whatever form) and/or found to be present in the goods. However, where the fructose content of the goods is less than the glucose content, the amount of glucose to be included in the above calculation shall be an amount equal, by weight, to that of fructose. Note : In all cases, where a hydrolysis product of lactose is declared, an/or galactose is found to be present among the sugars, then the amount of glucose equal to that of galactose is deducted from the total glucose content before any other calculations are carried out..</i>  language id = FR, description = <i>La teneur de la marchandise (en l'état) en saccharose, additionnée du saccharose qui résulte du calcul en saccharose de tout mélange de glucose et de fructose (somme arithmétique des quantités de deux sucres multipliée par 0,95), qui sera déclaré (sous quelque forme que ce soit) et/ou trouvé présent dans la marchandise. Toutefois, le glucose est repris dans le calcul ci-dessus au contenu, en poids, égal au contenu en fructose, si celui-ci est présent en quantité inférieure à la quantité de glucose. NB : Dans tous les cas et lorsque la présence d'un hydrolysat de lactose est déclarée et/ou une quantité de galactose est déterminée parmi les sucres, la quantité de glucose équivalant au galactose est déduite de la quantité totale de glucose avant que tout autre calcul soit effectué..</i>  language id = NL, description = <i>Het gehalte van de goederen (in oorspronkelijke toestand) aan saccharose, vermeerderd met de hoeveelheid saccharose die het resultaat is van de omrekening van alle mengsels van glucose en fructose naar saccharose (rekenkundige som van de hoeveelheden van deze twee suikers, vermenigvuldigd met 0,95), die wordt aangegeven (in welke vorm dan ook) en/of in de</i></p>
--	---

	<p>goederen wordt aangetroffen. Als de hoeveelheid fructose lager is dan de hoeveelheid glucose, wordt echter slechts dat deel van de glucose in bovenstaande berekening opgenomen, waarvan het gewicht gelijk is aan de hoeveelheid fructose. NB : Wanneer de aanwezigheid van een hydrolysaat van lactose wordt aangegeven en/of een hoeveelheid galactose bij de suikers wordt aangetoond, wordt in alle gevallen de aan de hoeveelheid galactose equivalente hoeveelheid glucose afgetrokken van de totale hoeveelheid glucose, voordat enige andere berekening wordt uitgevoerd..</p> <p>language id = EL, description = Ζαχα?όζη/Ιμβε?τοποιημένο ζάχα?ο /Ισογλυκόζη Η πε?ιεκτικότητα του εμπο?ε?ματος (ως έχει) σε ζάχα?η, αφο? π?οστεθεί σ'αντήν η ζαχα?όζη που π?οκ?πτει από τον υπολογισμό σε ζαχα?όζη κάθε μείγματος γλυκόζης και φ?ουκτόζης (α?ιθμητικό άθ?οισμα των ποσοτήτων των δ?ο ζαχά?ων πολλαπλασιασμένο επί 0,95), που θα δηλωθεί (σε οποιαδήποτε μο?φή) ή/και θα π?οσδιο?ιστεί μέσα στο εμπό?ενμα. Εντο?τοις, η γλυκόζη πε?ιλαμβάνεται στον πα?απάνω υπολογισμό μέχ?ι πε?ιεχομένου βά?ους, ίσου με το πε?ιεχόμενο σε φ?ουκτόζη, αν η τελευταία β?ίσκεται σε ποσότητα κατώτε?η από την της γλυκόζης. Σημείωση: Σε όλες τις πε?ιπτώσεις και όταν η πα?ουσία ενός νδ?ολ?ματος λακτόζης έχει δηλωθεί ή/και μια ποσότητα γλυκόζης έχει π?οσδιο?ιστεί μεταξ? των ζαχά?ων, η ποσότητα της γλυκόζης η ισοδ?νομη π?ος τη γαλακτόζη αφαι?είται από την ολική ποσότητα της γλυκόζης π?iv από κάθε άλλο υπολογισμό.</p> <p><b>Fo_7:</b> footnote type id = MH, footnote id = 003, start date = 1994-09-09:  description period 1: start date = 1994-09-09:  language id = EN, description = Caseins an/or caseinates forming part of goods shall not be regarded as milk proteins if the goods do not have any other constituent of lactic origin. Milkfat contained in the goods at less than 1 percent, and lactose at less than 1 percent, by weight, are not considered as other constituents of lactic origin. When customs formalities are completed, the person concerned must include in the appropriate declaration : "only milk ingredient : casein/caseinate", if such is the case..  language id = FR, description = Les caséines et/ou les caséinates entrant dans la composition de la marchandise ne sont pas retenus comme protéines du lait si la marchandise ne contient pas d'autres composants d'origine lactique. La matière grasse du lait contenue dans les marchandises à des teneurs</p>
--	---

	<p>inférieures à 1 procent et le lactose à des teneurs inférieures à 1 procent en poids ne sont pas considérés comme autres composants d'origine lactique. Lors de l'accomplissement des formalités douanières, l'intéressé est tenu d'indiquer dans la déclaration prévue à cet effet : "seul ingrédient lactique : caséine/caséinate", si tel est le cas..</p> <p>language id = NL, description = Caseïne en caseïnaten gebruikt in de samenstelling van een produkt worden niet beschouwd als melkproteïnen in het geval dat het produkt geen andere melkbestanddelen bevat. Melkvet in het produkt aanwezig voor minder dan 1 gewichtspercent en lactose voor minder dan 1 gewichtspercent worden niet aangemerkt als andere melkbestanddelen. Bij het vervullen van de douaneformaliteiten is belanghebbende verplicht in de aangifte te vermelden : "enig melkbestanddeel : caseïne/caseïnaat", indien dit het geval is..</p> <p>language id = EL, description = Π?ωτε?νες γάλακτος Οι καζε?νες και τα καζεϊνικά που έχουν πά?ει μέ?ος στη πα?ασκενή των εμπο?ευμάτων δεν λογίζονται σαν π?ωτε?νες γάλακτος αν το εμπό?ευμα δεν πε?ιέχει άλλα συστατικά π?οε?χόμενα από το γάλα. Τα λιπα?ά βουτ??ου που πε?ιέχονται στα εμπο?ε?ματα σε πε?ιεκτικότητα κατά βά?ος κατότε?η του 1 percent και η λακτόζη σε πε?ιεκτικότητα κατά βά?ος κατότε?η του 1 percent δεν λογίζονται σαν άλλα συστατικά π?οε?χόμενα από το γάλα. Κατά τη διεκπε?αίωση των τελωνειακών διαδικασιών, ο ενδιαφε?όμενος π?έπει να αναφέ?ει στη δήλωση που π?οβλέπεται γι'αυτές μόνο συστατικά π?οε?χόμενα από το γάλα: καζε?νες/καζεϊνικά, αν τέτοια είναι η πε?ίπτωση..</p> <p><b>Fo_8:</b> footnote type id = CA, footnote id = 002, start date = 1970-01-01:</p> <p>description period 1: start date = 1970-01-01:</p> <p>language id = EN, description = Additional nomenclature - CADD.</p> <p>language id = FR, description = Nomenclature additionnelle - CADD.</p> <p>language id = NL, description = Aanvullende nomenclatuur - CADD.</p> <p>language id = EL, description = Π?όσθετη ονοματολογία - CADD.</p> <p><u>Transaction 13: Inb_Refdata_footnotetypes.xml</u></p> <p><b>Fot_1:</b> footnote type id = NC, start date = 1970-01-01:</p> <p>language id = EN, description = Combined Nomenclature.</p> <p>language id = FR, description = Nomenclature combinée.</p>
--	--

	<p>language id = <i>NL</i>, description = <i>Gecombineerde Nomenclatuur.</i>  language id = <i>EL</i>, description = <i>Συνδυασμένη Ονοματολογία.</i>  application code = <i>1</i>.</p> <p><b>Fot_2:</b> footnote type id = <i>CD</i>, start date = <i>1970-01-01</i>:  language id = <i>EN</i>, description = <i>Conditions.</i>  language id = <i>FR</i>, description = <i>Conditions.</i>  language id = <i>NL</i>, description = <i>Voorwaarden.</i>  language id = <i>EL</i>, description = <i>Ό?οι.</i>  application code = <i>7</i>.</p> <p><b>Fot_3:</b> footnote type id = <i>TN</i>, start date = <i>1970-01-01</i>, end date = <i>2011-04-01</i>:  language id = <i>EN</i>, description = <i>Taric Nomenclature.</i>  language id = <i>FR</i>, description = <i>Nomenclature Taric.</i>  language id = <i>NL</i>, description = <i>Taric nomenclatuur.</i>  language id = <i>EL</i>, description = <i>Ονοματολογία TARIC.</i>  application code = <i>2</i>.</p> <p><b>Fot_4:</b> footnote type id = <i>MH</i>, start date = <i>1970-01-01</i>:  language id = <i>EN</i>, description = <i>Meursing table.</i>  language id = <i>FR</i>, description = <i>Tableau Meursing.</i>  language id = <i>NL</i>, description = <i>MeursingTabel.</i>  language id = <i>EL</i>, description = <i>Πίνακας Meursing.</i>  application code = <i>8</i>.</p> <p><b>Fot_5:</b> footnote type id = <i>CA</i>, start date = <i>1970-01-01</i>:  language id = <i>EN</i>, description = <i>Additional nomenclature - CADD.</i>  language id = <i>FR</i>, description = <i>Nomenclature additionnelle - CADD.</i>  language id = <i>NL</i>, description = <i>Aanvullende nomenclatuur - CADD.</i>  language id = <i>EL</i>, description = <i>Π?όσθετη ονοματολογία - CADD.</i>  application code = <i>5</i>.</p>
	<p><u>Transaction</u> <span style="float: right;">14:</span>  <u>Inb_Refdata_FullTemporaryStopRegulation.xml</u></p> <p><b>Ftsr_1:</b> regulation id = <i>R0206962</i>, regulation role type = <i>8</i>, start date = <i>2008-03-01</i>, end date = <i>2008-12-31</i>:  fts regulation action 1: regulation id = <i>R0201190</i>, regulation role type = <i>1</i>.  approved flag = <i>1</i>.</p> <p><b>Ftsr_2:</b> regulation id = <i>R0413220</i>, regulation role type = <i>8</i>, start date = <i>2008-03-01</i>, end date = <i>2008-12-31</i>:  fts regulation action 1: regulation id = <i>R0402350</i>, regulation role type = <i>3</i>.  approved flag = <i>1</i>.</p> <p><b>Ftsr_3:</b> regulation id = <i>R0808650</i>, regulation role type = <i>8</i>, start date = <i>2008-03-01</i>, end date = <i>2008-12-31</i>:</p>

	<p>fts regulation action 1: regulation id = <i>R0714200</i>,  regulation role type = 3.  approved flag = 1.</p> <p><u>Transaction 15: Inb_Refdata_GoodsNomenclature.xml</u></p> <p><b>Gn_1:</b> goods nomenclature id = <i>0100000000</i>,  productline suffix = 80, start date = <i>1970-12-31</i>:  description period 1: start date = <i>1970-12-31</i>:  language id = <i>EN</i>, description = <i>Animals</i>.  language id = <i>FR</i>, description = <i>ANIMAUX VIVANTS</i>.  language id = <i>NL</i>, description = <i>LEVENDE DIEREN</i>.  language id = <i>EL</i>, description = <i>ZΩA ΖΩ?TA?A</i>.  indent 1: start date = <i>1970-12-31</i>, indent number = 0.  associated footnote 1: footnote type id = <i>NC</i>, footnote id = <i>018</i>, start date = <i>2002-01-01</i>.  statistical indicator = 0.</p> <p><b>Gn_2:</b> goods nomenclature id = <i>0200000000</i>,  productline suffix = 80, start date = <i>1971-12-31</i>:  description period 1: start date = <i>1971-12-31</i>:  language id = <i>EN</i>, description = <i>MEAT AND EDIBLE MEAT OFFAL</i>.  language id = <i>FR</i>, description = <i>VIANDES ET ABATS COMESTIBLES</i>.  language id = <i>NL</i>, description = <i>VLEES EN EETBARE SLACHTAFVALLEN</i>.  language id = <i>EL</i>, description = <i>KΡΕΑΤΑ ΚΑΙ ΠΑΡΑΠΡΟΪΟ?ΤΑ ΣΦΑΓΙΩ?, ΒΡΩΣΙΜΑ</i>.  indent 1: start date = <i>1971-12-31</i>, indent number = 0.  statistical indicator = 0.</p> <p><b>Gn_3:</b> goods nomenclature id = <i>0400000000</i>,  productline suffix = 80, start date = <i>1971-12-31</i>, end date = <i>2009-08-13</i>:  description period 1: start date = <i>1971-12-31</i>:  language id = <i>EN</i>, description = <i>DAIRY PRODUCE; BIRDS' EGGS; NATURAL HONEY</i>.  language id = <i>FR</i>, description = <i>LAIT ET PRODUITS DE LA LAITERIE; ŒUFS D'OISEAUX; MIEL NATUREL; PRODUITS COMESTIBLES D'ORIGINE ANIMALE, NON DÉNOMMÉS NI COMPRISES AILLEURS</i>.  language id = <i>NL</i>, description = <i>MELK EN ZUIVELPRODUCTEN; VOGELLEIEREN; NATUURHONIG; EETBARE PRODUCTEN VAN DIERLIJKE OORSPRONG, ELDERS GENOEMD NOCH ELDERS ONDER BEGREPEN</i>.  language id = <i>EL</i>, description = <i>ΓΑΛΑ ΚΑΙ ΠΡΟΪΟ?ΤΑ ΓΑΛΑΚΤΟΚΟΜΙΑΣ. ΑΥΓΑ ΠΤΗ?Ω?. ΜΕΛΙ ΦΥΣΙΚΟ. ΠΡΟΪΟ?ΤΑ ΒΡΩΣΙΜΑ ΖΩΙΚΗΣ ΠΡΟΕΛΕΥΣΗΣ, ΠΟΥ ΔΕ? ΚΑΤΟ?ΟΜΑΖΟ?ΤΑΙ ΟΥΤΕ ΠΕΡΙΛΑΜΒΑ?Ο?ΤΑΙ ΆΛΛΟΥ.</i>  description period 2: start date = <i>1990-01-01</i>:</p>
--	--

	<p>language id = <i>EN</i>, description = <i>DAIRY PRODUCE; BIRDS' EGGS; NATURAL HONEY;</i>  language id = <i>FR</i>, description = <i>LAIT ET PRODUITS DE LA LAITERIE; ŒUFS D'OISEAUX; MIEL NATUREL; PRODUITS COMESTIBLES D'ORIGINE ANIMALE, NON DÉNOMMÉS NI COMPRIS AILLEURS.</i>  language id = <i>NL</i>, description = <i>MELK EN ZUIVELPRODUCTEN; VOGELEIEREN; NATUURHONIG; EETBARE PRODUCTEN VAN DIERLIJKE OORSPRONG, ELDERS GENOEMD NOCH ELDERS ONDER BEGREPEN.</i>  language id = <i>EL</i>, description = <i>ΓΑΛΑ ΚΑΙ ΠΡΟΪΟ?ΤΑ ΓΑΛΑΚΤΟΚΟΜΙΑΣ. ΑΥΓΑ ΠΤΗ?Ω?. ΜΕΛΙ ΦΥΣΙΚΟ. ΠΡΟΪΟ?ΤΑ ΒΡΩΣΙΜΑ ΖΩΙΚΗΣ ΠΡΟΕΛΕΥΣΗΣ, ΠΟΥ ΔΕ? ΚΑΤΟ?ΟΜΑΖΟ?ΤΑΙ ΟΥΤΕ ΠΕΡΙΛΑΜΒΑ?Ο?ΤΑΙ ΆΛΛΟΥ.</i>  indent 1: start date = <i>1971-12-31</i>, indent number = <i>0</i>.  goods nomenclature id = <i>0100000000</i>, productline suffix = <i>80</i>.  goods nomenclature id = <i>0200000000</i>, productline suffix = <i>80</i>.  nomenclature group membership 1: nomenclature group type id = <i>T</i>, nomenclature group id = <i>163000</i>, start date = <i>1972-01-01</i>, end date = <i>2007-08-13</i>.  associated footnote 1: footnote type id = <i>NC</i>, footnote id = <i>018</i>, start date = <i>2001-01-01</i>, end date = <i>2001-01-01</i>.  statistical indicator = <i>0</i>.</p> <p><b>Transaction 16: Inb_Refdata_GoodsNomenclatureGroup.xml</b></p> <p><b>Gng_1:</b> nomenclature group type id = <i>T</i>, nomenclature group id = <i>163000</i>, start date = <i>1972-01-01</i>:  language id = <i>EN</i>, description = <i>Textile category 163.</i>  language id = <i>FR</i>, description = <i>Catégorie textile 163.</i>  language id = <i>NL</i>, description = <i>Textielcategorie 163.</i>  language id = <i>EL</i>, description = <i>Υφαντικές ίνες κατηγο?ίας 163.</i>  nomenclature group facility code = <i>2</i>.</p> <p><b>Gng_2:</b> nomenclature group type id = <i>M</i>, nomenclature group id = <i>210000</i>, start date = <i>1970-01-01</i>:  language id = <i>EN</i>, description = <i>Certain products listed in Annex I to the Treaty.</i>  language id = <i>FR</i>, description = <i>Certains produits énumérés à l'annexe I du traité.</i>  language id = <i>NL</i>, description = <i>Andere landbouwproducten genoemd in Bijlage I van het Verdrag.</i>  language id = <i>EL</i>, description = <i>(Ο?ισμένα π?οιόντα που απα?ιθμο?νται στο πα?ά?τημα I της Συνθήκης.</i></p>
--	--

	<p>nomenclature group facility code = 0.</p> <p><b>Gng_3:</b> nomenclature group type id = <i>T</i>, nomenclature group id = 046000, start date = 1970-01-01:  language id = <i>EN</i>, description = <i>Textile category 46</i>.  language id = <i>FR</i>, description = <i>Catégorie textile 46</i>.  language id = <i>NL</i>, description = <i>Textielcategorie 46</i>.  language id = <i>EL</i>, description = <i>Υφαντικές ίνες κατηγορίας 46</i>.  nomenclature group facility code = 0.</p> <p><b>Transaction 17: Inb_Refdata_languages.xml</b></p> <p>Message 1: Insert a stable language with language id = <i>EN</i>, start date = 1970-01-01:  Message 2: Insert a stable language with language id = <i>FR</i>, start date = 1970-01-01:  language id = <i>EN</i>, description = <i>French</i>.  Message 3: Insert a stable language with language id = <i>NL</i>, start date = 1970-01-01:  language id = <i>EN</i>, description = <i>Dutch</i>.  language id = <i>FR</i>, description = <i>Neerlandais</i>.  Message 4: Insert a stable language with language id = <i>EL</i>, start date = 1970-01-01:  language id = <i>EN</i>, description = <i>Greek</i>.  language id = <i>FR</i>, description = <i>Grec</i>.  language id = <i>NL</i>, description = <i>Grieks</i>.</p> <p><b>Transaction 18: Inb_Refdata_LegalRegulation.xml</b></p> <p><b>Lr_1:</b> regulation id = <i>I9502840</i>, published date = 1995-10-28, official journal number = <i>C284</i>, official journal page = 16, information text = <i>DUMP - Initiation chap 83</i>.</p> <p><b>Lr_2:</b> regulation id = <i>R9910031</i>, published date = 1999-05-13, official journal number = <i>L 123</i>, official journal page = 19, information text = <i>ADUMP (D), NO, CHAP 3</i>.</p> <p><b>Lr_3:</b> regulation id = <i>R9900820</i>, published date = 1999-01-14, official journal number = <i>L 8</i>, official journal page = 8, information text = <i>ADUMP(P)-NO (chap 3)</i>.</p> <p><b>Lr_4:</b> regulation id = <i>I9902130</i>, published date = 1999-07-24, official journal number = <i>C 213</i>, official journal page = 2, information text = <i>DUMP - 561 - Chap. 2932 - JP</i>.</p> <p><b>Lr_5:</b> regulation id = <i>I0000940</i>, published date = 2000-04-01, official journal number = <i>C 94</i>, official journal page = 5, information text = <i>DUMP (561) JP chap. 29</i>.</p> <p><b>Lr_6:</b> regulation id = <i>I9902180</i>, published date = 1999-07-30, official journal number = <i>C 218</i>, official journal page = 5, information text = <i>DUMP - 565 - MY</i></p>
--	---

	<p>- <i>chap. 54.</i></p> <p><b>Lr_7:</b> regulation id = <i>I0201350</i>, published date = 2002-06-06, official journal number = <i>C 135</i>, official journal page = 10, information text = <i>DUMP (565) - 540233</i>.</p> <p><b>Lr_8:</b> regulation id = <i>I0201110</i>, published date = 2002-05-08, official journal number = <i>C 111</i>, official journal page = 5, information text = <i>DUMP (561) PL, RU - chap 72</i>.</p> <p><b>Lr_9:</b> regulation id = <i>D0300840</i>, published date = 2003-02-08, official journal number = <i>L 33</i>, official journal page = 41, information text = <i>Dump (561) PL; RU - Chap 72</i>.</p> <p><b>Lr_10:</b> regulation id = <i>R0608170</i>, published date = 2006-06-02, official journal number = <i>L 148</i>, official journal page = 1, information text = <i>Restrictive measures in respect of Burma/Myanmar</i>.</p> <p><b>Lr_11:</b> regulation id = <i>R0407980</i>, published date = 2004-04-28, official journal number = <i>L 125</i>, official journal page = 4, information text = <i>Restrictions - MM</i>.</p> <p><b>Lr_12:</b> regulation id = <i>R8633020</i>, published date = 1986-10-31, official journal number = <i>L 305</i>, official journal page = 1, information text = <i>ZA - PROHI (Chap. 71)</i>.</p> <p><b>Lr_13:</b> regulation id = <i>R9202190</i>, published date = 1999-02-01, official journal number = <i>L 24</i>, official journal page = 4, information text = <i>ZA - PRO (Chap. 71)</i>.</p> <p><b>Lr_14:</b> regulation id = <i>I9700320</i>, published date = 1997-02-01, official journal number = <i>C 32</i>, official journal page = 3, information text = <i>DUMP Initiation (chap 871721) CN,JP,KR,MY,SG,TW,TH</i>.</p> <p><b>Lr_15:</b> regulation id = <i>R9721400</i>, published date = 1997-10-31, official journal number = <i>L 297</i>, official journal page = 61, information text = <i>ADUMP (P) Chap 8517 - CN, JP, KR, MY, SG, TW, TH</i>.</p> <p><b>Lr_16:</b> regulation id = <i>R0125423</i>, published date = 2001-12-22, official journal number = <i>L 341</i>, official journal page = 82, information text = <i>Pref - HU (PAP quotas)</i>.</p> <p><b>Lr_17:</b> regulation id = <i>R9801510</i>, published date = 1998-01-23, official journal number = <i>L 18</i>, official journal page = 6, information text = <i>TR-1509, 1510</i>.</p> <p><b>Lr_18:</b> regulation id = <i>R0207480</i>, published date = 2002-05-01, official journal number = <i>L 115</i>, official journal page = 15, information text = <i>PAP - Quotas - HU</i>.</p> <p><b>Lr_19:</b> regulation id = <i>R9808461</i>, published date = 1998-04-23, official journal number = <i>L 120</i>, official journal page = 13, information text = <i>TR</i>.</p>
--	--

	<p><b>Lr_20:</b> regulation id = <i>R9700210</i>, published date = <i>1997-01-09</i>, official journal number = <i>L 5</i>, official journal page = <i>24</i>, information text = <i>LOMB - K (09.4093)</i>.</p> <p><b>Lr_21:</b> regulation id = <i>R9703041</i>, published date = <i>1997-02-21</i>, official journal number = <i>L 51</i>, official journal page = <i>1</i>, information text = <i>MS-K, TC-K (09.4093), LOMB-K, others (09.4095)</i>.</p> <p><b>Lr_22:</b> regulation id = <i>R9509330</i>, published date = <i>1995-04-28</i>, official journal number = <i>L 95</i>, official journal page = <i>1</i>, information text = <i>RO, BG - K (chap 22)</i>.</p> <p><b>Lr_23:</b> regulation id = <i>R0106781</i>, published date = <i>2001-04-04</i>, official journal number = <i>L 94</i>, official journal page = <i>1</i>, information text = <i>HU - K (chap 22)</i>.</p> <p><b>Lr_24:</b> regulation id = <i>R9419810</i>, published date = <i>1994-08-02</i>, official journal number = <i>L199</i>, official journal page = <i>1</i>, information text = <i>K pays med..</i></p> <p><b>Lr_25:</b> regulation id = <i>R9530570</i>, published date = <i>1995-12-30</i>, official journal number = <i>L 326</i>, official journal page = <i>3</i>, information text = <i>IL/K(09.1323,24); MA/K(09.1101,14,17,90,21,22,29,30,33,35,36,37,38)</i>.</p> <p><b>Lr_26:</b> regulation id = <i>R0020070</i>, published date = <i>2000-09-23</i>, official journal number = <i>L 240</i>, official journal page = <i>1</i>, information text = <i>R0020070</i>.</p> <p><b>Lr_27:</b> regulation id = <i>R0519460</i>, published date = <i>2005-11-29</i>, official journal number = <i>L 312</i>, official journal page = <i>1</i>, information text = <i>PRF - AL,BA,HR,MK,XK,XM,XS - autonomous</i>.</p> <p><b>Lr_28:</b> regulation id = <i>R0201190</i>, published date = <i>2002-01-24</i>, official journal number = <i>L 21</i>, official journal page = <i>19</i>, information text = <i>143 (Processed) - Lithuania</i>.</p> <p><b>Lr_29:</b> regulation id = <i>R0206962</i>, published date = <i>2002-04-25</i>, official journal number = <i>L 109</i>, official journal page = <i>3</i>, information text = <i>FTS - ADUMP (D) - IN - Chap 63</i>.</p> <p><b>Lr_30:</b> regulation id = <i>R0402350</i>, published date = <i>2004-02-12</i>, official journal number = <i>L 40</i>, official journal page = <i>11</i>, information text = <i>ADUMP (552) - RO - Chap 73 (8468,8469,8514,8515)</i>.</p> <p><b>Lr_31:</b> regulation id = <i>R0413220</i>, published date = <i>2004-07-20</i>, official journal number = <i>L 246</i>, official journal page = <i>10</i>, information text = <i>DUMP (552) - RO, RU - Chap 73</i>.</p> <p><b>Lr_32:</b> regulation id = <i>R0808650</i>, published date = <i>2008-09-04</i>, official journal number = <i>L 237</i>, official journal page = <i>1</i>, information text = <i>DUMP (562) - CN, KZ - chap 72, 81</i>.</p> <p><b>Lr_33:</b> regulation id = <i>R0714200</i>, published date = <i>2007-12-05</i>, official journal number = <i>L 317</i>, official</p>
--	--

	<p>journal page = 5, information text = <i>DUMP(552)-CN,KZ-Chap 72,81.</i></p> <p><b>Lr_34:</b> regulation id = <i>R9921141</i>, published date = <i>1999-10-06</i>, official journal number = <i>L 259</i>, official journal page = 5, information text = <i>FTS - 672, 673, 674 - CH, LI.</i></p> <p><b>Transaction 19: Inb_Refdata_MeasurementUnit.xml</b></p> <p><b>Mu_1:</b> measurement unit code = <i>KGM</i>, start date = <i>1970-01-01</i>:</p> <ul style="list-style-type: none"> <li>language id = <i>EN</i>, description = <i>Kilogram</i>.</li> <li>language id = <i>FR</i>, description = <i>Kilogramme</i>.</li> <li>language id = <i>NL</i>, description = <i>Kilogram</i>.</li> <li>language id = <i>EL</i>, description = <i>Χιλιόγραμμο</i>.</li> </ul> <p>measurement unit qualifier code = <i>A</i>, start date = <i>1970-01-01</i>, measurement unit qualifier code = <i>E</i>, start date = <i>1994-11-01</i>, measurement unit qualifier code = <i>G</i>, start date = <i>1970-01-01</i>, measurement unit qualifier code = <i>N</i>, start date = <i>1970-01-01</i>, end date = <i>1996-06-30</i>, measurement unit qualifier code = <i>P</i>, start date = <i>1997-12-01</i>, measurement unit qualifier code = <i>T</i>, start date = <i>1997-12-01</i>.</p> <p>qualifier required = 0.</p> <p><b>Mu_2:</b> measurement unit code = <i>ASV</i>, start date = <i>1970-01-01</i>:</p> <ul style="list-style-type: none"> <li>language id = <i>EN</i>, description = <i>%vol</i>.</li> <li>language id = <i>FR</i>, description = <i>%vol</i>.</li> <li>language id = <i>NL</i>, description = <i>%vol</i>.</li> <li>language id = <i>EL</i>, description = <i>%vol</i>.</li> </ul> <p>measurement unit qualifier code = <i>X</i>, start date = <i>1970-01-01</i>.</p> <p>qualifier required = 0.</p> <p><b>Mu_3:</b> measurement unit code = <i>CCT</i>, start date = <i>1970-01-01</i>:</p> <ul style="list-style-type: none"> <li>language id = <i>EN</i>, description = <i>Carrying capacity in metric tonnes</i>.</li> <li>language id = <i>FR</i>, description = <i>Capacité de charge en tonnes métriques</i>.</li> <li>language id = <i>NL</i>, description = <i>laadvermogen in metrieke ton</i>.</li> <li>language id = <i>EL</i>, description = <i>Χωρητικότητα φορτίου σε μετρικές τόννους</i>.</li> </ul> <p>qualifier required = 0.</p> <p><b>Transaction 20: Inb_Refdata_MeasurementUnitQualifier.xml</b></p> <p><b>Muq_1:</b> measurement unit qualifier code = <i>A</i>, start date = <i>1970-01-01</i>:</p> <ul style="list-style-type: none"> <li>language id = <i>EN</i>, description = <i>Total alcohol</i>.</li> <li>language id = <i>FR</i>, description = <i>Total alcool</i>.</li> <li>language id = <i>NL</i>, description = <i>totaal alcohol</i>.</li> <li>language id = <i>EL</i>, description = <i>Συνολικός αλκοόλης</i>.</li> </ul>
--	--

	<p><b>Muq_2:</b> measurement unit qualifier code = <i>E</i>, start date = <i>1994-11-01</i>:  language id = <i>EN</i>, description = <i>Net drained weight</i>.  language id = <i>FR</i>, description = <i>Poids net égoutté</i>.  language id = <i>NL</i>, description = <i>netto uitlekgewicht</i>.  language id = <i>EL</i>, description = <i>Kαθα?ό βά?ος μετά την στ?άγγιση</i>.</p> <p><b>Muq_3:</b> measurement unit qualifier code = <i>G</i>, start date = <i>1970-01-01</i>:  language id = <i>EN</i>, description = <i>Gross</i>.  language id = <i>FR</i>, description = <i>Brut</i>.  language id = <i>NL</i>, description = <i>Bruto</i>.  language id = <i>EL</i>, description = <i>Mικτό</i>.</p> <p><b>Muq_4:</b> measurement unit qualifier code = <i>N</i>, start date = <i>1970-01-01</i>, end date = <i>1996-06-30</i>:  language id = <i>EN</i>, description = <i>Net</i>.  language id = <i>FR</i>, description = <i>Net</i>.  language id = <i>NL</i>, description = <i>Netto</i>.  language id = <i>EL</i>, description = <i>Kαθα?ό (δεν χ?ησιμοποιείται πλέον)</i>.</p> <p><b>Muq_5:</b> measurement unit qualifier code = <i>P</i>, start date = <i>1997-12-01</i>:  language id = <i>EN</i>, description = <i>Lactic matter</i>.  language id = <i>FR</i>, description = <i>Matière lactique</i>.  language id = <i>NL</i>, description = <i>van melk afkomstige stof</i>.  language id = <i>EL</i>, description = <i>Γαλακτική ουσία</i>.</p> <p><b>Muq_6:</b> measurement unit qualifier code = <i>T</i>, start date = <i>1997-12-01</i>:  language id = <i>EN</i>, description = <i>Dry lactic matter</i>.  language id = <i>FR</i>, description = <i>Matière sèche lactique</i>.  language id = <i>NL</i>, description = <i>van melk afkomstige droge stof</i>.  language id = <i>EL</i>, description = <i>Ξη?ή γαλακτική ουσία</i>.</p> <p><b>Muq_7:</b> measurement unit qualifier code = <i>X</i>, start date = <i>1970-01-01</i>:  language id = <i>EN</i>, description = <i>Hectolitre</i>.  language id = <i>FR</i>, description = <i>Hectolitre</i>.  language id = <i>NL</i>, description = <i>hectoliter</i>.  language id = <i>EL</i>, description = <i>Εκατόλιτ?ο</i>.</p>
<u>Transaction 21: Inb_Refdata_Measure.xml</u>	

**Me\_1:** measure type id = 777, geographical area id = 2080, goods nomenclature id = 0100000000, productline suffix = 80, start date = 1970-12-31, start date = 1997-02-01, regulation id = I9700320, regulation role type = 1.

**Me\_2:** measure type id = 778, geographical area id = 2080, goods nomenclature id = 0200000000, productline suffix = 80, start date = 1971-12-31, start

	<p>date = 2007-12-07, regulation id = R9921141, regulation role type = 1:  measure condition 1: condition code = D, sequence number = 001, measure condition code sid = 120:  measure component 1: duty expression id = 40.</p> <p><b>Me_3:</b> measure type id = 779, geographical area id = 2080, goods nomenclature id = 0200000000, productline suffix = 80, start date = 1971-12-31, start date = 2007-12-08, regulation id = R9921141, regulation role type = 1:  measure component 1: duty expression id = 40.  measure pts 1: start date = 2007-12-08, regulation id = I9700320.  associated footnote 1: footnote type id = CD, footnote id = 271.</p> <p><b>Me_4:</b> measure type id = 770, geographical area id = 2080, goods nomenclature id = 0100000000, productline suffix = 80, start date = 1970-12-31, start date = 1997-02-01, regulation id = I9502840, regulation role type = 1:  excluded area 1: geographical area id = AB, start date = 1984-01-01.</p>
<p><u>Transaction 22: Inb_Refdata_MeasureAction.xml</u></p> <p><b>Ma_1:</b> action code = 010, start date = 1970-01-01, end date = 1994-01-01:  language id = EN, description = <i>Apply the amount of the action (see components).</i>  language id = FR, description = <i>Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembbris flumine ab refertum mensis manu Septembbris manu ad priscoru.</i>  language id = NL, description = <i>Het bedrag van de actie toepassen (zie componenten).</i>  language id = EL, description = <i>Εφα?μογή του ποσο? ενέ?γειας (βλ. στοιχεία).</i></p> <p><b>Ma_2:</b> action code = 011, start date = 1970-01-01:  language id = EN, description = <i>Import/export not allowed after control.</i>  language id = FR, description = <i>Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate</i></p>	

	<p><i>manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad priscoru.</i></p> <p>language id = <i>NL</i>, description = <i>Invoer/uitvoer niet toegelaten na controle.</i></p> <p>language id = <i>EL</i>, description = <i>Εισαγωγή / εξαγωγή μη επιτ?επόμενη κατόπιν ελέγχου.</i></p> <p><b>Ma_3:</b> action code = <i>17</i>, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Export refund not applicable.</i></p> <p>language id = <i>FR</i>, description = <i>Restitution à l'exportation non applicable.</i></p> <p>language id = <i>NL</i>, description = <i>Uitvoerrestituties zijn niet van toepassing.</i></p> <p>language id = <i>EL</i>, description = <i>Εξαγωγικές επιδοτήσεις μη εφα?μοστέες.</i></p>
<p><u>Transaction 23: Inb_Refdata_MeasureConditionCode.xml</u></p> <p><b>Mcc_1:</b> condition code = <i>D</i>, start date = <i>1995-12-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Intended for processing.</i></p> <p>language id = <i>FR</i>, description = <i>Destinés à la transformation.</i></p> <p>language id = <i>NL</i>, description = <i>Bestemd voor verwerking.</i></p> <p>language id = <i>EL</i>, description = <i>Π?οο?ίζεται για μεταποίηση (δεν χ?ησμοποιείται πλέον).</i></p> <p><b>Mcc_2:</b> condition code = <i>M</i>, start date = <i>1972-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Import price must be equal to or greater than the minimum price/reference price (see components).</i></p> <p>language id = <i>FR</i>, description = <i>Prix à l'importation doit être égal ou supérieur au prix minimum/prix de référence (voir composants).</i></p> <p>language id = <i>NL</i>, description = <i>De invoerprijs moet gelijk zijn aan of hoger dan de minimumprijs/referentieprijs (zie componenten).</i></p> <p>language id = <i>EL</i>, description = <i>Η τιμή εισαγωγής π?έπει να είναι ίση ή ανώτε?η από την ελάχιστη τιμή/τιμή αναφο?άς (βλ. στοιχεία).</i></p> <p><b>Mcc_3:</b> condition code = <i>S</i>, start date = <i>1995-12-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Lodgement of a security.</i></p> <p>language id = <i>FR</i>, description = <i>Constitution d'une garantie.</i></p> <p>language id = <i>NL</i>, description = <i>Stellen van een</i></p>	

	<p><i>zekerheid.</i>  language id = <i>EL</i>, description = <i>Σ?σταση εγγυήσεως.</i></p> <p><u>Transaction 24: Inb_Refdata_MeasureType.xml</u></p> <p><b>Mt_1:</b> measure type id = 278, start date = <i>1972-01-01</i>:  language id = <i>EN</i>, description = <i>Export prohibition.</i>  language id = <i>FR</i>, description = <i>Prohibition à l'exportation.</i>  language id = <i>NL</i>, description = <i>Uitvoerverbod.</i>  language id = <i>EL</i>, description = <i>Απαγό?ενση εξαγωγής.</i>  measure type series id = <i>A</i>:  associated regulation group 1: regulation group id = <i>PRS</i>, start date = <i>1972-01-01</i>.  associated additional code type 1: additional code type id = 3, start date = <i>1972-01-01</i>.  trade movement code = 1, measure explosion level = 8, measure component applicable code = 2, order number capture code = 2, accepted via input bridge = 0.</p> <p><b>Mt_2:</b> measure type id = 464, start date = <i>2007-01-01</i>:  language id = <i>EN</i>, description = <i>Declaration of subheading submitted to restrictions.</i>  language id = <i>FR</i>, description = <i>Déclaration de la position soumise à restrictions.</i>  language id = <i>NL</i>, description = <i>Aangifte onder deze postonderverdeling is onderworpen aan bepaalde beperkingen.</i>  language id = <i>EL</i>, description = <i>Δήλωση της διάκ?ισης που υποβάλλεται σε πε?ιο?ισμο?ς.</i>  measure type series id = <i>B</i>:  associated regulation group 1: regulation group id = <i>DUM</i>, start date = <i>2007-01-01</i>, end date = <i>2010-01-01</i>.  trade movement code = 0, measure explosion level = 10, measure component applicable code = 2, order number capture code = 2, accepted via input bridge = 0.</p> <p><b>Mt_3:</b> measure type id = 670, start date = <i>1972-01-01</i>:  language id = <i>EN</i>, description = <i>Amount of levy.</i>  language id = <i>FR</i>, description = <i>Montant Prélèvement.</i>  language id = <i>NL</i>, description = <i>Bedrag heffing.</i>  language id = <i>EL</i>, description = <i>Ποσό εισφο?άς.</i>  measure type series id = <i>E</i>:  associated regulation group 1: regulation group id = <i>PRF</i>, start date = <i>1972-01-01</i>.  trade movement code = 0, measure explosion level = 10, measure component applicable code = 0, order number capture code = 2, accepted via input bridge = 0.</p> <p><b>Mt_4:</b> measure type id = 777, start date = <i>1972-01-01</i>:  language id = <i>EN</i>, description = <i>Amount of levy.</i></p>
--	---

	<p>language id = <i>FR</i>, description = <i>Montant Prélèvement</i>.  language id = <i>NL</i>, description = <i>Bedrag heffing</i>.  language id = <i>EL</i>, description = <i>Ποσό εισφοράς</i>.  measure type series id = <i>E</i>:  associated regulation group 1: regulation group id = <i>DUM</i>, start date = <i>1972-01-01</i>.  trade movement code = 0, measure explosion level = 10, measure component applicable code = 0, order number capture code = 2, accepted via input bridge = 0.</p> <p><b>Mt_5:</b> measure type id = 778, start date = 1972-01-01:  language id = <i>EN</i>, description = <i>Amount of levy</i>.  language id = <i>FR</i>, description = <i>Montant Prélèvement</i>.  language id = <i>NL</i>, description = <i>Bedrag heffing</i>.  language id = <i>EL</i>, description = <i>Ποσό εισφοράς</i>.  measure type series id = <i>E</i>:  associated regulation group 1: regulation group id = <i>DUM</i>, start date = <i>1972-01-01</i>.  trade movement code = 0, measure explosion level = 10, measure component applicable code = 0, order number capture code = 2, accepted via input bridge = 0.</p> <p><b>Mt_6:</b> measure type id = 779, start date = 1972-01-01:  language id = <i>EN</i>, description = <i>Amount of levy</i>.  language id = <i>FR</i>, description = <i>Montant Prélèvement</i>.  language id = <i>NL</i>, description = <i>Bedrag heffing</i>.  language id = <i>EL</i>, description = <i>Ποσό εισφοράς</i>.  measure type series id = <i>E</i>:  associated regulation group 1: regulation group id = <i>DUM</i>, start date = <i>1972-01-01</i>.  trade movement code = 0, measure explosion level = 10, measure component applicable code = 0, order number capture code = 2, accepted via input bridge = 0.</p> <p><b>Mt_7:</b> measure type id = 770, start date = 1972-01-01:  language id = <i>EN</i>, description = <i>Amount of levy</i>.  language id = <i>FR</i>, description = <i>Montant Prélèvement</i>.  language id = <i>NL</i>, description = <i>Bedrag heffing</i>.  language id = <i>EL</i>, description = <i>Ποσό εισφοράς</i>.  measure type series id = <i>E</i>:  associated regulation group 1: regulation group id = <i>DUM</i>, start date = <i>1972-01-01</i>.  trade movement code = 0, measure explosion level = 10, measure component applicable code = 0, order number capture code = 2, accepted via input bridge = 0.</p> <p><u>Transaction 25: Inb_Refdata_MeasureTypeSeries.xml</u>  <b>Mts_1:</b> measure type series id = <i>A</i>, start date = <i>1970-01-01</i>:  language id = <i>EN</i>, description = <i>Importation and/or</i></p>
--	--

	<p><i>exportation prohibited.</i></p> <p>language id = <i>FR</i>, description = <i>Interdiction d'importation et/ou d'exportation.</i></p> <p>language id = <i>NL</i>, description = <i>Invoer en/of uitvoer niet toegestaan.</i></p> <p>language id = <i>EL</i>, description = <i>Απαγόρευση εισαγωγής και /ή εξαγωγής.</i></p> <p>measure type combination = 0.</p> <p><b>Mts_2:</b> measure type series id = <i>B</i>, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Entry into free circulation or exportation subject to conditions.</i></p> <p>language id = <i>FR</i>, description = <i>Mise en libre pratique ou exportation soumises à conditions.</i></p> <p>language id = <i>NL</i>, description = <i>In vrije verkeer brengen of uitvoer aan voorwaarden onderworpen.</i></p> <p>language id = <i>EL</i>, description = <i>Θέση σε ελεύθερη κυκλοφορία ή εξαγωγή υπό όποιους.</i></p> <p>measure type combination = 1.</p> <p><b>Mts_3:</b> measure type series id = <i>E</i>, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Levies, export refunds and other agricultural amounts.</i></p> <p>language id = <i>FR</i>, description = <i>Prélèvements/Restitutions agricoles et autres montants agricoles.</i></p> <p>language id = <i>NL</i>, description = <i>Heffingen, uitvoerrestituties en andere landbouwbedragen.</i></p> <p>language id = <i>EL</i>, description = <i>Εισφορές/Επιδοτήσεις γεωργικές και άλλα γεωργικά ποσά.</i></p> <p>measure type combination = 0.</p>
	<p><b>Transaction 26:</b> Inb_Refdata_MeursingTablePlan.xml</p> <p><b>Mtp_1:</b> meursing table plan id = <i>01</i>, start date = <i>1988-01-01</i>:</p> <p>heading 1: meursing heading number = <i>10</i>, row column code = <i>0</i>, start date = <i>1988-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Milk fat (% by weight).</i></p> <p>language id = <i>FR</i>, description = <i>Matières grasses du lait (% en poids).</i></p> <p>language id = <i>NL</i>, description = <i>Melkvet (gewichtspercenten).</i></p> <p>language id = <i>EL</i>, description = <i>Λιπαρές λεις γάλακτος (% κατά βάρους).</i></p> <p>subheading 1: sequence number = <i>10</i>, start date = <i>1988-01-01</i>, description = <i>&gt;= 0 smaller than 1.5.</i></p> <p>subheading 2: sequence number = <i>20</i>, start date = <i>1988-01-01</i>, description = <i>&gt;= 0 smaller than 1.5.</i></p> <p>subheading 3: sequence number = <i>30</i>, start date = <i>1988-01-01</i>, description = <i>&gt;= 0 smaller than 1.5.</i></p>

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan

<b>TEST ENVIRONMENT</b>	Ref: TARIC3-INB-STP
-------------------------	---------------------

subheading 4: sequence number = 40, start date = 1988-01-01, description =  $\geq 0$  smaller than 1.5.  
subheading 5: sequence number = 50, start date = 1988-01-01, description =  $\geq 0$  smaller than 1.5.  
subheading 6: sequence number = 60, start date = 1988-01-01, description =  $\geq 0$  smaller than 1.5.  
subheading 7: sequence number = 70, start date = 1988-01-01, description =  $\geq 1.5$  smaller than 3.  
subheading 8: sequence number = 80, start date = 1988-01-01, description =  $\geq 1.5$  smaller than 3.  
subheading 9: sequence number = 90, start date = 1988-01-01, description =  $\geq 1.5$  smaller than 3.  
subheading 10: sequence number = 100, start date = 1988-01-01, description =  $\geq 1.5$  smaller than 3.  
subheading 11: sequence number = 110, start date = 1988-01-01, description =  $\geq 1.5$  smaller than 3.  
subheading 12: sequence number = 120, start date = 1988-01-01, description =  $\geq 1.5$  smaller than 3.  
subheading 13: sequence number = 130, start date = 1988-01-01, description =  $\geq 3$  greater than 6.  
subheading 14: sequence number = 140, start date = 1988-01-01, description =  $\geq 3$  smaller than 6.  
subheading 15: sequence number = 150, start date = 1988-01-01, description =  $\geq 3$  smaller than 6.  
subheading 16: sequence number = 160, start date = 1988-01-01, description =  $\geq 6$  smaller than 9.  
subheading 17: sequence number = 170, start date = 1988-01-01, description =  $\geq 6$  smaller than 9.  
subheading 18: sequence number = 180, start date = 1988-01-01, description =  $\geq 6$  smaller than 9.  
subheading 19: sequence number = 190, start date = 1988-01-01, description =  $\geq 9$  smaller than 12.  
subheading 20: sequence number = 200, start date = 1988-01-01, description =  $\geq 9$  smaller than 12.  
subheading 21: sequence number = 210, start date = 1988-01-01, description =  $\geq 9$  smaller than 12.  
subheading 22: sequence number = 220, start date = 1988-01-01, description =  $\geq 12$  smaller than 18.  
subheading 23: sequence number = 230, start date = 1988-01-01, description =  $\geq 12$  smaller than 18.  
subheading 24: sequence number = 240, start date = 1988-01-01, description =  $\geq 12$  smaller than 18.  
subheading 25: sequence number = 250, start date = 1988-01-01, description =  $\geq 18$  smaller than 26.  
subheading 26: sequence number = 260, start date = 1988-01-01, description =  $\geq 18$  smaller than 26.  
subheading 27: sequence number = 270, start date = 1988-01-01, description =  $\geq 26$  smaller than 40.  
subheading 28: sequence number = 280, start date = 1988-01-01, description =  $\geq 26$  smaller than 40.  
subheading 29: sequence number = 290, start date =

	<p>1988-01-01, description = <math>\geq 40</math> smaller than 55.      subheading 30: sequence number = 300, start date = 1988-01-01, description = <math>\geq 55</math> smaller than 70.      subheading 31: sequence number = 310, start date = 1988-01-01, description = <math>\geq 70</math> smaller than 85.      subheading 32: sequence number = 320, start date = 1988-01-01, description = <math>\geq 85</math>.      heading 2: meursing heading number = 10, row column code = 1, start date = 1988-01-01:      language id = EN, description = <i>Starch/Glucose (% by weight)</i>.      language id = FR, description = <i>Amidon-fécule/Glucose (% en poids)</i>.      language id = NL, description = <i>Zetmeel/glucose (gewichtspercenten)</i>.      language id = EL, description = <i>Αμαλα/Γλυκόζη (% κατά βάρος)</i>.      subheading 1: sequence number = 10, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 5.      subheading 2: sequence number = 20, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 5.      subheading 3: sequence number = 30, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 5.      subheading 4: sequence number = 40, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 5.      subheading 5: sequence number = 50, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 5.      subheading 6: sequence number = 60, start date = 1988-01-01, description = <math>\geq 5</math> smaller than 25.      subheading 7: sequence number = 70, start date = 1988-01-01, description = <math>\geq 5</math> smaller than 25.      subheading 8: sequence number = 80, start date = 1988-01-01, description = <math>\geq 5</math> smaller than 25.      subheading 9: sequence number = 90, start date = 1988-01-01, description = <math>\geq 5</math> smaller than 25.      subheading 10: sequence number = 100, start date = 1988-01-01, description = <math>\geq 5</math> smaller than 25.      subheading 11: sequence number = 110, start date = 1988-01-01, description = <math>\geq 25</math> smaller than 50.      subheading 12: sequence number = 120, start date = 1988-01-01, description = <math>\geq 25</math> smaller than 50.      subheading 13: sequence number = 130, start date = 1988-01-01, description = <math>\geq 25</math> smaller than 50.      subheading 14: sequence number = 140, start date = 1988-01-01, description = <math>\geq 25</math> smaller than 50.      subheading 15: sequence number = 150, start date = 1988-01-01, description = <math>\geq 25</math> smaller than 50.      subheading 16: sequence number = 160, start date = 1988-01-01, description = <math>\geq 50</math> smaller than 75.      subheading 17: sequence number = 170, start date = 1988-01-01, description = <math>\geq 50</math> smaller than 75.</p>
--	--

	<p>subheading 18: sequence number = 180, start date = 1988-01-01, description = <math>\geq 50</math> smaller than 75.</p> <p>subheading 19: sequence number = 190, start date = 1988-01-01, description = <math>\geq 75</math>.</p> <p>associated footnote 1: footnote type id = <i>MH</i>, footnote id = 001, start date = 1994-09-09.</p> <p>heading 3: meursing heading number = 20, row column code = 0, start date = 1988-01-01:</p> <p>language id = <i>EN</i>, description = <i>Milk proteins (% by weight)</i>.</p> <p>language id = <i>FR</i>, description = <i>Protéines du lait (% en poids)</i>.</p> <p>language id = <i>NL</i>, description = <i>Melkproteïnen (gewichtspercenten)</i>.</p> <p>language id = <i>EL</i>, description = <math>\Pi\omega\tau\epsilon\gamma\epsilon\varsigma\gamma\alpha\lambda\alpha\kappa\tau\varsigma</math> (% κατά βάρος).</p> <p>subheading 1: sequence number = 10, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 2.5.</p> <p>subheading 2: sequence number = 20, start date = 1988-01-01, description = <math>\geq 2.5</math> smaller than 6.</p> <p>subheading 3: sequence number = 30, start date = 1988-01-01, description = <math>\geq 6</math> smaller than 18.</p> <p>subheading 4: sequence number = 40, start date = 1988-01-01, description = <math>\geq 18</math> smaller than 30.</p> <p>subheading 5: sequence number = 50, start date = 1988-01-01, description = <math>\geq 30</math> smaller than 60.</p> <p>subheading 6: sequence number = 60, start date = 1988-01-01, description = <math>\geq 60</math>.</p> <p>subheading 7: sequence number = 70, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 2.5.</p> <p>subheading 8: sequence number = 80, start date = 1988-01-01, description = <math>\geq 2.5</math> smaller than 6.</p> <p>subheading 9: sequence number = 90, start date = 1988-01-01, description = <math>\geq 6</math> smaller than 18.</p> <p>subheading 10: sequence number = 100, start date = 1988-01-01, description = <math>\geq 18</math> smaller than 30.</p> <p>subheading 11: sequence number = 110, start date = 1988-01-01, description = <math>\geq 30</math> smaller than 60.</p> <p>subheading 12: sequence number = 120, start date = 1988-01-01, description = <math>\geq 60</math>.</p> <p>subheading 13: sequence number = 130, start date = 1988-01-01, description = <math>\geq 0</math> greater than 2.5.</p> <p>subheading 14: sequence number = 140, start date = 1988-01-01, description = <math>\geq 2.5</math> smaller than 12.</p> <p>subheading 15: sequence number = 150, start date = 1988-01-01, description = <math>\geq 12</math>.</p> <p>subheading 16: sequence number = 160, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 4.</p> <p>subheading 17: sequence number = 170, start date = 1988-01-01, description = <math>\geq 4</math> smaller than 15.</p>
--	--

	<p>subheading 18: sequence number = 180, start date = 1988-01-01, description = <math>\geq 15</math>.</p> <p>subheading 19: sequence number = 190, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 6.</p> <p>subheading 20: sequence number = 200, start date = 1988-01-01, description = <math>\geq 6</math> smaller than 18.</p> <p>subheading 21: sequence number = 210, start date = 1988-01-01, description = <math>\geq 18</math>.</p> <p>subheading 22: sequence number = 220, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 6.</p> <p>subheading 23: sequence number = 230, start date = 1988-01-01, description = <math>\geq 6</math> smaller than 18.</p> <p>subheading 24: sequence number = 240, start date = 1988-01-01, description = <math>\geq 18</math>.</p> <p>subheading 25: sequence number = 250, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 6.</p> <p>subheading 26: sequence number = 260, start date = 1988-01-01, description = <math>\geq 6</math>.</p> <p>subheading 27: sequence number = 270, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 6.</p> <p>subheading 28: sequence number = 280, start date = 1988-01-01, description = <math>\geq 6</math>.</p> <p>subheading 29: sequence number = 290, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 100.</p> <p>subheading 30: sequence number = 300, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 100.</p> <p>subheading 31: sequence number = 310, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 100.</p> <p>subheading 32: sequence number = 320, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 100.</p> <p>associated footnote 1: footnote type id = MH, footnote id = 002, start date = 1994-09-09.</p> <p>heading 4: meursing heading number = 20, row column code = 1, start date = 1988-01-01:</p> <p>language id = EN, description = Sucrose/Invert sugar/Isoglucose (% by weight).</p> <p>language id = FR, description = Saccharose/sucre interverti/isoglucose (% en poids).</p> <p>language id = NL, description = Saccharose/invertsuiker/isoglucose (gewichtspercenten).</p> <p>language id = EL, description = Ζακχα?όζη?Ιμβε?τοποιημένο ζάχα?ο/Ισογλυκόζη (% κατά βά?ος).</p> <p>subheading 1: sequence number = 10, start date = 1988-01-01, description = <math>\geq 0</math> smaller than 5.</p> <p>subheading 2: sequence number = 20, start date = 1988-01-01, description = <math>\geq 5</math> smaller than 30.</p> <p>subheading 3: sequence number = 30, start date =</p>
--	---

	<p>1988-01-01, description = <i>&gt;= 30 smaller than 50.</i>      subheading 4: sequence number = 40, start date = 1988-01-01, description = <i>&gt;= 50 smaller than 70.</i>      subheading 5: sequence number = 50, start date = 1988-01-01, description = <i>&gt;= 70.</i>      subheading 6: sequence number = 60, start date = 1988-01-01, description = <i>&gt;= 0 smaller than 5.</i>      subheading 7: sequence number = 70, start date = 1988-01-01, description = <i>&gt;= 5 smaller than 30.</i>      subheading 8: sequence number = 80, start date = 1988-01-01, description = <i>&gt;= 30 smaller than 50.</i>      subheading 9: sequence number = 90, start date = 1988-01-01, description = <i>&gt;= 50 smaller than 70.</i>      subheading 10: sequence number = 100, start date = 1988-01-01, description = <i>&gt;= 70.</i>      subheading 11: sequence number = 110, start date = 1988-01-01, description = <i>&gt;= 0 smaller than 5.</i>      subheading 12: sequence number = 120, start date = 1988-01-01, description = <i>&gt;= 5 smaller than 30.</i>      subheading 13: sequence number = 130, start date = 1988-01-01, description = <i>&gt;= 30 smaller than 50.</i>      subheading 14: sequence number = 140, start date = 1988-01-01, description = <i>&gt;= 50.</i>      subheading 15: sequence number = 150, start date = 1988-01-01, description = <i>&gt;= 0 smaller than 5.</i>      subheading 16: sequence number = 160, start date = 1988-01-01, description = <i>&gt;= 5 smaller than 30.</i>      subheading 17: sequence number = 170, start date = 1988-01-01, description = <i>&gt;= 30.</i>      subheading 18: sequence number = 180, start date = 1988-01-01, description = <i>&gt;= 0 smaller than 5.</i>      subheading 19: sequence number = 190, start date = 1988-01-01, description = <i>&gt;= 5.</i></p> <p>associated footnote 1: footnote type id = <i>MH</i>, footnote id = 003, start date = 1994-09-09.</p> <p><u>Transaction 27: Inb_Refdata_MeusringAdditionalCodes.xml</u></p> <p><b>Mac_1:</b> meursing additional code id = 716, start date = 1988-01-01, meursing additional code sid = 716:      meursing table cell component 1: meursing table plan id = 01, meursing heading number = 10, row column code = 0, sequence number = 280, start date = 1988-01-01.      meursing table cell component 2: meursing table plan id = 01, meursing heading number = 10, row column code = 1, sequence number = 160, start date = 1988-01-01.      meursing table cell component 3: meursing table plan id = 01, meursing heading number = 20, row column code = 0, sequence number = 280, start date = 1988-</p>
--	--

	<p><i>01-01.</i></p> <p>meursing table cell component 4: meursing table plan id = <i>01</i>, meursing heading number = <i>020</i>, row column code = <i>1</i>, sequence number = <i>160</i>, start date = <i>1988-01-01</i>.</p> <p><b>Mac_2:</b> meursing additional code id = <i>780</i>, start date = <i>1988-01-01</i>, meursing additional code sid = <i>780</i>:</p> <p>meursing table cell component 1: meursing table plan id = <i>01</i>, meursing heading number = <i>10</i>, row column code = <i>0</i>, sequence number = <i>320</i>, start date = <i>1988-01-01</i>.</p> <p>meursing table cell component 2: meursing table plan id = <i>01</i>, meursing heading number = <i>10</i>, row column code = <i>1</i>, sequence number = <i>10</i>, start date = <i>1988-01-01</i>.</p> <p>meursing table cell component 3: meursing table plan id = <i>01</i>, meursing heading number = <i>20</i>, row column code = <i>0</i>, sequence number = <i>320</i>, start date = <i>1988-01-01</i>.</p> <p>meursing table cell component 4: meursing table plan id = <i>01</i>, meursing heading number = <i>20</i>, row column code = <i>1</i>, sequence number = <i>10</i>, start date = <i>1988-01-01</i>.</p> <p><b>Mac_3:</b> meursing additional code id = <i>031</i>, start date = <i>1988-01-01</i>, meursing additional code sid = <i>031</i>:</p> <p>meursing table cell component 1: meursing table plan id = <i>01</i>, meursing heading number = <i>10</i>, row column code = <i>0</i>, sequence number = <i>20</i>, start date = <i>1988-01-01</i>.</p> <p>meursing table cell component 2: meursing table plan id = <i>01</i>, meursing heading number = <i>10</i>, row column code = <i>1</i>, sequence number = <i>120</i>, start date = <i>1988-01-01</i>.</p> <p>meursing table cell component 3: meursing table plan id = <i>01</i>, meursing heading number = <i>20</i>, row column code = <i>0</i>, sequence number = <i>20</i>, start date = <i>1988-01-01</i>.</p> <p>meursing table cell component 4: meursing table plan id = <i>01</i>, meursing heading number = <i>020</i>, row column code = <i>1</i>, sequence number = <i>120</i>, start date = <i>1988-01-01</i>.</p> <p><u>Transaction 28: Inb_Refdata_ModificationRegulation.xml</u></p> <p><b>Mr_1:</b> regulation id = <i>I0000940</i>, regulation role type = <i>4</i>, start date = <i>2000-04-01</i>, regulation id = <i>I9902130</i>, regulation role type = <i>1</i>, approved flag = <i>1</i>.</p> <p><b>Mr_2:</b> regulation id = <i>I0201350</i>, regulation role type = <i>4</i>, start date = <i>2002-06-06</i>, regulation id = <i>I9902180</i>, regulation role type = <i>1</i>, approved flag = <i>1</i>.</p> <p><b>Mr_3:</b> regulation id = <i>D0300840</i>, regulation role type = <i>4</i>, start date = <i>2003-02-07</i>, regulation id = <i>I0201110</i>,</p>
--	---

	<p>regulation role type = <i>I</i>, approved flag = <i>I</i>.</p> <p><u>Transaction 29: Inb_Refdata_MonetaryExchange.xml</u></p> <p><b>Me_1:</b> monetary unit code = <i>EUR</i>, start date = <i>1999-01-01</i>, monetary exchange sid = <i>1</i>, end date = <i>1999-01-31</i>:</p> <p>monetary exchange rate 1: monetary unit code = <i>GBP</i>, exchange rate = <i>0.698136</i>.</p> <p>monetary exchange rate 2: monetary unit code = <i>BEF</i>, exchange rate = <i>40.3399</i>.</p> <p><b>Me_2:</b> monetary unit code = <i>EUR</i>, start date = <i>2009-01-01</i>, monetary exchange sid = <i>2</i>, end date = <i>2009-01-31</i>:</p> <p>monetary exchange rate 1: monetary unit code = <i>GBP</i>, exchange rate = <i>0.9287</i>.</p> <p><b>Me_3:</b> monetary unit code = <i>EUR</i>, start date = <i>2009-03-01</i>, monetary exchange sid = <i>3</i>, end date = <i>2009-03-31</i>:</p> <p>monetary exchange rate 1: monetary unit code = <i>GBP</i>, exchange rate = <i>0.8884</i>.</p> <p><u>Transaction 30: Inb_Refdata_MonetaryUnit.xml</u></p> <p><b>Mu_1:</b> monetary unit code = <i>BEF</i>, start date = <i>1997-01-01</i>, end date = <i>2001-12-31</i>:</p> <p>language id = <i>EN</i>, description = <i>Belgian franc</i>.</p> <p>language id = <i>FR</i>, description = <i>Franc belge</i>.</p> <p>language id = <i>NL</i>, description = <i>Belgische frank</i>.</p> <p>language id = <i>EL</i>, description = <i>Βελγικό φ?άγκο</i>.</p> <p><b>Mu_2:</b> monetary unit code = <i>EUR</i>, start date = <i>1999-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>EURO</i>.</p> <p>language id = <i>FR</i>, description = <i>EURO</i>.</p> <p>language id = <i>NL</i>, description = <i>EURO</i>.</p> <p>language id = <i>EL</i>, description = <i>EURO</i>.</p> <p><b>Mu_3:</b> monetary unit code = <i>EUC</i>, start date = <i>2006-05-19</i>:</p> <p>language id = <i>EN</i>, description = <i>Euro, according to Article 169 of Regulation (EEC) No 2454/93.</i></p> <p>language id = <i>FR</i>, description = <i>Euro, en accord avec l'article 169 du règlement (CEE) No 2454/93.</i></p> <p>language id = <i>NL</i>, description = <i>Euro, overeenkomstig art. 169 van Verordening (EEG) nr. 2454/93.</i></p> <p>language id = <i>EL</i>, description = <i>Euro, σ?μφωνα με το ά?θ?ο 169 τον Κανονισμο? (ΕΟΚ) α?ιθ. 2454/93.</i></p> <p><b>Mu_4:</b> monetary unit code = <i>GBP</i>, start date = <i>1997-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Pound sterling</i>.</p> <p>language id = <i>FR</i>, description = <i>Livre sterling</i>.</p> <p>language id = <i>NL</i>, description = <i>Pond sterling</i>.</p> <p>language id = <i>EL</i>, description = <i>Αί?α στε?λίva</i>.</p>
--	--

	<p><u>Transaction 31: Inb_Refdata_ProrationRegulation.xml</u></p> <p><b>Pr_1:</b> regulation id = <i>R9530570</i>, regulation role type = 5: proration regulation action 1: regulation id = <i>R9419810</i>, regulation role type = 1. approved flag = 1.</p> <p><b>Pr_2:</b> regulation id = <i>R0519460</i>, regulation role type = 5: proration regulation action 1: regulation id = <i>R0020070</i>, regulation role type = 1, extended date = <i>2010-12-31</i>. approved flag = 1.</p>
	<p><u>Transaction 32: Inb_Refdata_PublicationSige.xml</u></p> <p><b>Ps_1:</b> code type id = <i>MQC</i>, code = <i>TNEE</i>, start date = <i>1970-01-01</i>, publication sige sid = 583, end date = <i>2010-01-01</i>, publication code = 1, publication sige = <i>100 kg / net eda</i>.</p> <p><b>Ps_2:</b> code type id = <i>GA</i>, code = <i>BA</i>, start date = <i>1991-11-15</i>, publication sige sid = 751, end date = <i>2010-01-01</i>, publication code = 1, publication sige = <i>BA</i>.</p> <p><b>Ps_3:</b> code type id = <i>GA</i>, code = <i>1011</i>, start date = <i>1970-01-01</i>, publication sige sid = 75, end date = <i>2010-01-01</i>, publication code = 0, publication sige = <i>ERGA OMNES - CEE</i>.</p>
	<p><u>Transaction 33: Inb_Refdata_QuotaOrderNumber.xml</u></p> <p><b>Qon_1:</b> code = <i>090001</i>, start date = <i>2009-04-27</i>, description = <i>ON1</i>, publication status = 0.</p>
	<p><u>Transaction 34: Inb_Refdata_RegulationGroup.xml</u></p> <p><b>Rg_1:</b> regulation group id = <i>TVA</i>, start date = <i>1970-01-01</i>: language id = <i>EN</i>, description = <i>VAT</i>. language id = <i>FR</i>, description = <i>TVA</i>. language id = <i>NL</i>, description = <i>BTW</i>. language id = <i>EL</i>, description = <i>ΦΠΑ</i>.</p> <p><b>Ps_2:</b> regulation group id = <i>DUM</i>, start date = <i>1970-01-01</i>: language id = <i>EN</i>, description = <i>Anti-dumping duties, countervailing duties</i>. language id = <i>FR</i>, description = <i>Droits antidumping, droits compensateurs</i>. language id = <i>NL</i>, description = <i>Antidumping, compenserend recht</i>. language id = <i>EL</i>, description = <i>αντιντάμπινγκ</i>.</p> <p><b>Ps_3:</b> regulation group id = <i>PRS</i>, start date = <i>1970-01-01</i>: language id = <i>EN</i>, description = <i>Prohibition</i>. language id = <i>FR</i>, description = <i>Prohibition</i>.</p>

	<p>language id = <i>NL</i>, description = <i>Verbod</i>.  language id = <i>EL</i>, description = <i>απαγόρευση</i>.</p> <p><b>Ps_4:</b> regulation group id = <i>PRF</i>, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Preferential duty</i>.  language id = <i>FR</i>, description = <i>Droits préférentiel</i>.  language id = <i>NL</i>, description = <i>Preferentieel recht</i>.  language id = <i>EL</i>, description = <i>Greek description Preferential duty</i>.</p>
<u>Transaction 35: Inb_Refdata_RegulationRoleType.xml</u>	
	<p><b>Rrt_1:</b> regulation role type id = 1, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Base regulation</i>.  language id = <i>FR</i>, description = <i>Règlement de base</i>.  language id = <i>NL</i>, description = <i>Basisverordening</i>.  language id = <i>EL</i>, description = <i>Βασικός Κανονισμός</i>.</p> <p><b>Rrt_2:</b> regulation role type id = 2, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Provisional anti-dumping/countervailing duty</i>.  language id = <i>FR</i>, description = <i>Droit anti-dumping/compensateur provisoire</i>.  language id = <i>NL</i>, description = <i>Voorlopig antidumping-/compenserend recht</i>.  language id = <i>EL</i>, description = <i>Πρωτότυπη/αντισταθμιστικός δασμός</i>.</p> <p><b>Rrt_3:</b> regulation role type id = 3, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Definitive anti-dumping/countervailing duty</i>.  language id = <i>FR</i>, description = <i>Droit anti-dumping/compensateur définitif</i>.  language id = <i>NL</i>, description = <i>Definitief antidumping/compenserend recht</i>.  language id = <i>EL</i>, description = <i>Οριστικός δασμός</i>.</p> <p><b>Rrt_4:</b> regulation role type id = 4, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Modification</i>.  language id = <i>FR</i>, description = <i>Modification</i>.  language id = <i>NL</i>, description = <i>Wijziging</i>.  language id = <i>EL</i>, description = <i>Τροποποίηση</i>.</p> <p><b>Rrt_5:</b> regulation role type id = 5, start date = <i>1970-01-01</i>:</p> <p>language id = <i>EN</i>, description = <i>Prorogation</i>.  language id = <i>FR</i>, description = <i>Prorogation</i>.  language id = <i>NL</i>, description = <i>Verlenging</i>.  language id = <i>EL</i>, description = <i>Παράταση</i>.</p> <p><b>Rrt_6:</b> regulation role type id = 6, start date = <i>1970-01-01</i>:</p>
Page 66/332	

	<p>language id = <i>EN</i>, description = <i>Complete abrogation.</i>  language id = <i>FR</i>, description = <i>Abrogation complète.</i>  language id = <i>NL</i>, description = <i>Volledige afschaffing.</i>  language id = <i>EL</i>, description = <i>Πλήρης ακ??ωση.</i></p> <p><b>Rrt_7:</b> regulation role type id = 7, start date = 1970-01-01:  language id = <i>EN</i>, description = <i>Explicit abrogation.</i>  language id = <i>FR</i>, description = <i>Abrogation explicite.</i>  language id = <i>NL</i>, description = <i>Expliciete afschaffing.</i>  language id = <i>EL</i>, description = <i>Σαφής ακ??ωση.</i></p> <p><b>Rrt_8:</b> regulation role type id = 8, start date = 1970-01-01:  language id = <i>EN</i>, description = <i>Regulation which temporarily suspends all another regulation (FTS - Full Temporary Stop).</i>  language id = <i>FR</i>, description = <i>Règlement qui suspend temporairement tout un autre règlement (FTS - Full Temporary Stop).</i>  language id = <i>NL</i>, description = <i>Verordening die tijdelijk de toepassing van een andere verordening opschoort (FTS - Full Temp. Stop).</i>  language id = <i>EL</i>, description = <i>Κανονισμός ο οποίος π?οσω?ινά αναστέλλει το πε?ιεχόμενο ενός άλλου κανονισμο? (FTS).</i></p> <p><u>Transaction 36: Inb_Refdata_TransmissionComment.xml</u></p> <p><b>Tc_1 :</b> transmission comment sid = 110:  language id = <i>EN</i>, description = <i>Correction measure 142 16042050, 29094300, 38237000, 07041000, 07092000, 07070090.</i>  language id = <i>FR</i>, description = <i>Correction mesure 142 16042050, 29094300, 38237000, 07041000, 07092000, 07070090.</i>  language id = <i>NL</i>, description = <i>Korrektie Maatregel 142 : 16042050, 290943000, 38237000, 0704100000, 07092000, 07070090.</i>  language id = <i>EL</i>, description = <i>Greek Correction Mesure 142 : 16042050, 290943000, 38237000, 0704100000, 07092000, 07070090.</i>  keyword = <i>Mexico - Mexiko.</i></p> <p><b>Tc_2 :</b> transmission comment sid = 1321:  language id = <i>EN</i>, description = <i>New measures 119 - Airworthiness tariff suspension, have now been integrated into TARIC attached to a non-approved Regulation: C0202040. MS are invited to test these new measures. See also TNL.</i>  language id = <i>FR</i>, description = <i>Les nouvelles mesures 119 ont été intégrées dans la base de données TARIC et sont liées au règlement non-approuvé C0202040..</i>  language id = <i>NL</i>, description = <i>Nieuwe maatstaven 119 zijn geïntegreerd in de TARIC db en zijn gelieerd aan reglement niet goedgekeurd C0202040..</i></p>
--	--

	<p>language id = <i>EL</i>, description = <i>Greek description for New measures 119 - Airworthiness tariff suspension, have now been integrated into TARIC attached to a non-approved Regulation: C0202040. MS are invited to test these new measures. See also TNL.</i>  keyword = <i>Airworthiness certificates</i>.</p> <p><b>Tc_3 :</b> transmission comment sid = 527:</p> <p>language id = <i>EN</i>, description = <i>Due to changes in the entry price system, modifications in measure 142 for TR (2001) have been necessary..</i></p> <p>language id = <i>FR</i>, description = <i>Des modifications pour la mesure 142, origine TR (2001) ont dû être apportées, suite à un changement dans le système des prix d'entrée..</i></p> <p>language id = <i>NL</i>, description = <i>Tengevolge van wijzigingen in entry prijssysteem, wijzigingen in maatregel 142 voor TR(2001) zijn noodzakelijk..</i></p> <p>language id = <i>EL</i>, description = <i>Greek description for "Due to changes in the entry price system, modifications in measure 142 for TR (2001) have been necessary" ..</i>  keyword = <i>142-TR</i>.</p>
<b><u>Expected output:</u></b>	All transactions ok. No error should occurred.

### 2.6.2. Initialization data

The testing init data must be present in the system before the execution of each test case. This section presents the specification of the input message that must be sent to the system to insert those testing reference data. All transactions must be executed without error. The user who sends those messages must have sufficient privileges to manage common reference data.

<b><u>Name:</u></b>	INIT_001
<b><u>Purpose:</u></b>	Filled the database with the data presented in the test cases.
<b><u>Precondition:</u></b>	<p>The reference datas are integrated</p> <p>Respect the order of xml files to respect the interaction of the different fileds in TARIC3_INBERSION.xml.</p>
<b><u>Content:</u></b>	<p>The TARIC3_INB_TST.xml file respects the order of creation of initialization data:</p> <p>1-INB_Init_FootnoteTypes.xml  2-INB_Init_Footnote.xml</p>

	3-INB_Init_RegulationGroup.xml 4-INB_Init_MeasureTypeSeries.xml 5-INB_AdditionalCodeType.xml 6-INB_AdditionalCode.xml 7-INB_Init_MeasureType.xml 8-INB_Init_MeasureConditionCode.xml 9-INB_Init_MeasureAction.xml 10-INB_Init_LegalRegulation.xml 11-INB_Init_GoodsNomenclatureGroup.xml 12-INB_Init_GoodsNomenclature.xml 13-INB_Init_ExportRefundNomenclature.xml 14-INB_Init_CountryGroup.xml 15-INB_Init_CertificateType.xml 16-INB_Init_Certificate.xml 17-INB_Init_BaseRegulation.xml 18-INB_Init_ModificationRegulation.xml 19-INB_Init_Countries.xml 20-INB_Init_Measure.xml 21-INB_Init_NomenclatureGroup.xml 22-INB_Init_languages.xml
<b><u>Expected output:</u></b>	<p>The TARIC3_INB_TST.xml file is correctly executed and put in the TARIC3 database transactions:</p> <p>Reply to the transaction: Status ok.</p>

Details of init data creation:

<b><u>Message:</u></b>	TARIC3_INB_TST.xml
<b><u>Precondition:</u></b>	Make sure the database is empty.
<b><u>Content:</u></b>	<p><b>Transaction 1: INB_Init_FootnoteTypes.xml</b></p> <p>Fot_1</p> <p style="margin-left: 40px;">Footnote.Type.Id: ‘ANC’; Start.Date: ‘01/01/1980’; End.Date: ‘01/01/2010’; Application.Code: ‘1’; Stability.Flag: ‘0’</p> <p>Fot_2</p> <p style="margin-left: 40px;">Footnote.Type.Id: ‘ATN’; Start.Date: ‘01/01/1980’; End.Date: ‘01/01/2010’; Application.Code: ‘2’; Stability.Flag: ‘0’</p> <p>Fot_3</p> <p style="margin-left: 40px;">Footnote.Type.Id: ‘ACD’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Application.Code: ‘5’; Stability.Flag: ‘0’</p>

	Fot_4  Footnote.Type.Id: 'ACA'; Start.Date: '01/01/2001'; End.Date: '01/01/2010'; Application.Code: '5'; Stability.Flag: '0'  Fot_5  Footnote.Type.Id: 'ACF'; Start.Date: '01/01/2001'; End.Date: '01/01/2010'; Application.Code: '5'; Stability.Flag: '0'  Fot_6  Footnote.Type.Id: 'ACG'; Start.Date: '01/01/2007'; End.Date: '01/01/2010'; Application.Code: '5'; Stability.Flag: '0'  Fot_7  Footnote.Type.Id: 'FTA'; Start.Date: '01/01/2007'; End.Date: '01/01/2010'; Application.Code: '7'; Stability.Flag: '0'  Fot_8  Footnote.Type.Id: 'FTB'; Start.Date: '01/01/2007'; End.Date: '01/01/2010'; Application.Code: '7'; Stability.Flag: '0'  Fot_9  Footnote.Type.Id: 'FTC'; Start.Date: '01/01/2007'; End.Date: '01/01/2010'; Application.Code: '6'; Stability.Flag: '0'  Fot_10  Footnote.Type.Id: 'ERN'; Start.Date: '01/01/2007'; End.Date: '01/01/2010'; Application.Code: '3'; Stability.Flag: '0'  Fot_11  Footnote.Type.Id: 'MUR'; Start.Date: '01/01/2007'; End.Date: '01/01/2010'; Application.Code: '8'; Stability.Flag: '0'  Fot_12  Footnote.Type.Id: 'DFA'; Start.Date: '01/01/2007'; End.Date: '01/01/2010'; Application.Code: '9'; Stability.Flag: '0'
	<b>Transaction 2: INB_Init_Footnote.xml</b> Fo_1  Footnote.Type.Id: 'ACF'; Footnote.Id: '00007';

	<p>Start.Date: ‘01/01/2001’; End date : 2009-01-01; Stability.Flag: ‘0’</p> <p>Fo_2</p> <p>Footnote.Type.Id: ‘ACG’; <i>Footnote.Id</i>: ‘00008’; Start.Date: ‘01/01/2001’; End date : 2010-01-01; Stability.Flag: ‘0’</p> <p>Fo_3</p> <p>Footnote.Type.Id: ‘ACG’; <i>Footnote.Id</i>: ‘00009’; Start.Date: ‘01/01/2007’; End date : 2010-01-01; Stability.Flag: ‘0’</p> <p>Fo_4</p> <p>Footnote.Type.Id: ‘FTA’; <i>Footnote.Id</i>: ‘00010’; Start.Date: ‘01/01/2007’; End date : 2010-01-01; Stability.Flag: ‘0’</p> <p>Fo_5</p> <p>Footnote.Type.Id: ‘FTB’; <i>Footnote.Id</i>: ‘00010’; Start.Date: ‘01/01/2007’; End date : 2010-01-01; Stability.Flag: ‘0’</p> <p>Fo_6</p> <p>Footnote.Type.Id: ‘FTC’; <i>Footnote.Id</i>: ‘00011’; Start.Date: ‘01/01/2007’; End date : 2010-01-01; Stability.Flag: ‘0’</p> <p>Fo_7</p> <p>Footnote.Type.Id: ‘MUR’; <i>Footnote.Id</i>: ‘00012’; Start.Date: ‘01/01/2001’; End date : 2010-01-01; Stability.Flag: ‘0’</p> <p>Fo_8</p> <p>Footnote.Type.Id: ‘MUR’; <i>Footnote.Id</i>: ‘00013’; Start.Date: ‘01/01/2007’; End date : 2010-01-01; Stability.Flag: ‘0’</p> <p>Fo_9</p> <p><i>Footnote.Type.Id</i>: ‘ERN’; <i>Footnote.Id</i>: ‘00014’; Start.Date: ‘01/01/2007’; End date : 2010-01-01; Stability.Flag: ‘0’</p> <p><b>Transaction 3: INB_Init_RegulationGroup.xml</b></p> <p>Rg_1</p> <p>Regulation.Group.Id: ‘GRA’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p>Rg_2</p> <p>Regulation.Group.Id: ‘GRB’; Start.Date:</p>
--	--

	<p>‘01/01/2009’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p>Rg_3</p> <p>Regulation.Group.Id: ‘GRC’; Start.Date: ‘01/01/2009’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p>Rg_4</p> <p>Regulation.Group.Id: ‘REX’; Start.Date: ‘01/01/2009’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p>Rg_5</p> <p>Regulation.Group.Id: ‘GPC’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p>Rg_6</p> <p>Regulation.Group.Id: ‘AGR’; Start.Date: ‘01/01/1980’; End.Date: ‘01/01/2020’; Stability.Flag: ‘0’</p> <p><b>Transaction 4: INB_Init_MeasureTypeSeries.xml</b></p> <p>Mts_1</p> <p>Measure.Type.Series.Id: ‘AA’; Start.Date: ‘01/01/2008’; End.Date: ‘01/01/2010’; Measure.Type.Combination: ‘0’; Stability.Flag: ‘0’</p> <p>Mts_2</p> <p>Measure.Type.Series.Id: ‘AB’; Start.Date: ‘01/01/2008’; End.Date: ‘01/01/2010’; Measure.Type.Combination: ‘1’; Stability.Flag: ‘0’</p> <p>Mts_3</p> <p>Measure.Type.Series.Id: ‘01’; Start.Date: ‘01/01/2008’; End.Date: ‘01/01/2010’; Measure.Type.Combination: ‘0’; Stability.Flag: ‘0’</p> <p>Mts_4</p> <p>Measure.Type.Series.Id: ‘02’; Start.Date: ‘01/01/2008’; End.Date: ‘01/01/2010’; Measure.Type.Combination: ‘1’; Stability.Flag: ‘0’</p> <p><b>Transaction 5: INB_Init_MeasureType.xml</b></p> <p>Mt_1</p>
--	--

	<p>Measure.Type.Id: ‘000001’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’      Measure.Type.Series.Id: ‘AA’;      Regulation.Group.Id: ‘GRA’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’  <i>Associated.Additional.Code.Type.List:</i>      Additional.Code.Type.Id: ‘A’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’;      Trade.Movement.Code: ‘0’;      Measure.Explosion.Level: ‘10’;      Measure.Component.Applicable.Code: ‘0’;      Order.Number.Capture.Code: ‘1’;      Accepted.Via.Input.Bridge: ‘1’; Priority.Code: ‘1’;      Stability.Flag: ‘0’</p> <p>Mt_2</p> <p>Measure.Type.Id: ‘000002’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’      Measure.Type.Series.Id: ‘AB’;      Regulation.Group.Id: ‘GRB’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’  <i>Associated.Additional.Code.Type.List:</i>      Additional.Code.Type.Id: ‘B’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’      Trade.Movement.Code: ‘0’;      Measure.Explosion.Level: ‘6’;      Measure.Component.Applicable.Code: ‘0’;      Order.Number.Capture.Code: ‘1’;      Accepted.Via.Input.Bridge: ‘1’; Priority.Code: ‘1’;      Stability.Flag: ‘0’</p> <p>Mt_3</p> <p>Measure.Type.Id: ‘000010’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’      Measure.Type.Series.Id: ‘01’;      Regulation.Group.Id: ‘GRC’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’  <i>Associated.Additional.Code.Type.List:</i>      Additional.Code.Type.Id: ‘B’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’      Trade.Movement.Code: ‘0’;      Measure.Explosion.Level: ‘6’;      Measure.Component.Applicable.Code: ‘0’;      Order.Number.Capture.Code: ‘1’;      Accepted.Via.Input.Bridge: ‘1’; Priority.Code: ‘1’;      Stability.Flag: ‘0’</p> <p>Mt_4</p> <p>Measure.Type.Id: ‘000100’; Start.Date: ‘01/01/2009’; End.Date: ‘01/01/2010’      Measure.Type.Series.Id: ‘02’;      Regulation.Group.Id: ‘GRB’; Start.Date:</p>
--	--

	<p>‘01/01/2009’; End.Date: ‘01/01/2010’  <i>Associated.Additional.Code.Type.List:</i>  Additional.Code.Type.Id: ‘A’; Start.Date:  ‘01/01/2001’; End.Date: ‘01/01/2010’  Trade.Movement.Code: ‘0’;  Measure.Explosion.Level: ‘2’;  Measure.Component.Applicable.Code: ‘0’;  Order.Number.Capture.Code: ‘2’;  Accepted.Via.Input.Bridge: ‘0’; Priority.Code: ‘1’;  Stability.Flag: ‘0’</p> <p><b>Transaction 6: INB_Init_MeasureConditionCode.xml</b></p> <p>McC_1</p> <p>Condition.Code: ‘AA’; Start.Date: ‘01/01/2001’;  End.Date: ‘01/01/2010’; Stability.Flag: ‘1’</p> <p>McC_2</p> <p>Condition.Code: ‘01’; Start.Date: ‘01/01/2001’;  End.Date: ‘01/01/2010’; Stability.Flag: ‘1’</p> <p>McC_3</p> <p>Condition.Code: ‘02’; Start.Date: ‘01/01/2001’;  End.Date: ‘01/01/2010’; Stability.Flag: ‘1’</p> <p><b>Transaction 7: INB_Init_MeasureAction.xml</b></p> <p>Mac_1</p> <p>Action.Code: ‘001’; Start.Date: ‘01/01/2001’;  End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p>Mac_2</p> <p>Action.Code: ‘002’; Start.Date: ‘01/01/2001’;  End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p>Mac_3</p> <p>Action.Code: ‘003’; Start.Date: ‘01/01/2001’;  End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p><b>Transaction 8: INB_Init_LegalRegulation.xml</b></p> <p>Reg_1</p> <p>Legal.Regulation.Id: ‘R9800000’; Published.Date:  ‘01/01/1998’; Official.journal.Number: ‘ZZZZZ’;  Official.journal.Page: ‘9999’; Information.Text:  ‘Legal Regulation Description’; Stability.Flag: ‘0’</p> <p>Reg_2</p> <p>Legal.Regulation.Id: ‘R9800010’; Published.Date:  ‘02/01/1998’; Official.journal.Number: ‘ZZZZY’;  Official.journal.Page: ‘9998’; Information.Text:  ‘Legal Regulation Description’; Stability.Flag: ‘0’</p>
--	---

	Reg_3  Legal.Regulation.Id: ‘R9800020’; Published.Date: ‘03/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘9997’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
	Reg_4  Legal.Regulation.Id: ‘R997777Z’; Published.Date: ‘04/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
	Reg_5  Legal.Regulation.Id: ‘R9900000’; Published.Date: ‘05/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
	Reg_6  Legal.Regulation.Id: ‘R9900010’; Published.Date: ‘06/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
	Reg_7  Legal.Regulation.Id: ‘R9900020’; Published.Date: ‘07/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
	Reg_8  Legal.Regulation.Id: ‘R996666Y’; Published.Date: ‘08/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
	Reg_9  Legal.Regulation.Id: ‘R986666Y’; Published.Date: ‘09/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
	Reg_10  Legal.Regulation.Id: ‘R9700000’; Published.Date: ‘10/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
	Reg_11  Legal.Regulation.Id: ‘R9700000’; Published.Date: ‘10/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’

	Legal.Regulation.Id: ‘R9700010; Published.Date: ‘11/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
Reg_12	Legal.Regulation.Id: ‘R9700020; Published.Date: ‘12/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
Reg_13	Legal.Regulation.Id: ‘R985555X; Published.Date: ‘13/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
Reg_14	Legal.Regulation.Id: ‘R9600000; Published.Date: ‘14/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
Reg_15	Legal.Regulation.Id: ‘R9600010; Published.Date: ‘15/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
Reg_16	Legal.Regulation.Id: ‘R9600020; Published.Date: ‘16/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
Reg_17	Legal.Regulation.Id: ‘R9600000; Published.Date: ‘17/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
Reg_18	Legal.Regulation.Id: ‘R9500000; Published.Date: ‘18/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
Reg_19	Legal.Regulation.Id: ‘R9500010; Published.Date: ‘18/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’
	Legal.Regulation.Id: ‘R9500020; Published.Date: ‘19/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’

	Reg_20
	<p>Legal.Regulation.Id: ‘R9400000; Published.Date: ‘20/01/1998’; Official.journal.Number: ‘ZZZZY’; Official.journal.Page: ‘7777’; Information.Text: ‘Legal Regulation Description’; Stability.Flag: ‘0’</p> <p><b>Transaction 9: INB_Init_GoodsNomenclature.xml</b></p>
	Nig_1
	<p>Goods.Nomenclature.Id: ‘0000000001’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p>
	Nig_2
	<p>Goods.Nomenclature.Id: ‘0000000002’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’ Stability.Flag: ‘0’</p>
	Nig_3
	<p>Goods.Nomenclature.Id: ‘0100000000’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p>
	Nig_4
	<p>Goods.Nomenclature.Id: ‘0101110000’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p>
	Nig_5
	<p>Goods.Nomenclature.Id: ‘0101109010’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’</p>
	Nig_6
	<p>Goods.Nomenclature.Id: ‘0101010101’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p>
	Nig_7
	<p>Goods.Nomenclature.Id: ‘0200000000’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p>
	Nig_8
	<p>Goods.Nomenclature.Id: ‘0300000000’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p>
	Nig_9
	<p>Goods.Nomenclature.Id: ‘0400000000’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’;</p>

	<p>Nig_10</p> <p>End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p>Goods.Nomenclature.Id: ‘0401010101’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p><b>Transaction 10: INB_Init_ExportRefundNomenclature.xml</b></p> <p>Ern_1</p> <p>Goods.nomenclature.Item.Id: ‘0000000001’; Additional.Code.Type.Id: ‘A’; Export.Refund.Code: ‘001’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; Stability.Flag: ‘0’</p> <p>Ern_2</p> <p>Goods.nomenclature.Item.Id: ‘0000000002’; Additional.Code.Type.Id: ‘1’; Export.Refund.Code: ‘001’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; Stability.Flag: ‘0’</p> <p>Ern_3</p> <p>Goods.nomenclature.Item.Id: ‘0100000000’; Additional.Code.Type.Id: ‘2’; Export.Refund.Code: ‘100’; Productline.Suffix: ‘80’; Start.Date: ‘01/01/2001’; Stability.Flag: ‘0’</p> <p><b>Transaction 11: INB_Init_CountryGroup.xml</b></p> <p>Cg_1</p> <p><i>Country.Group.Ref:</i></p> <p>Country.Group.Id: ‘1012’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Area.Code: ‘1’;</p> <p><i>Country.Member.List:</i></p> <p>Country.Id: ‘BD’; Start.Date: ‘01/01/1900’; Start.Date: ‘01/01/1900’; End.Date: ‘01/01/2020’;</p> <p>Country.Id: ‘FD’; Start.Date: ‘01/01/2008’; Start.Date: ‘01/01/2008’; End.Date: ‘01/01/2010’;</p> <p>Country.Id: ‘DD’; Start.Date: ‘01/01/2001’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’;</p> <p>Stability.Flag: ‘0’</p> <p>Cg_2</p> <p><i>Country.Group.Ref:</i></p>
--	---

	<p>Country.Group.Id: ‘2070’; Start.Date: ‘01/01/2010’; End.Date: ‘01/01/2011’;          Area.Code: ‘1’;</p> <p><i>Country.Member.List:</i></p> <p>Country.Id: ‘IQ’; Start.Date: ‘01/01/2001’;          Start.Date: ‘01/01/2001’;          End.Date: ‘01/01/2010’;</p> <p>Country.Id: ‘AF’; Start.Date: ‘01/01/2001’;          Start.Date: ‘01/01/2010’;          End.Date: ‘01/01/2011’;</p> <p>Stability.Flag: ‘0’</p>
	<p><b>Transaction 12: INB_Init_CertificateType.xml</b></p> <p>Cet_1</p> <p>Certificate.Type.Code: ‘A’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’;          Stability.Flag: ‘0’</p>
	<p>Cet_2</p> <p>Certificate.Type.Code: ‘B’; Start.Date: ‘01/01/2002’; End.Date: ‘01/01/2010’;          Stability.Flag: ‘0’</p>
	<p>Cet_3</p> <p>Certificate.Type.Code: ‘C’; Start.Date: ‘01/01/2002’; End.Date: ‘01/01/2010’;          Stability.Flag: ‘0’</p>
	<p><b>Transaction 13: INB_Init_Certificate.xml</b></p> <p>Ce_1</p> <p>Certificate.Type.Ref: ‘A’ ; Certificate.Code: ‘CE1’; Start.Date: ‘01/01/2001’ ; End.Date: ‘01/01/2010’ ; Stability.Flag: ‘0’</p>
	<p>Ce_2</p> <p>Certificate.Type.Ref: ‘B’; Certificate.Code: ‘CE2’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p>
	<p>Ce_3</p> <p>Certificate.Type.Ref: ‘C’; Certificate.Code: ‘CE3’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’;          Stability.Flag: ‘0’</p>
	<p><b>Transaction 14: INB_Init_BaseRegulation.xml</b></p> <p>Bas_1</p>

	<p>Regulation.Id: ‘R9900000’; Regulation.Role.Type: ‘1’; Community.Code: ‘1’; Regulation.Group.Id: ‘GRA’; Stability.Flag: ‘0’</p> <p>Bas_2</p> <p>Regulation.Id: ‘R9900010’; Regulation.Role.Type: ‘1’; Community.Code: ‘2’; Regulation.Group.Id: ‘GRB’; Stability.Flag: ‘0’</p> <p>Bas_3</p> <p>Regulation.Id: ‘R9900020’; Regulation.Role.Type: ‘1’; Community.Code: ‘3’; Regulation.Group.Id: ‘GRC’; Stability.Flag: ‘0’</p> <p>Bas_4</p> <p>Regulation.Id: ‘R996666Y’; Regulation.Role.Type: ‘1’; Community.Code: ‘3’; Regulation.Group.Id: ‘GRC’; Stability.Flag: ‘0’</p> <p>Bas_5</p> <p>Regulation.Id: ‘R986666Y’; Regulation.Role.Type: ‘1’; Community.Code: ‘3’; Regulation.Group.Id: ‘GRA’; Stability.Flag: ‘0’</p>
	<p><b>Transaction 15: INB_Init_ModificationRegulation.xml</b></p> <p>Mod_1</p> <p>Regulation.Id: ‘R9600000’; Regulation.Role.Type: ‘4’; Start.Date: ‘01/01/1996’; End.Date: ‘01/01/2010’; Effective.End.Date: ‘01/01/2010’; <i>Base.Regulation.Ref:</i> Regulation.Id: ‘R9900000’; Regulation.Role.Type: ‘1’; Replacement.Indicator: ‘0’; Stopped.Flag: ‘0’; Approved.Flag: ‘0’; Stability.Flag: ‘0’</p> <p>Mod_2</p> <p>Regulation.Id: ‘R9600010’; Regulation.Role.Type: ‘4’; Start.Date: ‘01/01/1996’; End.Date: ‘01/01/2010’; Effective.End.Date: ‘01/01/2010’; <i>Base.Regulation.Ref:</i> Regulation.Id: ‘R9900010’; Regulation.Role.Type: ‘1’; Replacement.Indicator: ‘0’; Stopped.Flag: ‘0’; Approved.Flag: ‘0’; Stability.Flag: ‘0’</p> <p>Mod_3</p> <p>Regulation.Id: ‘R9600020’; Regulation.Role.Type: ‘4’; Start.Date: ‘01/01/1996’; End.Date: ‘01/01/2010’; Effective.End.Date: ‘01/01/2010’; <i>Base.Regulation.Ref:</i> Regulation.Id:</p>

	<p><b>R9900020</b>; Regulation.Role.Type: ‘1’; Replacement.Indicator: ‘0’; Stopped.Flag: ‘0’; Approved.Flag: ‘0’; Stability.Flag: ‘0’</p> <p><b>Transaction 16: INB_Init_AdditionalCodeType.xml</b></p> <p>Ct_1</p> <p>Additional Code Type.Id: ‘A’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Application.Code: ‘0’; Stability.Flag: ‘0’</p> <p>Ct_2</p> <p>Additional Code Type.Id: ‘1’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Application.Code: ‘1’; Stability.Flag: ‘0’</p> <p>Ct_3</p> <p>Additional Code Type.Id: ‘2’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Application.Code: ‘4’; Stability.Flag: ‘0’</p> <p>Ct_4</p> <p>Additional Code Type.Id: ‘3’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Application.Code: ‘3’; Stability.Flag: ‘0’</p> <p><b>Transaction 17: INB_Init_AdditionalCode.xml</b></p> <p>Acn_1</p> <p>Additional.Code.Type.Id: ‘A’; Additional.Code.Id: ‘001’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p>Acn_2</p> <p>Additional.Code.Type.Id: ‘1’; Additional.Code.Id: ‘002’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p>Acn_3</p> <p>Additional.Code.Type.Id: ‘1’; Additional.Code.Id: ‘010’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Stability.Flag: ‘0’</p> <p><b>Transaction 18: INB_Init_Measure.xml</b></p> <p>Meas_1</p> <p>Measure.Type.Id: ‘000001’; Geographical.Area.Id: ‘AF’; Goods.Nomenclature.Id: ‘0000000001’; Regulation.Id: ‘R9400000’; Regulation.Role.Type:</p>
--	---

	<p style="color: blue;">‘1’; Stability.Flag: ‘0’</p> <p>Meas_2</p> <p>Measure.Type.Id: ‘000002’; Geographical.Area.Id: ‘IQ’; Goods.Nomenclature.Id: ‘0000000002’; Regulation.Id: ‘R010000B’; Regulation.Role.Type: ‘1’; Stability.Flag: ‘0’</p> <p><b>Transaction 19: INB_Init_Countries.xml</b></p> <p>Ctr_1</p> <p>Country.Id: ‘BD’; Start.Date: ‘01/01/1900’; End.Date: ‘01/01/2020’; Area.Code: ‘0’; Stability.Flag: ‘0’</p> <p>Ctr_2</p> <p>Country.Id: ‘DD’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Area.Code: ‘0’; Stability.Flag: ‘0’</p> <p>Ctr_3</p> <p>Country.Id: ‘FD’; Start.Date: ‘01/01/2008’; End.Date: ‘01/01/2010’; Area.Code: ‘0’; Stability.Flag: ‘0’</p> <p>Ctr_4</p> <p>Country.Id: ‘IQ’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Area.Code: ‘0’; Stability.Flag: ‘0’</p> <p>Ctr_5</p> <p>Country.Id: ‘AF’; Start.Date: ‘01/01/2010’; End.Date: ‘01/01/2011’; Area.Code: ‘0’; Stability.Flag: ‘0’</p> <p>Ctr_6</p> <p>Country.Id: ‘XA’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Area.Code: ‘2’; Stability.Flag: ‘0’</p> <p>Ctr_7</p> <p>Country.Id: ‘XD’; Start.Date: ‘01/01/2001’; End.Date: ‘01/01/2010’; Area.Code: ‘2’; Stability.Flag: ‘0’</p>
<b><u>Expected output:</u></b>	All transactions ok. No error should occurred.

## 2.7. Preliminary steps to complete before executing the test plan

Before executing the test plan, the tester must be aware of Business rules and logics for TARIC3 INB system. For this purpose see the [TARIC3-INB-FS](#) and [TARIC3-INB-PM](#).

Please verify that the EDIFACT files are in the correct format (UTF-8, UNIX line separator). The tests will fail if in unix after opening the EDIFACT files with ‘vi’ a ‘^M’ can be seen at the end of the line.

### 3. INPUT BRIDGE XML MESSAGES

The data sets to be used are described at the beginning of each chapter. This data set can be enlarged or reduced if required.

#### 3.1. Configuration Management

The test cases in this section will verify “validation” rules concerning configuration management part of INB. And Issuer’s ‘Alpha Company – 0001’ & ‘Gamma Unit – 0002’ already exist in the system as described in the test data set.

##### 3.1.1. Insert Issuer

The test case below will verify following rules for *delete.configuration.management*:

**Test case ID:** Inb\_insert.issuer\_01.xml

**Purpose:** Perform “Insert” by adding new ‘Issuer’ and verify applied rules:

**Precondition:** User to use: **USER1**

**Content:** Transaction 1: Insert ISSUER  
 issuer.id:0001  
 issuer.name:Custom Authority  
 directory: ISSUER\_PATH/CA  
 stability.flag:0  
 control.indicator:1  
 response.flag:1

**Expected output:** Reply to transaction 1: Message successfully processed.

**Test case ID:** Inb\_insert.issuer\_02.xml

**Purpose:** Perform “Insert” by adding new ‘Issuer’ and verify applied rules:

**Precondition:** User to use: **USER1**

**Content:** Transaction 1: Insert ISSUER  
 issuer.id:0002  
 issuer.name:Custom Authority  
 directory: ISSUER\_PATH/CA1  
 stability.flag:0  
 control.indicator:1  
 response.flag:1

Insert ISSUER  
 issuer.id:0003

issuer.name:British custom  
 directory: ISSUER\_PATH/BC  
 stability.flag:0  
 control.indicator:1  
 response.flag:1

Transaction 2: Insert ISSUER  
 issuer.id:0004  
 issuer.name:Custom Authority  
 directory: ISSUER\_PATH/CA2  
 stability.flag:0  
 control.indicator:1  
 response.flag:1

Insert ISSUER  
 issuer.id:0004  
 issuer.name:Custom Authority  
 directory: ISSUER\_PATH/CA2  
 stability.flag:0  
 control.indicator:1  
 response.flag:1

Insert ISSUER  
 issuer.id:0005  
 issuer.name: French Custom  
 directory: ISSUER\_PATH/FC  
 stability.flag:0  
 control.indicator:1  
 response.flag:1

Insert ISSUER  
 issuer.id:0006  
 issuer.name: German Custom  
 directory: ISSUER\_PATH/GC  
 stability.flag:0  
 control.indicator:1  
 response.flag:1

Expected output: Reply to transaction 1: Message successfully processed.

Reply to transaction 2: Message successfully processed.

Test case ID: Inb\_insert.issuer\_03.xml

Purpose: Perform “Insert” by adding new ‘Issuer’ and verify applied rules:

Precondition: User to use: **USER1**

Content: Transaction 1: Insert ISSUER  
 issuer.id:0007

```

issuer.name:Alpha compagny
directory: ISSUER_PATH/AC
stability.flag:0
control.indicator:1
response.flag:1

```

```

Insert ISSUER
issuer.id:0008
issuer.name:Beta directorate
directory: ISSUER_PATH/BD
stability.flag:0
control.indicator:1
response.flag:1

```

```

Insert ISSUER
issuer.id:0009
issuer.name:German commission
directory: ISSUER_PATH/GC1
stability.flag:0
control.indicator:1
response.flag:1

```

**Expected output:** Reply to transaction 1: Message successfully processed.

### 3.1.2. Update Issuer

The test case below will verify following rule for *request.configuration.management*:

**Test case ID:** **Inb\_update.issuer\_01.xml**

**Purpose:** Perform “Insert” by adding new ‘Issuer’ and verify applied rules:

**Precondition:** User to use: **USER1**

**Content:** Transaction 1: Update ISSUER  
 issuer.id:0003  
 issuer.name:Scottish Custom  
 directory: SC  
 stability.flag:0  
 control.indicator:0  
 response.flag:0

**Expected output:** Reply to transaction 1: Message successfully processed.

### 3.1.3. Delete Issuer

The test case below will verify following rule for *request.configuration.management*:

**Test case ID:** **Inb\_delete.issuer\_01.xml**

**Purpose:** Perform “Insert” by adding new ‘Issuer’ and verify applied rules:

**Precondition:** User to use: **USER1**

**Content:** **Transaction 1:** Delete ISSUER  
issuer.id:0007

**Expected output:** **Reply to transaction 1:** Message successfully processed.

## 3.2. Input Bridge Interface

The [\[TARIC3 data set\]](#) must be used to perform all the test cases mentioned in this chapter.

### 3.2.1. Message Insert

The test cases defined in this section cover the test scenario **INPUT\_BRIDGE\_INSERT** defined in [\[TARIC3-FTS\]](#). A successful operation has to be validated in INB before it passes to TARIC3. However this execution should not be considered as business procedures validation for TARIC3.

#### 3.2.1.1. Insert additional code: **inb\_insert.additionalcode\_01.xml**

**Test case ID:** **inb\_insert.additionalcode\_01.xml**

**Purpose:** Insert of the additional code in a transaction  
Insert of the description period for the additional code in the same transaction  
Update of the description for the additional code in the same transaction

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 :**

***message id=<1>***: insert additional code  
additional.code.type.id:L  
additional.code.id:122  
start.date:1970-01-01  
end.date:2030-01-01

***message id=<2>*** : insert additional code description period  
additional.code.type.id:L  
additional.code.id:122  
start.date:1970-01-01  
start.date:1970-01-01

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**message id=<<3>>** : update additional code description  
additional.code.type.id: L  
additional.code.id: 122  
start.date:1970-01-01  
start.date:1970-01-01  
language.id:FR  
description:AC - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**message id=<<4>>** : update additional code description  
additional.code.type.id: L  
additional.code.id: 122  
start.date:1970-01-01  
start.date:1970-01-01  
language.id: EN  
description:AC - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**message id=<<5>>**:update additional code description  
additional.code.type.id: L  
additional.code.id: 122  
start.date:1970-01-01  
start.date:1970-01-01  
language.id: NL  
description:AC - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

message id="6": update additional code description  
additional.code.type.id: L  
additional.code.id: 122

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

start.date:1970-01-01  
 start.date:1970-01-01  
 language.id: EL  
 description:AC - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1 for all the messages : Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.2. Insert additional code: inb\_insert.additionalcode\_02.xml

**Test case ID:** **inb\_insert.additionalcode\_02.xml**

**Purpose:** Insert of the additional code in a transaction

Insert of the description period for the additional code in the same transaction

Update of the description for the additional code in the same transaction

Insert of the new additional code in a second transaction

Insert of the description period for the additional code in the same transaction

Update of the description for the additional code in the same transaction

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 :**  
***message id=<<1>>*** insert additional code

additional.code.type.id: L

additional.code.id: 124

start.date: 1970-01-01

end.date: 2030-01-01

***message id=<<2>>*** insert additional code description period

additional.code.type.id: L

additional.code.id: 124

start.date: 1970-01-01

start.date: 1970-01-01

***message id=<<3>>*** update additional code description

additional.code.type.id: L

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

additional.code.id: 124  
 start.date: 1970-01-01  
 start.date: 1970-01-01  
 language.id: FR  
 description: FR 124 - Indi ab manu commercanda opulentis  
 nundinas mittunt municipium mensis quae consueta nundinas  
 marique conditum prisorum initium terra annua flumine  
 sollemnitate manu Anthemusia commercanda annua Indi plurima  
 magna Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 2 :**

**message id=<1>** insert additional code

additional.code.type.id: L  
 additional.code.id: 125  
 start.date: 1970-01-01  
 end.date: 2030-01-01

**message id=<2>** insert additional code description period

additional.code.type.id: L  
 additional.code.id: 125  
 start.date: 1970-01-01  
 start.date: 1970-01-01

**message id=<3>** update additional code description

additional.code.type.id: L  
 additional.code.id: 125  
 start.date: 1970-01-01  
 start.date: 1970-01-01  
 language.id: FR

description: FR 125 - Indi ab manu commercanda opulentis  
 nundinas mittunt municipium mensis quae consueta nundinas  
 marique conditum prisorum initium terra annua flumine  
 sollemnitate manu Anthemusia commercanda annua Indi plurima  
 magna Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.3. Insert additional code: inb\_insert.additionalcode\_03.xml

**Test case ID:** inb\_insert.additionalcode\_03.xml

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

<b><u>Purpose:</u></b>	Insert of the additional code in a transaction  Insert of the description period for the additional code in the same transaction  Update of the description for the additional code in the same transaction  Insert of the footnote association for the additional code in the same transaction-
<b><u>Precondition:</u></b>	<b>Section 2.6 should have been totally successfully processed.</b>
<b><u>Content:</u></b>	<p><b>Transaction 1 :</b></p> <p><b><u>message id=&lt;&lt;1&gt;&gt;</u></b> insert additional code</p> <p>additional.code.type.id: L additional.code.id: 128 start.date: 1970-01-01 end.date: 2030-01-01</p> <p><b><u>message id=&lt;&lt;2&gt;&gt;</u></b> insert additional code description period</p> <p>additional.code.type.id: L additional.code.id: 128 start.date: 1970-01-01 start.date: 1970-01-01</p> <p><b><u>message id=&lt;&lt;3&gt;&gt;</u></b> update additional code description</p> <p>additional.code.type.id: L additional.code.id: 128 start.date: 1970-01-01 start.date: 1970-01-01 language.id:FR description:FR 128- Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum prisorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembbris flumine ab refertum mensis manu Septembbris manu ad pri</p> <p><b><u>message id=&lt;&lt;4&gt;&gt;</u></b> insert additional code footnote association</p> <p>additional.code.type.id:L additional.code.id:128 start.date:1970-01-01 footnote.type.id:ACD footnote.id:00010 start.date:2001-01-01 end.date:2009-01-01</p>
<b><u>Expected output:</u></b>	Reply to transaction 1 for all the messages : Action accepted. The status is set to “code = 100 and category = info” and message is validated.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

### 3.2.1.4. Insert additional code: inb\_insert.additionalcode\_04.xml

**Test case ID:**    **inb\_insert.additionalcode\_04.xml**

Insert of the additional code in a transaction

Insert of the description period for the additional code in the same transaction

Update of the description for the additional code in the same transaction

Insert of the footnote association for the additional code in the second transaction

**Precondition:**    **Section 2.6 should have been totally successfully processed.**

**Content:**

**Transaction 1 :**

**message id=<<1>>** insert additional code

additional.code.type.id: L

additional.code.id: 129

start.date: 1970-01-01

end.date: 2030-01-01

**message id=<<2>>** insert additional code description period

additional.code.type.id: L

additional.code.id: 129

start.date: 1970-01-01

start.date: 1970-01-01

**message id=<<3>>** update additional code description

additional.code.type.id: L

additional.code.id: 129

start.date: 1970-01-01

start.date: 1970-01-01

language.id:FR

description:FR 129- Indi ab manu commercanda opulentis  
nundinas mittunt municipium mensis quae consueta nundinas  
marique conditum prisorum initium terra annua flumine  
solemnitate manu Anthemusia commercanda annua Indi plurima  
magna Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 2:**

**message id=<<1>>** insert additional code footnote association

additional.code.type.id:L

additional.code.id:129

start.date:1970-01-01

footnote.type.id:ACD

footnote.id:00010

start.date:2001-01-01

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

end.date:2009-01-01

- Expected output:**
- Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.
  - Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.5. Insert additional code: inb\_insert.additionalcode\_05.xml

- Test case ID:** **inb\_insert.additionalcode\_05.xml**
- Insert of the additional code in a transaction-->
  - Insert of the description period for the additional code in the same transaction
  - Update of the description for the additional code in the same transaction
  - Insert of the additional code in a second transaction
  - Insert of the description period for the additional code in the same transaction
  - Insert of the description for the additional code in the same transaction
  - Insert of the footnote association for the additional code in the same transaction
  - Insert of the footnote association for the another additional code in a third transaction
- Precondition:** **Section 2.6 should have been totally successfully processed.**
- Content:**
- Transaction 1 :**
- message id=<<1>>** insert additional code  
additional.code.type.id:L  
additional.code.id:130  
start.date:1970-01-01  
end.date:2030-01-01
- message id=<<2>>** insert additional code description period  
additional.code.type.id:L  
additional.code.id:130  
start.date:1970-01-01  
start.date:1970-01-01
- message id=<<3>>** update additional code description  
additional.code.type.id:L  
additional.code.id:130  
start.date:1970-01-01

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

start.date:1970-01-01  
 language.id:FR  
 description:FR 130 - Indi ab manu commercanda opulentis  
 nundinas mittunt municipium mensis quae consueta nundinas  
 marique conditum prisorum initium terra annua flumine  
 sollemnitate manu Anthemusia commercanda annua Indi plurima  
 magna Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 2:**

message id=«1» insert additional code  
 additional.code.type.id:L  
 additional.code.id:131  
 start.date:1970-01-01  
 end.date:2030-01-01  
message id=«2» insert additional code description period  
 additional.code.type.id:L  
 additional.code.id:131  
 start.date:1970-01-01  
 start.date:1970-01-01  
message id=«3» update additional code description  
 additional.code.type.id:L  
 additional.code.id:131  
 start.date:1970-01-01  
 start.date:1970-01-01  
 language.id:FR  
 description:FR 131 - Indi ab manu commercanda opulentis  
 nundinas mittunt municipium mensis quae consueta nundinas  
 marique conditum prisorum initium terra annua flumine  
 sollemnitate manu Anthemusia commercanda annua Indi plurima  
 magna Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
message id=«4» insert additional code footnote association  
 additional.code.type.id:L  
 additional.code.id:131  
 start.date:1970-01-01  
 footnote.type.id:ACD  
 footnote.id:00010  
 start.date:2001-01-01  
 end.date:2009-01-01

**transaction id="3"**

message id=«1» insert additional code footnote association  
 additional.code.type.id:L  
 additional.code.id:130

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

	start.date:1970-01-01 footnote.type.id:ACD footnote.id:00010 start.date:2001-01-01 end.date:2009-01-01
<b><u>Expected output:</u></b>	Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.
	Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.
	Reply to transaction 3: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.6. Insert legal regulation: inb\_insert\_legalregulation\_01.xml

<b><u>Test case ID:</u></b>	inb_insert_legalregulation_01.xml
<b><u>Purpose:</u></b>	Insert following 2 insert.legal.regulation
<b><u>Precondition:</u></b>	Section 2.6 should have been totally successfully processed.
<b><u>Content:</u></b>	<p><b>Transaction 1 :</b></p> <p><b><u>message id=&lt;&lt;1&gt;&gt;</u></b> insert legal regulation</p> <p>regulation.id: A0907003  published.date: 2000-01-01  official.journal.number:C 111  official.journal.page:16  information.text:LR - Indi ab manu commercanda opulentis  nundinas mittunt municipium mensis quae consueta nundinas  marique conditum prisorum initium terra annua flumine  sollemnitate manu Anthemusia commercanda annua Indi plurima  magna Anthemusia magna brevi disparatur prope mittunt marique  mittunt Euphrate manu annua magna annua Indi ubi fortunae  fortunae prope spatio annua municipium annua plurima Seres  conditum mercatoribus magna prope consueta Septembbris  flumine ab refertum mensis manu Septembbris manu ad pri</p> <p><b>Transaction 2 :</b></p> <p><b><u>message id=&lt;&lt;1&gt;&gt;</u></b> insert legal regulation</p> <p>regulation.id: A2207005  published.date: 1980-01-01  official.journal.number: C 213  official.journal.page: 18  information.text:LR - Indi ab manu commercanda opulentis  nundinas mittunt municipium mensis quae consueta nundinas  marique conditum prisorum initium terra annua flumine  sollemnitate manu Anthemusia commercanda annua Indi plurima  magna Anthemusia magna brevi disparatur prope mittunt marique</p>

mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembris  
 flumine ab refertum mensis manu Septembris manu ad pri

**Transaction 3 : insert legal regulation**

***message id=<<1>>***

regulation.id: R9900893  
 regulation.role.type:3  
 start.date:2020-01-02  
 end.date:2030-01-01  
 community.code:1  
 regulation.group.id:DUM  
 approved.flag:1

**Transaction 4 : insert legal regulation**

***message id=<<1>>***

regulation.id:R9900894  
 regulation.role.type:2  
 start.date:2001-01-01  
 end.date:2020-01-01  
 regulation.id:R9900893  
 regulation.role.type:3  
 community.code:1  
 regulation.group.id:DUM  
 approved.flag:1

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 3: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 4: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.7. Insert base regulation: inb\_insert\_baseregulation\_01.xml

**Test case ID:** inb\_insert\_baseregulation\_01.xml

**Purpose:** 2 insert.legal.regulation and the associated 2  
 insert.base.regulation

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
***message id=<<1>>***insert legal regulation  
 regulation.id: R9900889  
 published.date:2020-01-02  
 official.journal.number:C 111

official.journal.page:16  
 information.text:LR - Indi ab manu commercanda opulentis  
 nundinas mittunt municipium mensis quae consueta nundinas  
 marique conditum priscorum initium terra annua flumine  
 sollemnitate manu Anthemusia commercanda annua Indi plurima  
 magna Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 2 :**

**message id=»1»**insert base regulation  
 regulation.id: R9900889  
 regulation.role.type:3  
 start.date:2020-01-02  
 end.date: 2030-01-01  
 community code: 1  
 regulation.group.id: DUM  
 approved.flag:1

**Transaction 3 :**

**message id=»1»**insert legal regulation  
 regulation.id: R9900890  
 published.date:2001-01-01  
 official.journal.number:C 112  
 official.journal.page:17  
 information.text: LR - Indi ab manu commercanda opulentis  
 nundinas mittunt municipium mensis quae consueta nundinas  
 marique conditum priscorum initium terra annua flumine  
 sollemnitate manu Anthemusia commercanda annua Indi plurima  
 magna Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 4:**

**message id=»1»**insert base regulation  
 regulation.id: R9900890  
 regulation.role.type:2  
 start.date:2001-01-01  
 end.date: 2020-01-01  
 regulation.id: R9900889  
 regulation.role.type: 3  
 community code: 1  
 regulation.group.id: DUM  
 approved.flag:1

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

= 100 and category = info” and message is validated.

Reply to transaction 3: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 4: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.8. Insert base regulation: **inb\_insert\_baseregulation\_02.xml**

<b><u>Test case ID:</u></b>	<b>inb_insert_baseregulation_02.xml</b>
<b><u>Purpose:</u></b>	Insert following 2 legal.regulation and the associated 2 insert.base.regulation in different order than previous test case
<b><u>Precondition:</u></b>	<b>Section 2.6 should have been totally successfully processed.</b>
<b><u>Content:</u></b>	<p><b>Transaction 1 :</b></p> <p><b><u>message id=&lt;&lt;1&gt;&gt;</u></b> insert legal regulation  regulation.id: R9900893  published.date:2020-01-02  official.journal.number:C 111  official.journal.page:16  information.text:LR - Indi ab manu commercanda opulentis  nundinas mittunt municipium mensis quae consueta nundinas  marique conditum priscorum initium terra annua flumine  solemnitate manu Anthemusia commercanda annua Indi plurima  magna Anthemusia magna brevi disparatur prope mittunt marique  mittunt Euphrate manu annua magna annua Indi ubi fortunae  fortunae prope spatio annua municipium annua plurima Seres  conditum mercatoribus magna prope consueta Septembris  flumine ab refertum mensis manu Septembris manu ad pri</p> <p><b>Transaction 2 :</b></p> <p><b><u>message id=&lt;&lt;1&gt;&gt;</u></b>insert legal regulation  regulation.id:R9900894  published.date:2001-01-01  official.journal.number:C 112  official.journal.page:17  information.text:LR - Indi ab manu commercanda opulentis  nundinas mittunt municipium mensis quae consueta nundinas  marique conditum priscorum initium terra annua flumine  solemnitate manu Anthemusia commercanda annua Indi plurima  magna Anthemusia magna brevi disparatur prope mittunt marique  mittunt Euphrate manu annua magna annua Indi ubi fortunae  fortunae prope spatio annua municipium annua plurima Seres  conditum mercatoribus magna prope consueta Septembris  flumine ab refertum mensis manu Septembris manu ad pri</p> <p><b>Transaction 3 :</b></p> <p><b><u>message id=&lt;&lt;1&gt;&gt;</u></b>insert base regulation  regulation.id:R9900893  regulation.role.type:3</p>

start.date:2020-01-02  
 end.date:2030-01-01  
 community.code:1  
 regulation.group.id:DUM  
 approved.flag:1

**Transaction 4 :**

***message id=<<1>>***insert base regulation  
 regulation.id:R9900894  
 regulation.role.type:2  
 start.date:2001-01-01  
 end.date:2020-01-01  
 regulation.id:R9900893  
 community.code:1  
 regulation.group.id:DUM  
 approved.flag:1

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 3: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 4: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

**3.2.1.9. Insert modification regulation: inb\_insert.modificationregulation\_01.xml****Test case ID:**

**inb\_insert.modificationregulation\_01.xml**

**Purpose:**

Insert of 2 base legal/regulation and insert.modification.regulation in the last transaction

**Precondition:**

**Section 2.6 should have been totally successfully processed.**

**Content:**

**Transaction id="1"**  
***message id=<<1>>*** insert legal regulation  
 regulation.id:R9900895  
 published.date:2020-01-02  
 official.journal.number:C 111  
 official.journal.page:16  
 information.text:LR - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique conditum  
 prisorum initium terra annua flumine sollemnitate manu Anthemusia  
 commercanda annua Indi plurima magna Anthemusia magna brevi  
 disparatur prope mittunt marique mittunt Euphrate manu annua magna  
 annua Indi ubi fortunae fortunae prope spatio annua municipium annua  
 plurima Seres conditum mercatoribus magna prope consueta Septembbris

flumine ab refertum mensis manu Septembris manu ad pri

**transaction id="2"**

**message id=«1»** insert base regulation  
 regulation.id:R9900895  
 regulation.role.type:3  
 start.date:2020-01-02  
 end.date:2030-01-01  
 regulation.group.id:DUM  
 approved.flag:1

**transaction id="3"**

**message id=«1»** insert legal regulation  
 regulation.id:R9900897  
 published.date:2020-01-02  
 official.journal.number:C 111  
 official.journal.page:16  
 information.text:LR - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique conditum  
 prisorum initium terra annua flumine sollemnitate manu Anthemusia  
 commercanda annua Indi plurima magna Anthemusia magna brevi  
 disparatur prope mittunt marique mittunt Euphrate manu annua magna  
 annua Indi ubi fortunae fortunae prope spatio annua municipium annua  
 plurima Seres conditum mercatoribus magna prope consueta Septembris  
 flumine ab refertum mensis manu Septembris manu ad pri

**transaction id="4"**

**message id=«1»** insert base regulation  
 regulation.id:R9900897  
 regulation.role.type:3  
 start.date:2020-01-02  
 end.date:2030-01-01  
 community.code:1  
 regulation.group.id:DUM  
 approved.flag:1

**transaction id="5"**

**message id=«1»** insert base regulation  
 regulation.id:R9900895  
 regulation.role.type:4  
 start.date:2020-01-02  
 end.date:2030-01-01  
 regulation.id:R9900897  
 regulation.role.type:3  
 approved.flag:1

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

Reply to transaction 3: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 4: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 5: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.10. Insert certificate: inb\_insert.certificate\_01.xml

**Test case ID:** inb\_insert.certificate\_01.xml

**Purpose:** Insert following 1 insert.certificate,  
1insert.certificate.description.period, 4  
Update.certificate.description in one transaction

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
***message id=<<1>>*** insert certificate  
certificate.type.code:J  
certificate.code:001  
start.date:1970-01-01  
end.date: 2011-04-01  
***message id=<<2>>*** insert certificate description period  
certificate.type.code: J  
certificate.code:001  
start.date:1970-01-01  
***message id=<<3>>*** update certificate description  
certificate.type.code: J  
certificate.code: 001  
start.date:1970-01-01  
language.id:EN  
description:CE - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri  
***message id=<<4>>*** update certificate description  
insert certificate description period  
certificate.type.code: J  
certificate.code: 001  
start.date:1970-01-01  
language.id:FR  
description:CE - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri  
message id=<<5>> update certificate description  
certificate.type.code: J  
certificate.code: 001  
start.date:1970-01-01  
language.id: NL  
description:CE - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri  
message id=<<6>> update certificate description  
certificate.type.code: J  
certificate.code: 001  
start.date:1970-01-01  
language.id: EL  
description:CE - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

#### **Transaction 2 :**

message id=<<1>> insert certificate  
certificate.type.code:K  
certificate.code:002  
start.date:1970-01-01  
end.date:2011-04-01  
message id=<<2>> insert certificate description period  
certificate.type.code:K  
certificate.code:002  
start.date:1970-01-01  
message id=<<3>>update certificate description  
certificate.type.code:K  
certificate.code:002  
start.date:1970-01-01  
language.id:EN  
description:CE - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
**message id=»4»** update certificate description  
 certificate.type.code:K  
 certificate.code:002  
 start.date:1970-01-01  
 language.id:FR  
 description:CE - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
**message id=»5»** update certificate description  
 certificate.type.code:K  
 certificate.code:002  
 start.date:1970-01-01  
 language.id:NL  
 description:CE - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
**message id="6"** update certificate description  
 certificate.type.code:K  
 certificate.code:002  
 start.date:1970-01-01  
 language.id:EL  
 description:CE - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected**

Reply to transaction 1: Action accepted. The status is set to “code

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

- output:** = 100 and category = info” and message is validated.
- Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.11. Insert certificate: inb\_insert.certificate\_02.xml

**Test case ID:** inb\_insert.certificate\_02.xml

**Purpose:**  
 1 insert.certificate  
 1 insert.certificate.description.period  
 1 update.certificate.description

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:**  
**Transaction 1 :**  
***message id=<<1>>*** insert certificate  
 certificate.type.code: J  
 certificate.code:003  
 start.date:1970-01-01  
 end.date: 2011-04-01  
***message id=<<2>>***insert.certificate.description period  
 certificate.type.code: J  
 certificate.code:003  
 start.date:1970-01-01

**Transaction 2 :**  
***message id=<<1>>*** update certificate description  
 certificate.type.code:J  
 certificate.code:003  
 start.date:1970-01-01  
 language.id:EN  
 description:CE - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

- Expected output:**  
 Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.
- Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

### 3.2.1.12. Insert certificate: inb\_insert.certificate\_03.xml

**Test case ID:** inb\_insert.certificate\_03.xml

**Purpose:**  
 1rst: insert.certificate for a first certificate  
 2nd: insert.certificate for a second certificate  
 3d: delete.certificate of the first inserted  
 result: only the certificate inserted in transaction 2 is present in the database

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=«1»** insert.certificate  
 certificate.type.code: J  
 certificate.code: 004  
 start.date:1970-01-01  
 end.date: 2011-04-01

**message id=«2»** insert.certificate.description.period  
 certificate.type.code: J  
 certificate.code: 004  
 start.date:1970-01-01

**message id=«3»** update.certificate.description  
 certificate.type.code: J  
 certificate.code: 004  
 start.date:1970-01-01  
 language.id:EN  
 description:CE - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 2 :**

**message id=«1»** insert.certificate  
 certificate.type.code:B  
 certificate.code: 001  
 start.date: 2001-01-01  
 end.date:2010-01-01

**message id=«2»** insert.certificate.description.period  
 certificate.type.code: B  
 certificate.code: 001  
 start.date:2001-01-01

**message id=«3»** update.certificate.description

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

certificate.type.code:B  
 certificate.code: 001  
 start.date: 2001-01-01  
 language.id:EN  
 description:CE - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 3 :**

**message id=<<1>>** delete.certificate

certificate.type.code:J

certificate.code: 004

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 3: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

result: only the certificate inserted in transaction 2 is present in the database

### 3.2.1.13. Insert certificate: inb\_insert.certificate\_04.xml

**Test case ID:** inb\_insert.certificate\_04.xml

**Purpose:** Insert 2 certificates in the same transaction

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>**insert.certificate

certificate.type.code: B

certificate.code: 002

start.date: 2001-01-01

end.date: 2010-01-01

**message id=<<2>>**insert.certificate.description.period

certificate.type.code: B

certificate.code: 002

start.date: 2001-01-01

**message id=«3»**update.certificate.description  
 certificate.type.code:B  
 certificate.code:002  
 start.date:2001-01-01  
 language.id:EN  
 description:CE - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**message id=«4»**insert.certificate  
 certificate.type.code:B  
 certificate.code: 003  
 start.date: 2001-01-01  
 end.date :2010-01-01

**message id=«5»**insert.certificate.description.period  
 certificate.type.code:B  
 certificate.code: 003  
 start.date: 2001-01-01  
 end.date: 2010-01-01

**message id=«6»**update.certificate.description  
 certificate.type.code:B  
 certificate.code:002  
 start.date:2001-01-01  
 language.id:EN  
 description:CE - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

### 3.2.1.14. Insert ern: inb\_insert.ern\_01.xml

**Test case ID:** inb\_insert.ern\_01.xml

**Purpose:** 1 insert.export.refund.nomenclature,1  
 insert.export.refund.nomenclature.description.period,  
 1 update.export.refund.nomenclature.description, 1  
 insert.export.refund.nomenclature.indent

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
**message id=«1»**insert export refund nomenclature  
 goods.nomenclature.id: 0100000000  
 productline.suffix:80  
 start.date:2001-01-01  
 additional.code.type.id: R  
 export.refund.code: 445  
 productline.suffix:80  
 start.date:2001-01-01  
 end.date:2010-01-01

**message id=«2»**insert export refund nomenclature description  
 period  
 goods.nomenclature.id: 0100000000  
 productline.suffix:80  
 start.date:2001-01-01  
 additional.code.type.id: R  
 export.refund.code: 445  
 productline.suffix:80  
 start.date:2001-01-01  
 description.period.ref:  
 end.date:2010-01-01

**message id=«3»**update export refund nomenclature description  
 goods.nomenclature.id: 0100000000  
 productline.suffix:80  
 start.date:2001-01-01  
 additional.code.type.id: R  
 export.refund.code: 445  
 productline.suffix:80  
 start.date:2001-01-01  
 description.period.ref:  
 end.date:2010-01-01  
 language.id:EN  
 description:CE - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres

conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
**message id=<>4** insert.export.refund.nomenclature.indent  
 goods.nomenclature.id: 0100000000  
 productline.suffix:80  
 start.date:2001-01-01  
 additional.code.type.id: R  
 export.refund.code: 445  
 productline.suffix:80  
 start.date:2001-01-01  
 description.period.ref:  
 end.date:2010-01-01  
 indent.number:1

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.15. Insert ern: inb\_insert.ern\_02.xml

**Test case ID:** inb\_insert.ern\_02.xml

**Purpose:** 1 insert.export.refund.nomenclature .... in the 1rst transaction

1 insert.export.refund.nomenclature.footnote.association linked to this ern

**Precondition:** Section 2.6 should have been totally succesfully processed.

**Content:** **Transaction 1:**  
**message id=<>1** insert export refund nomenclature

goods.nomenclature.id:0100000000  
 productline.suffix:80  
 additional.code.type.id:R  
 export.refund.code:446  
 productline.suffix:80  
 start.date:2001-01-01  
 end.date:2010-01-01  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 additional.code.type.id:R  
 export.refund.code:446  
 productline.suffix:80  
 start.date:2001-01-01  
 start.date:2001-01-01

**message id=<>2**  
 insert.export.refund.nomenclature.description.period  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 additional.code.type.id:R

export.refund.code:446  
 productline.suffix:80  
 start.date:2001-01-01  
 start.date:2001-01-01

**message id=«3»** update.export.refund.nomenclature.description  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 additional.code.type.id:R  
 export.refund.code:446  
 productline.suffix:80  
 start.date:2001-01-01  
 start.date:2001-01-01  
 language.id:EN  
 description:CE - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**message id=«4»** insert.export.refund.nomenclature.indent  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 additional.code.type.id:R  
 export.refund.code:446  
 productline.suffix:80  
 start.date:2001-01-01  
 start.date:2001-01-01  
 indent.number:1

#### **Transaction 2:**

**message id=«1»**

insert.export.refund.nomenclature.footnote.association  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 additional.code.type.id:R  
 export.refund.code:446  
 productline.suffix:80  
 start.date:2001-01-01  
 footnote.type.id:NX  
 footnote.id:057  
 start.date:2001-01-01  
 end.date:2010-01-01

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

“code = 100 and category = info” and message is validated.

### 3.2.1.16. Insert footnote: inb\_insert.footnote\_01.xml

**Test case ID:** inb\_insert.footnote\_01.xml

**Purpose:** Insert 1 .footnote, 1 insert.footnote.description.period , 3 update.footnote.description

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<1>** insert footnote  
 footnote.type.id:NC  
 footnote.id:080  
 start.date:2001-01-01  
 end.date:2030-01-01  
**message id=<2>** insert footnote description period  
 footnote.type.id:NC  
 footnote.id:080  
 start.date:2001-01-01  
**message id=<3>** update footnote description  
 footnote.type.id:NC  
 footnote.id:080  
 start.date:2001-01-01  
 language.id:EL  
 description:FO - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
**message id=<4>** update footnote description  
 footnote.type.id:NC  
 footnote.id:080  
 start.date:2001-01-01  
 language.id:EN  
 description:FO - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**message id=«5»** update footnote description  
footnote.type.id:NC  
footnote.id:080  
start.date:2001-01-01  
language.id:NL  
description:FO - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.17. Insert footnote: inb\_insert.footnote\_02.xml

**Test case ID:** inb\_insert.footnote\_02.xml

**Purpose:** 1rst transaction: 1 insert.footnote, 1  
insert.footnote.description.period,1 update.footnote.description

2nd transaction : 1 update.footnote.description linked to inserted  
footnote in 1rst transaction

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:**

**Transaction 1 :**  
**message id=«1»** insert footnote  
footnote.type.id:NX  
footnote.id: 058  
start.date:2001-01-01  
end.date:2030-01-01

**message id=«2»** insert footnote description period  
footnote.type.id: NX  
footnote.id: 058  
start.date:2001-01-01

**message id=«3»** update footnote description  
footnote.type.id: NX  
footnote.id: 058  
start.date:2001-01-01  
language.id: FR  
description:FO - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique

conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 2 :**

**message id=«1»** update footnote description  
footnote.type.id: NX  
footnote.id: 058  
start.date:2001-01-01  
language.id: EN  
description:FO - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

**3.2.1.18. Insert footnote: inb\_insert.footnote\_03.xml**

**Test case ID:** inb\_insert.footnote\_03.xml

**Purpose:** Insert the following 3 transactions :

insert.footnote  
insert.footnote.description.period  
update.footnote.description

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=«1»** insert footnote  
footnote.type.id:NX  
footnote.id:059  
start.date:2001-01-01  
end.date:2030-01-01  
**message id=«2»** insert footnote description period  
footnote.type.id:NX

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

footnote.id:059  
 start.date:2001-01-01  
message id=<<3>> update footnote description  
 footnote.type.id:NX  
 footnote.id:059  
 start.date:2001-01-01  
 language.id:FR  
 description:FO - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
message id=<<4>> update footnote description  
 footnote.type.id:NX  
 footnote.id:059  
 start.date:2001-01-01  
 language.id:FR  
 description:FO - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

#### Transaction 2 :

message id=<<1>> insert footnote  
 footnote.type.id:NX  
 footnote.id:060  
 start.date:2001-01-01  
 end.date:2030-01-01  
message id=<<2>> insert footnote description period  
 footnote.type.id:NX  
 footnote.id:060  
 start.date:2001-01-01  
message id=<<3>> update footnote description  
 footnote.type.id:NX  
 footnote.id:060  
 start.date:2001-01-01  
 language.id:FR  
 description:FO - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 3 :**

**message id=«1»** insert footnote

footnote.type.id:NX

footnote.id:061

start.date:2001-01-01

end.date:2030-01-01

**message id=«2»** insert footnote description period

footnote.type.id:NX

footnote.id:061

start.date:2001-01-01

**message id=«3»** update footnote description

footnote.type.id:NX

footnote.id:061

start.date:2001-01-01

language.id:FR

description:FO - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**message id=«4»** update footnote description

footnote.type.id:NX

footnote.id:061

start.date:2001-01-01

language.id:FR

description:FO - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 3: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.19. Insert geographical area: inb\_insert.geographicalarea\_01.xml

**Test case ID:** inb\_insert.geographicalarea\_01.xml

**Purpose:** Insert following 1 insert.geographical.area, 1 insert.geographical.area.description.period , 3 update.geographical.area.description

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<<1>>** insert geographical area  
geographical.area.id:HV

start.date:1970-01-01

end.date:2030-01-01

country.group.id:2080

start.date:1970-01-01

area.code:2

**message id=<<2>>** insert geographical area description period  
geographical.area.id:HV

start.date:1970-01-01

start.date:1970-01-01

**message id=<<3>>** update geographical area description  
geographical.area.id:HV

start.date:1970-01-01

start.date:1970-01-01

language.id:EN

description:GA - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**message id=<<4>>** update geographical area description  
geographical.area.id:HV

start.date:1970-01-01

start.date:1970-01-01

language.id:FR

description:GA - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae

fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
***message id=«5»*** update geographical area description  
 geographical.area.id:HV  
 start.date:1970-01-01  
 start.date:1970-01-01  
 language.id:NL  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “registered” and message is validate

### 3.2.1.20. Insert geographical area: inb\_insert.geographicalarea\_02.xml

**Test case ID:** inb\_insert.geographicalarea\_02.xml

**Purpose:** Insert following

1 insert.geographical.area.membership ( this test case is linked to the previous one inb\_insert.geographicalarea\_01)

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
***message id=«1»*** insert geographical area membership  
 geographical.area.id:HV  
 start.date:1970-01-01  
 geographical.area.id: 1010  
 start.date: 1958-01-01  
 start.date: 1970-01-01  
 end.date:2030-01-01

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.21. Insert geographical area: inb\_insert.geographicalarea\_03.xml

**Test case ID:** inb\_insert.geographicalarea\_03.xml

**Purpose:** Insert following

1rst: insert.geographical.area

2nd : insert.geographical.area.membership linked to geogr area inserted in transaction 1

**Precondition:**

**Section 2.6 should have been totally succesfully processed.**

**Content:**

**Transaction 1 :**

**message id=«1»** insert geographical area

geographical.area.id: HW

start.date:2001-01-01

end.date:2020-01-01

country.group.id:2020

start.date:2001-01-01

**message id=«2»** insert geographical area description period

geographical.area.id:HW

start.date:2001-01-01

start.date:2001-01-01

**message id=«3»** update geographical area description

geographical.area.id:HW

start.date:2001-01-01

start.date:2001-01-01

language.id:EN

description:GA - Indi ab manu commercanda opulentis nundinas

mittunt municipium mensis quae consueta nundinas marique

conditum priscorum initium terra annua flumine sollemnitate

manu Anthemusia commercanda annua Indi plurima magna

Anthemusia magna brevi disparatur prope mittunt marique

mittunt Euphrate manu annua magna annua Indi ubi fortunae

fortunae prope spatio annua municipium annua plurima Seres

conditum mercatoribus magna prope consueta Septembbris

flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 2 :**

**message id=«1»** insert geographical area membership

geographical.area.id:HW

start.date:2001-01-01

geographical.area.id:2080

start.date:1985-03-01

start.date:2001-01-01

end.date:2020-01-01

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

### 3.2.1.22. Insert geographical area: inb\_insert.geographicalarea\_04.xml

<u>Test case ID:</u>	inb_insert.geographicalarea_04.xml
<u>Purpose:</u>	1 insert.geographical.area & insert.geographical.area.membership in the same transaction
<u>Precondition:</u>	Section 2.6 should have been totally successfully processed.
<u>Content:</u>	<p><b>Transaction 1 :</b></p> <p><b>message id=&lt;&lt;1&gt;&gt;</b> insert geographical area  geographical.area.id: HY  start.date:2001-01-01  geographical.area.id: 2020  start.date:2001-01-01  area.code:0</p> <p><b>message id=&lt;&lt;2&gt;&gt;</b> insert geographical area description period  geographical.area.id:HY  start.date:2001-01-01  start.date:2001-01-01</p> <p><b>message id=&lt;&lt;3&gt;&gt;</b> update geographical area description  geographical.area.id:HY  start.date:2001-01-01  start.date:2001-01-01  language.id:EN  description:GA - Indi ab manu commercanda opulentis nundinas  mittunt municipium mensis quae consueta nundinas marique  conditum priscorum initium terra annua flumine sollemnitate  manu Anthemusia commercanda annua Indi plurima magna  Anthemusia magna brevi disparatur prope mittunt marique  mittunt Euphrate manu annua magna annua Indi ubi fortunae  fortunae prope spatio annua municipium annua plurima Seres  conditum mercatoribus magna prope consueta Septembbris  flumine ab refertum mensis manu Septembbris manu ad pri</p> <p><b>message id=&lt;&lt;4&gt;&gt;</b> insert geographical area membership  geographical.area.id:HY  start.date:2001-01-01  geographical.area.id:2080  start.date:1985-03-01  start.date:2001-01-01  end.date:2020-01-01</p>
<u>Expected output:</u>	Reply to transaction 1: Action accepted. The status is set to “registered” and message is validate

### 3.2.1.23. Insert geographical area: inb\_insert.geographicalarea\_05.xml

<u>Test case ID:</u>	inb_insert.geographicalarea_05.xml
----------------------	------------------------------------

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

- Purpose:** Insert following 20 transactions:
- 10 insert.geographical.area
  - 10 insert.geographical.area.membership
- Precondition:** **Section 2.6 should have been totally successfully processed.**
- Content:**
- Transaction 1 :**
- message id=<<1>>** insert geographical area  
geographical.area.id:GA start.date:2001-01-01  
end.date:2020-01-01  
country.group.id:2020  
start.date:2001-01-01  
area.code:0
- message id=<<2>>** insert geographical area description period  
geographical.area.id:GA  
start.date:2001-01-01  
start.date:2001-01-01
- message id=<<3>>** update geographical area description  
geographical.area.id:GA  
start.date:2001-01-01  
start.date:2001-01-01  
language.id:EN  
description:GA - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri
- Transaction 2 :**
- message id=<<1>>** insert geographical area  
geographical.area.id:GB  
start.date:2001-01-01  
end.date:2020-01-01  
country.group.id:2020  
start.date:2001-01-01  
area.code:0
- message id=<<2>>** insert geographical area description period  
geographical.area.id:GB  
start.date:2001-01-01  
start.date:2001-01-01
- message id=<<3>>** update geographical area description  
geographical.area.id:GB  
start.date:2001-01-01  
start.date:2001-01-01  
language.id:EN  
description:GA - Indi ab manu commercanda opulentis nundinas

mittunt municipium mensis quae consueta nundinas marique conditum prischorum initium terra annua flumine sollempnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri

#### **Transaction 3 :**

**message id=«1»** insert geographical area  
 geographical.area.id:GC  
 start.date:2001-01-01  
 end.date:2020-01-01  
 country.group.id:2020  
 start.date:2001-01-01  
**message id=«2»** insert geographical area description period  
 geographical.area.id:GC  
 start.date:2001-01-01  
 start.date:2001-01-01  
**message id=«3»** update geographical area description  
 geographical.area.id:GC  
 start.date:2001-01-01  
 start.date:2001-01-01  
 language.id:EN  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum prischorum initium terra annua flumine sollempnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembris  
 flumine ab refertum mensis manu Septembris manu ad pri

#### **Transaction 4 :**

**message id=«1»** insert geographical area  
 geographical.area.id:GD  
 start.date:2001-01-01  
 end.date:2020-01-01  
 country.group.id:2020  
 start.date:2001-01-01  
 area.code:0  
**message id=«2»** insert geographical area description period  
 geographical.area.id:GD  
 start.date:2001-01-01  
 start.date:2001-01-01  
**message id=«3»** update geographical area description  
 geographical.area.id:GD  
 start.date:2001-01-01  
 start.date:2001-01-01

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

language.id:EN  
description:GA - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

#### **Transaction 5 : insert geographical area**

**message id=«1»** insert geographical area  
geographical.area.id:GF  
start.date:2001-01-01  
end.date:2020-01-01  
country.group.id:2020  
start.date:2001-01-01  
area.code:0  
**message id=«2»** insert geographical area description period  
geographical.area.id:GF  
start.date:2001-01-01  
start.date:2001-01-01  
**message id=«3»** update geographical area description  
geographical.area.id:GF  
start.date:2001-01-01  
start.date:2001-01-01  
language.id:EN  
description:GA - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

#### **Transaction 6 :**

**message id=«1»** insert geographical area  
geographical.area.id:GG  
start.date:2001-01-01  
end.date:2020-01-01  
country.group.id:2020  
start.date:2001-01-01  
area.code:0  
**message id=«2»** insert geographical area description period  
geographical.area.id:GG  
start.date:2001-01-01  
start.date:2001-01-01  
**message id=«3»** update geographical area description

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

geographical.area.id:GG  
 start.date:2001-01-01  
 start.date:2001-01-01  
 language.id:EN  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

#### Transaction 7 :

message id=<1> insert geographical area  
 geographical.area.id:GH  
 start.date:2001-01-01  
 end.date:2020-01-01  
 country.group.id:2020  
 start.date:2001-01-01  
 area.code:0  
message id=<2> insert geographical area description period  
 geographical.area.id:GH  
 start.date:2001-01-01  
 start.date:2001-01-01  
message id=<3> update geographical area description  
 geographical.area.id:GH  
 start.date:2001-01-01  
 start.date:2001-01-01  
 language.id:EN  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

#### Transaction 8

message id=<1> insert geographical area  
 geographical.area.id:GI  
 start.date:2001-01-01  
 end.date:2020-01-01  
 country.group.id:2020  
 start.date:2001-01-01  
 area.code:0  
message id=<2> insert geographical area description period  
 geographical.area.id:GI

start.date:2001-01-01  
 start.date:2001-01-01  
**message id=«3»** update geographical area description  
 geographical.area.id:GI  
 start.date:2001-01-01  
 start.date:2001-01-01  
 language.id:EN  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

### **Transaction 9**

**message id=«1»** insert geographical area  
 geographical.area.id:GJ  
 start.date:2001-01-01  
 end.date:2020-01-01  
 country.group.id:2020  
 start.date:2001-01-01  
 area.code:0  
**message id=«2»** insert geographical area description period  
 geographical.area.id:GJ  
 start.date:2001-01-01  
 start.date:2001-01-01  
**message id=«3»** update geographical area description  
 geographical.area.id:GJ  
 start.date:2001-01-01  
 start.date:2001-01-01  
 language.id:EN  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

### **Transaction 10**

**message id=«1»** insert geographical area  
 geographical.area.id:GK  
 start.date:2001-01-01  
 end.date:2020-01-01  
 country.group.id:2020  
 start.date:2001-01-01

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

area.code:0  
**message id=«2»** insert geographical area description period  
geographical.area.id:GK  
start.date:2001-01-01  
start.date:2001-01-01  
**message id=«3»** update geographical area description  
geographical.area.id:GK  
start.date:2001-01-01  
start.date:2001-01-01  
language.id:EN  
description:GA - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

### Transaction 11

**message id=«1»** insert geographical area  
geographical.area.id:GA  
start.date:2001-01-01  
geographical.area.id:2080  
start.date:1985-03-01  
start.date:2001-01-01  
end.date:2020-01-01

### Transaction 12

**message id=«1»** insert geographical area  
geographical.area.id:GB  
start.date:2001-01-01  
geographical.area.id:2080  
start.date:1985-03-01  
start.date:2001-01-01  
end.date:2020-01-01

### Transaction 13

**message id=«1»** insert geographical area  
geographical.area.id:GC  
start.date:2001-01-01  
geographical.area.id:2080  
start.date:1985-03-01  
start.date:2001-01-01  
end.date:2020-01-01

### Transaction 14

**message id=«1»** insert geographical area  
geographical.area.id:GD

start.date:2001-01-01  
geographical.area.id:2080  
start.date:1985-03-01  
start.date:2001-01-01  
end.date:2020-01-01

**Transaction 15**

message id=<<1>> insert geographical area  
geographical.area.id:GF  
start.date:2001-01-01  
geographical.area.id:2080  
start.date:1985-03-01  
start.date:2001-01-01  
end.date:2020-01-01

**Transaction 16**

message id=<<1>> insert geographical area  
geographical.area.id:GG  
start.date:2001-01-01  
geographical.area.id:2080  
start.date:1985-03-01  
start.date:2001-01-01  
end.date:2020-01-01

**Transaction 17**

message id=<<1>> insert geographical area  
geographical.area.id:GH  
start.date:2001-01-01  
geographical.area.id:2080  
start.date:1985-03-01  
start.date:2001-01-01  
end.date:2020-01-01

**Transaction 18**

message id=<<1>> insert geographical area  
geographical.area.id:GI  
start.date:2001-01-01  
geographical.area.id:2080  
start.date:1985-03-01  
start.date:2001-01-01  
end.date:2020-01-01

**Transaction 19**

message id=<<1>> insert geographical area  
geographical.area.id:GJ  
start.date:2001-01-01  
geographical.area.id:2080  
start.date:1985-03-01  
start.date:2001-01-01  
end.date:2020-01-01

**Transaction 20**

message id=<<1>> insert geographical area  
geographical.area.id:GK  
start.date:2001-01-01  
geographical.area.id:2080  
start.date:1985-03-01  
start.date:2001-01-01  
end.date:2020-01-01

**Expected output:** Reply to the 20 transactions : Action accepted. The status is set to “registered” and message is validated.

**3.2.1.24. Insert geographical area: inb\_insert.geographicalarea\_06.xml**

**Test case ID:** inb\_insert.geographicalarea\_06.xml

**Purpose:** Insert of the geographical area in a transaction

Update of the description for the geographical area in the same transaction

Insert of the description period for the geographical area in the same transaction-

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 : insert geographical area**

geographical.area.id:HO  
start.date:1970-01-01  
end.date:2030-01-01  
country.group.id:2080  
start.date:1970-01-01

geographical.area.id:HO  
start.date:1970-01-01  
start.date:1970-01-01  
language.id:EN

description:GA - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

geographical.area.id:HO  
start.date:1970-01-01

start.date:1970-01-01  
 language.id:FR  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

geographical.area.id:HO  
 start.date:1970-01-01  
 start.date:1970-01-01  
 language.id:NL  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

geographical.area.id:HO  
 start.date:1970-01-01  
 start.date:1970-01-01

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “registered” and message is validated.

### 3.2.1.25. Insert goods nomenclature: inb\_insert.goodsnomenclature\_01.xml

**Test case ID:** inb\_insert.goodsnomenclature\_01.xml

**Purpose:** Insert goods.nomenclature.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
***message id=<1>*** insert goods nomenclature  
 goods.nomenclature.id: 7700000000  
 productline.suffix:80  
 start.date:2001-01-01

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

statistical.indicator:0  
**message id=«2»** insert goods nomenclature description period  
goods.nomenclature.id: 7700000000  
productline.suffix: 80  
start.date:2001-01-01  
start.date:2001-01-01  
**message id=«3»** update goods nomenclature description  
goods.nomenclature.id:7700000000  
productline.suffix:80  
start.date:2001-01-01  
start.date:2001-01-01  
language.id:EN  
description:GA - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembris  
flumine ab refertum mensis manu Septembris manu ad pri  
**message id=«4»** insert goods nomenclature indent  
goods.nomenclature.id:7700000000  
productline.suffix:80  
start.date:2001-01-01  
start.date:2001-01-01  
indent.number:4

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.26. Insert goods nomenclature: inb\_insert.goodsnomenclature\_02.xml

**Test case ID:** inb\_insert.goodsnomenclature\_02.xml

**Purpose:** Insert goods.nomenclature

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=«1»** insert goods nomenclature  
goods.nomenclature.id: 7600000000  
productline.suffix:80  
start.date: 2001-01-02  
statistical.indicator:0  
**message id=«2»** insert goods nomenclature description period  
goods.nomenclature.id: 7600000000  
productline.suffix:80  
start.date: 2001-01-02

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

description.period.ref:  
 start.date:2001-01-02  
**message id=«3»** update goods nomenclature description  
 goods.nomenclature.id: 7600000000  
 productline.suffix:80  
 start.date: 2001-01-02  
 description.period.ref:  
 start.date:2001-01-02  
 language.id:EN  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
**message id=«4»** insert goods nomenclature indent  
 goods.nomenclature.id: 7600000000  
 productline.suffix:80  
 start.date: 2001-01-02  
 indent:  
 start.date:2001-01-02  
 indent.number:1

**Expected output:** Reply to transaction 1: Action rejected. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.27. Insert goods nomenclature: **inb\_insert.goodsnomenclature\_03.xml**

**Test case ID:** **inb\_insert.goodsnomenclature\_03.xml**

**Purpose:** update.goods.nomenclature for end date, then  
insert.goods.nomenclature.successor

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 :**  
**message id=«1»** update goods nomenclature  
 goods.nomenclature.id:7600000000  
 productline.suffix:80  
 start.date:2001-01-02  
 start.date:2020-01-01  
 statistical.indicator:0  
**message id=«2»** insert goods nomenclature successor  
 goods.nomenclature.id:7600000000  
 productline.suffix:80  
 start.date:2001-01-02

logical.key:  
 goods.nomenclature.id:7700000000  
 productline.suffix:80  
 start.date:2001-01-01

**Expected output:** Reply to transaction 1: Action rejected. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.28. Insert goods nomenclature: inb\_insert.goodsnomenclature\_04.xml

**Test case ID:** inb\_insert.goodsnomenclature\_04.xml

**Purpose:** insert.goods.nomenclature.origin

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<<1>>** insert goods nomenclature origin  
 goods.nomenclature.id:7600000000  
 productline.suffix:80  
 start.date:2001-01-02  
 derived.goods.nomenclature.ref:  
 goods.nomenclature.id:7700000000  
 productline.suffix:80  
 start.date:2001-01-01

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.29. Insert goods nomenclature: inb\_insert.goodsnomenclature\_05.xml

**Test case ID:** inb\_insert.goodsnomenclature\_05.xml

**Purpose:** insert.goods.nomenclature.footnote.association

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<<1>>** insert goods nomenclature footnote association  
 goods.nomenclature.id:7700000000  
 productline.suffix:80  
 start.date:2001-01-01  
 footnote.type.id:ATN  
 footnote.id:00010  
 start.date:2001-01-01  
 end.date:2010-01-01

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.30. Insert goods nomenclature: inb\_insert.goodsnomenclature\_06.xml

**Test case ID:** inb\_insert.goodsnomenclature\_06.xml

**Purpose:** insert.goods.nomenclature.group.membership

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=«1»** insert goods nomenclature group membership  
 goods.nomenclature.id:7700000000  
 productline.suffix:80  
 start.date:2001-01-01  
 nomenclature.group.type.id:M  
 nomenclature.group.id:210000  
 start.date:2001-01-01  
 end.date:2010-01-01

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.31. Insert goods nomenclature: inb\_insert.goodsnomenclature\_07.xml

**Test case ID:** inb\_insert.goodsnomenclature\_07.xml

**Purpose:** 1 insert.goods.nomenclature.indent  
 1 insert.goods.nomenclature.group.membership  
 1 insert.goods.nomenclature.footnote.association

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:**

Transaction 1 :

**message id=«1»** insert goods nomenclature indent  
 goods.nomenclature.id:0800000000  
 productline.suffix:80  
 start.date:2001-01-01  
 start.date:2001-01-02  
 indent.number:4

**message id=«2»** insert goods nomenclature membership  
 goods.nomenclature.id:0800000000  
 productline.suffix:80  
 start.date:2001-01-01  
 nomenclature.group.type.id:B

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

nomenclature.group.id:000002  
 start.date:2001-01-01  
 end.date:2010-01-01  
***message id=«3»*** insert goods nomenclature footnote association  
 goods.nomenclature.id:0800000000  
 productline.suffix:80  
 start.date:2001-01-01  
 footnote.type.id:ATN  
 footnote.id:00010  
 start.date:2001-01-01  
 end.date:2010-01-01

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated..

### 3.2.1.32. Insert goods nomenclature: inb\_insert.goodsnomenclature\_08.xml

**Test case ID:** inb\_insert.goodsnomenclature\_08.xml

**Purpose:** Insert 3 simples insert.goods.nomenclature

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

***message id=«1»*** insert goods nomenclature  
 goods.nomenclature.id: 7500000000  
 productline.suffix:80  
 start.date: 2001-01-01  
 statistical.indicator:0  
***message id=«2»*** insert goods nomenclature description period  
 goods.nomenclature.id:7500000000  
 productline.suffix:80  
 start.date:2001-01-01  
 description.period.ref:  
 start.date:2001-01-01  
***message id=«3»*** update goods nomenclature description  
 goods.nomenclature.id:7500000000  
 productline.suffix:80  
 start.date:2001-01-01  
 description.period.ref:  
 start.date:2001-01-01  
 language.id:EN  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
message id=<<4>> insert goods nomenclature indent  
 goods.nomenclature.id:7500000000  
 productline.suffix:80  
 start.date:2001-01-01  
 start.date:2001-01-01  
 indent.number:4

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated..

### 3.2.1.33. Insert goods nomenclature: inb\_insert.goodsnomenclature\_09.xml

**Test case ID:** inb\_insert.goodsnomenclature\_09.xml

**Purpose:** 1 insert.goods.nomenclature , then an update.goods.nomenclature for the same goods

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
message id=<<1>> insert goods nomenclature  
 goods.nomenclature.id: 7200000000  
 productline.suffix:80  
 start.date: 2001-01-01  
 statistical.indicator:0  
message id=<<2>> insert goods nomenclature description period  
 goods.nomenclature.id:7200000000  
 productline.suffix:80  
 start.date:2001-01-01  
 description.period.ref:  
 start.date:2001-01-01  
message id=<<3>> update goods nomenclature description  
 goods.nomenclature.id:7200000000  
 productline.suffix:80  
 start.date:2001-01-01  
 language.id:EN  
 description:GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
message id=<<4>> insert goods nomenclature indent  
 goods.nomenclature.id:7200000000

```

productline.suffix:80
start.date:2001-01-01
start.date:2001-01-01
indent.number:4
message id=<<5>> update goods nomenclature
goods.nomenclature.id:7200000000
productline.suffix:80
start.date:2001-01-01
end.date:2020-01-01
statistical.indicator:0
message id=<<6>> insert goods nomenclature successor
goods.nomenclature.id:7200000000
productline.suffix:80
start.date:2001-01-01
goods.nomenclature.id:0800000000
productline.suffix:80
start.date:2001-01-01

```

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated..

### 3.2.1.34. Insert goods nomenclature: inb\_insert.goodsnomenclature\_10.xml

**Test case ID:** inb\_insert.goodsnomenclature\_10.xml

**Purpose:** 1 insert.goods.nomenclature  
           1 insert.goods.nomenclature.group.membership  
           1 update.goods.nomenclature.group.membership  
           1 insert.goods.nomenclature.footnote.association

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
***message id=<<1>>*** insert goods nomenclature
   
 goods.nomenclature.id: 7100000000
   
 productline.suffix:80
   
 start.date: 2001-01-01
   
 statistical.indicator:0
   
***message id=<<2>>*** insert goods nomenclature description period
   
 goods.nomenclature.id:7100000000
   
 productline.suffix:80
   
 start.date:2001-01-01
   
 description.period.ref:
   
 start.date:2001-01-01
   
***message id=<<3>>*** update goods nomenclature description
   
 goods.nomenclature.id:7100000000
   
 productline.suffix:80
   
 start.date:2001-01-01
   
 language.id:EN

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

description:GA - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri  
**message id=«4»** insert goods nomenclature indent

goods.nomenclature.id:7100000000

productline.suffix:80

start.date:2001-01-01

start.date:2001-01-01

indent.number:4

#### **Transaction 2 :**

**message id=«1»** insert goods nomenclature membership

goods.nomenclature.id:7100000000

productline.suffix:80

start.date:2001-01-01

nomenclature.group.type.id:T

nomenclature.group.id:046000

start.date:2001-01-01

#### **Transaction 3 :**

**message id=«1»** update goods nomenclature membership

goods.nomenclature.id:7100000000

productline.suffix:80

start.date:2001-01-01

nomenclature.group.type.id:T

nomenclature.group.id:046000

start.date:2001-01-01

end.date:2010-01-01

#### **Transaction 4 :**

**message id=«1»** update goods nomenclature footnote association

goods.nomenclature.id:7100000000

productline.suffix:80

start.date:2001-01-01

footnote.type.id:ATN

footnote.id:00010

end.date:2010-01-01

#### **Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 3: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 4: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.35. Insert measure: inb\_insert.measure\_01.xml

Test case ID: inb\_insert.measure\_01.xml

Purpose: 1 insert.measure

Precondition: Section 2.6 should have been totally successfully processed.

Content: **Transaction 1 :**

**message id=<1>** insert measure  
measure.type.id: 000001  
geographical.area.id: XD  
start.date: 2001-01-01  
goods.nomenclature.id: 0800000000  
productline.suffix:80  
start.date: 2001-01-01  
order.number:080615  
start.date:2001-01-01  
end.date:2009-01-01  
regulation.id:R9900000  
regulation.role.type:1  
regulation.id:R9900020  
regulation.role.type:1

Expected output: Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.36. Insert measure: inb\_insert.measure\_02.xml

Test case ID: inb\_insert.measure\_02.xml

Purpose: 1 insert.measure

Precondition: Section 2.6 should have been totally successfully processed.

Content: **Transaction 1 :**

**message id=<1>** insert measure  
measure.type.id:000001  
geographical.area.id:IQ  
start.date:2001-01-01  
goods.nomenclature.id:0800000000  
productline.suffix:80  
start.date:2001-01-01  
order.number:080602  
start.date:2001-01-01  
end.date:2009-01-01  
regulation.id:R9900000  
regulation.role.type:1  
regulation.id:R9900020 regulation.role.type:1

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.37. Insert measure: inb\_insert.measure\_03.xml

**Test case ID:** inb\_insert.measure\_03.xml

**Purpose:** 1 insert.measure, 1 insert.measure.component in 2 different transactions

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:**

**Transaction 1 :**  
**message id=<<1>>** insert measure  
measure.type.id: 000001  
geographical.area.id: XD  
start.date: 2001-01-01  
goods.nomenclature.id: 0800000000  
productline.suffix:80  
start.date: 2001-01-01  
order.number:080686  
start.date:2001-01-01  
end.date:2009-01-01  
regulation.id:R9900000  
regulation.role.type:1  
regulation.id:R9900020  
regulation.role.type:1

**Transaction 2**

**message id=<<1>>** insert measure component  
measure.type.id:000001  
geographical.area.id:XD  
start.date:2001-01-01  
goods.nomenclature.id:0800000000  
productline.suffix:80  
start.date:2001-01-01  
order.number:080686  
start.date:2001-01-01  
duty.expression.id:20  
measurement.unit.code:ASV  
monetary.unit.code:EUR  
duty.amount:99.999

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

### 3.2.1.38. Insert measure: inb\_insert.measure\_04.xml

<u>Test case ID:</u>	inb_insert.measure_04.xml
<u>Purpose:</u>	1 insert.measure, 1insert.measure.excluded.geographical.area
<u>Precondition:</u>	Section 2.6 should have been totally successfully processed.
<u>Content:</u>	<p><b>Transaction 1 :</b></p> <p><b>message id=&lt;1&gt;</b> insert measure  measure.type.id:000001  geographical.area.id:2070  start.date:2001-01-01  goods.nomenclature.id:0800000000  productline.suffix:80  start.date:2001-01-01  order.number:070680  start.date:2001-01-01  end.date:2010-01-01  regulation.id:R9900000  regulation.role.type:1  regulation.id:R9900020  regulation.role.type:1</p> <p><b>message id=&lt;2&gt;</b> insert measure excluded geographical area  measure.type.id:000001  geographical.area.id:2070  start.date:2001-01-01  goods.nomenclature.id:0800000000  productline.suffix:80  start.date:2001-01-01  order.number:070680  start.date:2001-01-01  geographical.area.id:DE  start.date:2001-01-01</p>
<u>Expected output:</u>	Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.39. Insert measure: inb\_insert.measure\_05.xml

<u>Test case ID:</u>	inb_insert_measure_05.xml
<u>Purpose:</u>	1 insert.measure.footnote.association
<u>Precondition:</u>	Section 2.6 should have been totally successfully processed.
<u>Content:</u>	<p><b>Transaction 1 :</b></p> <p><b>message id=&lt;1&gt;</b> insert measure footnote association  measure.type.id:000001  geographical.area.id:XD</p>

goods.nomenclature.id:0800000000  
 productline.suffix:80  
 start.date:2001-01-01  
 order.number:080620  
 start.date:2001-01-01  
 footnote.type.id:CD  
 footnote.id:271

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.40. Insert measure: inb\_insert.measure\_06.xml

**Test case ID:** inb\_insert.measure\_06.xml

**Purpose:** 1 insert.measure.partial.temporary.stop

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:**

**Transaction 1 :**  
***message id=«1»*** insert measure partial temporary stop  
 measure.type.id:000001  
 geographical.area.id:XD  
 start.date:2001-01-01  
 goods.nomenclature.id:0800000000  
 productline.suffix:80  
 start.date:2001-01-01  
 order.number:080620  
 start.date:2001-01-01  
 measure.pts.ref:  
 start.date:2001-01-01  
 regulation.id:R9900000  
 end.date:2010-01-01  
 official.journal.number:C 213  
 official.journal.page:19  
 abrogation.regulation.id:R9900000  
 abrogation.official.journal.number:C 135  
 abrogation.official.journal.page:1

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.1.41. Insert measure: inb\_insert.measure\_07.xml

**Test case ID:** inb\_insert.measure\_07.xml

**Purpose:** 1 insert.measure.condition.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:**

**Transaction 1 :**  
**message id=<<1>>** insert measure condition  
measure.type.id:000001  
geographical.area.id:XD  
start.date:2001-01-01  
goods.nomenclature.id:0800000000  
productline.suffix:80  
start.date:2001-01-01  
order.number:080620  
start.date:2001-01-01  
condition.code:01  
sequence.number:1  
certificate.type.code:A  
certificate.code:CE1  
measurement.unit.code:ASV  
monetary.unit.code:EUR  
action.code:001

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

**3.2.1.42. Insert measure: inb\_insert.measure\_08.xml**

**Test case ID:** inb\_insert.measure\_08.xml

**Purpose:** 1 insert.measure.condition.component - positive case depends on the result of previous test: inb\_insert.measure\_07

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:**

**Transaction 1 :**  
**message id=<<1>>** insert measure condition component  
measure.type.id:000001  
geographical.area.id:XD  
start.date:2001-01-01  
goods.nomenclature.id:0800000000  
productline.suffix:80  
start.date:2001-01-01  
order.number:080620  
start.date:2001-01-01  
condition.code:01  
sequence.number:1  
duty.expression.id:20  
measurement.unit.code:ASV  
measurement.unit.qualifier.code:X  
monetary.unit.code:EUR  
duty.amount:1

**Expected**

Reply to transaction 1: Action accepted. The status is set to “code = 100

**output:** and category = info” and message is validated.

### 3.2.1.43. Insert measure: inb\_insert.measure\_09.xml

**Test case ID:** inb\_insert\_measure.09.xml

**Purpose:** insert.measure, 1 insert.measure.component,  
1insert.measure.footnote.association , 1  
insert.measure.partial.temporary.stop, 1 insert.measure.condition, 1  
insert.measure.condition.component

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

***message id=<<1>>*** insert measure  
measure.type.id:000001  
geographical.area.id:XD  
goods.nomenclature.id:0800000000  
productline.suffix:80  
order.number:080601  
start.date:2001-01-01  
end.date:2010-01-01  
regulation.id:R9900000  
regulation.role.type:1  
regulation.id:R9900020  
regulation.role.type:1

**Transaction 2**

***message id=<<1>>*** insert measure footnote association  
measure.type.id:000001  
geographical.area.id:XD  
goods.nomenclature.id:0800000000  
productline.suffix:80  
start.date:2001-01-01  
order.number:080601  
start.date:2001-01-01  
footnote.type.id:CD  
footnote.id:271

**Transaction 3**

***message id=<<1>>*** insert measure partial temporary stop  
measure.type.id:000001  
geographical.area.id:XD  
start.date:2001-01-01  
goods.nomenclature.id:0800000000  
productline.suffix:80  
start.date:2001-01-01  
order.number:080601  
start.date:2001-01-01  
measure.pts.ref:

start.date:2001-01-01  
 regulation.id:R9900000  
 end.date:2010-01-01  
 official.journal.number:C 213  
 official.journal.page:19  
 abrogation.regulation.id:R9900000  
 abrogation.official.journal.number:C 135  
 abrogation.official.journal.page:1

#### **Transaction 4**

*message id=<<1>>* insert measure condition  
 measure.type.id:000001  
 geographical.area.id:XD  
 start.date:2001-01-01  
 goods.nomenclature.id:0800000000  
 productline.suffix:80  
 start.date:2001-01-01  
 order.number:080601  
 start.date:2001-01-01  
 condition.code:01  
 sequence.number:1  
 certificate.type.code:A  
 certificate.code:CE1  
 measurement.unit.code:ASV  
 monetary.unit.code:EUR  
 action.code:001

#### **Transaction 5**

*message id=<<1>>* insert measure condition component  
 measure.type.id:000001  
 geographical.area.id:XD  
 start.date:2001-01-01  
 goods.nomenclature.id:0800000000  
 productline.suffix:80  
 start.date:2001-01-01  
 order.number:080601  
 start.date:2001-01-01  
 condition.code:01  
 sequence.number:1  
 duty.expression.id:20  
 measurement.unit.code:ASV  
 measurement.unit.qualifier.code:X  
 monetary.unit.code:EUR  
 duty.amount:1

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 3: Action accepted. The status is set to “code = 100

and category = info” and message is validated.

Reply to transaction 4: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 5: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2. Message Update

The test cases defined in this section cover the test scenario **INPUT\_BRIDGE\_REGISTRATION** defined in [\[TARIC3-INB-FTS\]](#). Due to the pre-application phase some limited domains will be used to create new messages (data) in TARIC3 (Database).

#### 3.2.2.1. Update measure: inb\_update.measure\_01.xml

**Test case ID:** inb\_update.measure\_01.xml

**Purpose:** Update of the end date for one measure in a transaction  
Insert of the measure component for the same measure in a second transaction  
Update of the measure component for the same measure in a second transaction

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
***message id=<<1>>*** update measure  
measure.type.id: 777  
geographical.area.id:2080  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date: 1997-02-01  
end.date:2010-01-01  
regulation.id:R9921141  
regulation.role.type:1  
regulation.id:R9921141  
regulation.role.type:1

#### **Transaction 2 :**

***message id=<<1>>*** insert measure component  
measure.type.id:777  
geographical.area.id:2080  
start.date:1985-03-01  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date:1970-12-31  
start.date:2007-12-06  
duty.expression.id:20  
measurement.unit.code:CCT

monetary.unit.code:GBP  
duty.amount:1.050

**Transaction 3 :**

***message id=<<1>>*** update measure component  
measure.type.id:777  
geographical.area.id:2080  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date:1970-12-31  
start.date:2007-12-06  
duty.expression.id:20  
measurement.unit.code:KGM  
measurement.unit.qualifier.code:A  
monetary.unit.code:EUR  
duty.amount:2.999

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 3: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

**3.2.2.2. Update measure: inb\_update.measure\_02.xml**

**Test case ID:** inb\_update.measure\_02.xml

**Purpose:** Insert of the measure condition for the measure in a transaction

Update of the measure condition component for the same measure in a second transaction

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 :**

***message id=<<1>>*** insert measure condition

measure.type.id:770  
geographical.area.id:2080  
start.date:1997-02-01  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date:1997-02-01  
start.date:1997-02-01  
condition.code:D  
sequence.number:1  
certificate.type.code:D

measurement.unit.code:KGM  
measurement.unit.qualifier.code:A  
action.code:501  
duty.amount:2.201

**Transaction 2 :**

message id=<1> update measure condition  
measure.type.id:770  
geographical.area.id:2080  
start.date:1997-02-01  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date:1997-02-01  
start.date:1997-02-01  
condition.code:D  
sequence.number:1  
duty.expression.id:20  
measurement.unit.code:KGM  
monetary.unit.code:GBP  
duty.amount:2.201

**Transaction 3 :**

message id=<1> update measure condition component  
measure.type.id:770  
geographical.area.id:2080  
start.date:1985-03-01  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date:1970-12-31  
start.date:1997-02-01  
condition.code:D  
sequence.number:1  
duty.expression.id:20  
measurement.unit.code:ASV  
monetary.unit.code:GBP  
duty.amount:1

**Transaction 4 :**

message id=<1> update measure condition component  
measure.type.id:770  
geographical.area.id:2080  
start.date:1985-03-01  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date:1997-02-01  
condition.code:D  
sequence.number:1  
duty.expression.id:20  
measurement.unit.code:ASV

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

monetary.unit.code:GBP  
duty.amount:5.678

- Expected output:**
- Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.
  - Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.
  - Reply to transaction 3: Action accepted. The status is set to “code = 100 and category = info” and message is validated.
  - Reply to transaction 4: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.3. Update measure: inb\_update.measure\_03.xml

- Test case ID:** inb\_update.measure\_03.xml
- Purpose:** Insert following messages that have sequence number older or equal to current sequence number.
- Precondition:** Section 2.6 should have been totally successfully processed.
- Content:** Transaction 1 :
- message id=<<1>>** update legal regulation
- regulation.id: I9502840  
published.date:1990-10-28  
official.journal.number:C 213  
official.journal.page:2  
information.text:LR - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum prisorum initium terra annua flumine sollemitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri
- Expected output:**
- Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.4. Update additional code: inb\_update.additionalcode\_01.xml

- Test case ID:** inb\_update.additionalcode\_01.xml
- Purpose:** Update the end date for 2 additional codes
- Precondition:** Section 2.6 should have been totally successfully processed.

**Content:****Transaction 1 :**

**message id=«1»** update additional code

additional.code.type.id:3

additional.code.id:222

start.date:2001-01-01

end.date:2020-01-01

**message id=«2»:** update additional code

additional.code.type.id:3

additional.code.id:220

start.date:2001-01-01

end.date:2020-01-01

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

**3.2.2.5. Update additional code: inb\_update.additionalcode\_02.xml**

**Test case ID:** inb\_update.additionalcode\_02.xml

**Purpose:** Update the end date of 2 additional codes

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:****Transaction 1 :**

**message id=«1»** update additional code

additional.code.type.id:1

additional.code.id:002

start.date: 2001-01-01

end.date: 2009-01-01

**message id=«2»** update additional code

additional.code.type.id:A

additional.code.id:001

start.date: 2001-01-01

end.date: 2009-01-01

**Expected output:**

Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

**3.2.2.6. Update additional code: inb\_update.additionalcode\_03.xml**

**Test case ID:** inb\_update.additionalcode\_03.xml

**Purpose:** Update of the end date and the description

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:****Transaction 1 :**

**message id=«1»** update additional code

additional.code.type.id:3

additional.code.id:220

start.date:2001-01-01

end.date: 2005-01-01

**Transaction 2 :**

***message id=<<1>>*** update additional code description  
 additional.code.type.id:3  
 additional.code.id:220  
 start.date:2001-01-01  
 description.period.ref:  
 start.date:2003-01-01  
 multilingual.description.ref:  
 language.id:FR

description: AC - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

**3.2.2.7. Update additional code: inb\_update.additionalcode\_04.xml**

**Test case ID:** inb\_update.additionalcode\_04.xml

**Purpose:** Update of a description

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:**

**Transaction 1 :**  
***message id=<<1>>*** update additional code description  
 additional.code.type.id:8  
 additional.code.id:616  
 start.date:1999-02-19  
 description.period.ref:  
 start.date:1999-02-19  
 multilingual.description.ref:  
 language.id:FR  
 description: AC - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

conditum mercatoribus magna prope consueta Septembris  
flumine ab refertum mensis manu Septembris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.8. Update additional code: inb\_update.additionalcode\_05.xml

**Test case ID:** inb\_update.additionalcode\_05.xml

**Purpose:** Update of the description for 2 different additional codes

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>** update additional code description  
additional.code.type.id:1  
additional.code.id:010  
start.date:2001-01-01  
description.period.ref:  
start.date:2001-01-01  
multilingual.description.ref:  
language.id:FR  
description: AC - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembris  
flumine ab refertum mensis manu Septembris manu ad pri

**Transaction 2 :**

**message id=<<1>>** update additional code description  
additional.code.type.id:1  
additional.code.id:002  
start.date:2001-01-01  
description.period.ref:  
start.date:2001-01-01  
multilingual.description.ref:  
language.id:FR  
description: AC - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembris

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

flumine ab refertum mensis manu Septembris manu ad pri

- Expected output:**
- Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.
- Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.9. Update additional code: inb\_update.additionalcode\_06.xml

- Test case ID:** inb\_update.additionalcode\_06.xml
- Purpose:** Update of two descriptions for the same additional code
- Precondition:** Section 2.6 should have been totally successfully processed.
- Content:**
- Transaction 1 :**
- message id=<<1>>** update additional code description  
additional.code.type.id:1  
additional.code.id:010  
start.date:2001-01-01  
description.period.ref:  
start.date:2001-01-01  
multilingual.description.ref:  
language.id:FR  
description: AC - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembris  
flumine ab refertum mensis manu Septembris manu ad pri
- Transaction 2 :**
- message id=<<1>>** update additional code description  
additional.code.type.id:1  
additional.code.id:010  
start.date:2001-01-01  
description.period.ref:  
start.date:2001-01-01  
multilingual.description.ref:  
language.id:FR  
description: AC - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae

fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembbris flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.10. Update additional code: inb\_update.additionalcode\_07.xml

**Test case ID:** inb\_update.additionalcode\_07.xml

**Purpose:** Update of two descriptions for the same additional code

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=«1»** update additional code footnote association  
additional.code.type.id:8  
additional.code.id:616  
start.date:1999-02-19  
footnote.type.id:CA  
footnote.id:002  
start.date:1999-02-19  
end.date:2009-01-01

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.11. Update additional code: inb\_update.additionalcode\_08.xml

**Test case ID:** inb\_update.additionalcode\_08.xml

**Purpose:** Update of the footnote association for the additional codes

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=«1»** update additional code description  
additional.code.type.id:8  
additional.code.id:616  
start.date:1999-02-19  
description.period.ref:  
start.date:1999-02-19  
multilingual.description.ref:  
language.id:FR  
description: UITP-Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique

mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.12. Update additional code: inb\_update.additionalcode\_09.xml

**Test case ID:** inb\_update.additionalcode\_09.xml

**Purpose:** Update of the description for the additional code

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=»1»** update additional code description  
 additional.code.type.id:A  
 additional.code.id:001  
 start.date:2001-01-01  
 description.period.ref:  
 start.date:2001-01-01  
 multilingual.description.ref:  
 language.id:FR  
 description: UITP-Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.13. Update additional code: inb\_update.additionalcode\_07.xml

**Test case ID:** inb\_update.additionalcode\_07.xml

**Purpose:** Update of the footnote association for the additional codes

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=»1»** update additional code footnote association  
 additional.code.type.id:8  
 additional.code.id:616  
 start.date:1999-02-19  
 footnote.type.id:CA

footnote.id:002  
start.date: 2000-11-01

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.14. Update additional code: inb\_update.additionalcode\_08.xml

**Test case ID:** inb\_update.additionalcode\_08.xml

**Purpose:** Update of the description for the additional codes

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<1>** update additional code description  
additional.code.type.id:8  
additional.code.id:616  
start.date:1999-02-19  
description.period.ref:  
start.date:1999-02-19  
language.id:FR  
description: UITP-Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.15. Update additional code: inb\_update.additionalcode\_09.xml

**Test case ID:** inb\_update.additionalcode\_09.xml

**Purpose:** Update of the description for the additional code

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<1>** update additional code description  
additional.code.type.id:A  
additional.code.id:001  
start.date:2001-01-01  
description.period.ref:  
start.date:2001-01-01  
language.id:FR  
description: UITP-Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.16. Update base regulation: inb\_update.baseregulation\_01.xml

**Test case ID:** inb\_update.baseregulation\_01.xml

**Purpose:** 1rst transaction: Positive case  
2nd transaction: Negative case cdco error VR-ROL-4

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:**

**Transaction 1 :**  
***message id=<<1>>*** update base regulation  
regulation.id: R9801510  
regulation.role.type:1  
start.date:1997-02-01  
end.date:2020-02-28  
community.code:1  
approved.flag:0  
regulation.group.ref:  
regulation.group.id:PRF  
approved flag:1

**Transaction 2 :**

***message id=<<1>>*** update base regulation  
regulation.id: I9700320  
regulation.role.type:1  
start.date:1997-02-01  
end.date: 2020-01-01  
community.code:1  
regulation.group.ref:  
regulation.group.id:DUM  
approved.flag:1

**Expected output:** Reply to transaction 1: Action accepted (category="ok"). The status for the app-message is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action rejected (category="error"). The status for the app-message is set to “code = VR-ROL-4 and category = error” and message is validated.

“If a role regulation has been abrogated or prorogued, it cannot be modified, apart from modifying a base regulation's regulation

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

group”

### 3.2.2.17. Update base regulation: inb\_update.baseregulation\_02.xml

Test case ID: inb\_update.baseregulation\_02.xml

Purpose: 1rst transaction gives errors rules: VR-ROL-3, VR-ROL-7

Precondition: Section 2.6 should have been totally successfully processed.

Content: Transaction 1 :

message id=<<1>> update base regulation  
regulation.id:I9502840  
regulation.role.type:1  
start.date:1995-10-28  
end.date:2030-02-28  
community.code:1  
regulation.group.ref:  
regulation.group.id:DUM  
approved.flag:0

Transatcion 2:

message id=<<1>> update base regulation  
regulation.id: I0201110  
regulation.role.type:1  
start.date:2002-05-08  
end.date: 2010-01-  
community.code:1  
regulation.group.ref:  
regulation.group.id:DUM  
approved.flag:1

Expected output: Reply to transaction 1: Action rejected (category="error"). The status for the app-message is set to “code = VR-ROL-3 and category = error” and message is validated.  
“Any non-draft regulation must be approved.”

Reply to transaction 2: Action rejected (category="error"). The status for the app-message is set to “code = VR-ROL-7 and category = error” and message is validated.  
“A role-regulation can only be modified from unapproved to approved, not the other way around.”

### 3.2.2.18. Update certificate: inb\_update.certificate\_01.xml

Test case ID: inb\_update.certificate\_01.xml

Purpose: Update of the end date for one certificate.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP
---	---------------------

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>** update certificate  
certificate.type.code:D  
certificate.code:022  
start.date:2006-07-01  
end.date:2030-08-13

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.19. Update certificate: inb\_update.certificate\_02.xml

**Test case ID:** inb\_update.certificate\_02.xml

**Purpose:** Update of the end date and the description for the certificate in two different transactions

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>** update certificate  
certificate.type.code:V  
certificate.code:005  
start.date:2006-03-31  
end.date:2030-08-13

**Transaction 2 :**

**message id=<<1>>** update certificate description  
certificate.type.code:V  
certificate.code:046  
start.date:2006-03-01  
language.id:EN  
description: CE - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

### 3.2.2.20. Update certificate: inb\_update.certificate\_03.xml

- Test case ID:** inb\_update.certificate\_03.xml
- Purpose:** Update of the description for the certificate
- Precondition:** Section 2.6 should have been totally successfully processed.
- Content:** **Transaction 1 :**  
***message id=<<1>>*** update certificate description  
certificate.type.code:V  
certificate.code:005  
start.date:2006-03-31  
language.id:EN  
description: CE - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri
- Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.21. Update certificate: inb\_update.certificate\_04.xml

- Test case ID:** inb\_update.certificate\_04.xml
- Purpose:** Update of the description for the certificate
- Precondition:** Section 2.6 should have been totally successfully processed.
- Content:** **Transaction 1 :**  
***message id=<<1>>*** update certificate description  
certificate.type.code:L  
certificate.code:005  
start.date: 2001-01-01  
language.id:EN  
description: CE - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.22. Update certificate: inb\_update.certificate\_05.xml

**Test case ID:** inb\_update.certificate\_05.xml

**Purpose:** Update of the description for the certificate

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<1>** update.certificate.description  
 certificate.type.code:L  
 certificate.code:005  
 start.date: 2001-01-01  
 language.id:EN  
 description: UITP-Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.23. Update certificate: inb\_update.certificate\_06.xml

**Test case ID:** inb\_update.certificate\_06.xml

**Purpose:** Update of the description for the certificate

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<1>** update.certificate.description  
 certificate.type.code:L  
 certificate.code:005  
 start.date:2001-01-01  
 language.id:EN  
 description:UITP-Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris

flumine ab refertum mensis manu Septembris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status is set to “code = 100 and category = info” and message is validated.

### 3.2.2.24. Update export refund nomenclature: inb\_update.ern\_01.xml

**Test case ID:** inb\_update.ern\_01.xml

**Purpose:** Update of the end date for 2 ern in the same transaction

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=«1»** update export refund nomenclature  
goods.nomenclature.id: 010000000

productline.suffix:80  
start.date: 1970-12-31  
additional.code.type.id:9  
export.refund.code:300  
product.line.suffix:80  
start.date:1996-01-01  
end.date: 1999-03-03

**message id=«2»** update export refund nomenclature  
goods.nomenclature.id: 020000000  
productline.suffix:80  
start.date:1971-12-31  
additional.code.type.id:9  
export.refund.code: 200  
product.line.suffix:80  
start.date:1996-01-01  
end.date:2040-01-01

**Expected output:** Reply to transaction 1: Action accepted. The status for the app-message1 is set to “code = 100 and category = info” and message is validated.

The status for the app-message2 is set to “code = 100 and category = info” and message is validated.

### 3.2.2.25. Update export refund nomenclature: inb\_update.ern\_02.xml

**Test case ID:** inb\_update.ern\_02.xml

**Purpose:** Update of the description for 1 ern

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=«1»** update export refund nomenclature description  
goods.nomenclature.id:0400000000  
productline.suffix:80  
start.date: 1971-12-1

additional.code.type.id:9  
 export.refund.code: 400  
 productline.suffix:80  
 start.date:1996-01-01  
 description.period.ref:  
 logical.key:  
 start.date:1996-01-01  
 language.id:EN  
 description: ERN- Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status for the app-message1 is set to “code = 100 and category = info” and message is validated.

### 3.2.2.26. Update export refund nomenclature: inb\_update.ern\_03.xml

**Test case ID:** inb\_update.ern\_03.xml

**Purpose:** Update of the footnote association for 1 ern

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<1>** update export refund nomenclature footnote  
 association  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date: 1970-12-31  
 additional.code.type.id:9  
 export.refund.code: 300  
 product.line.suffix:80  
 start.date:1996-01-01  
 footnote.type.id:NX  
 footnote.id:057  
 start.date:1997-01-01  
 end.date: 1998-01-01

**Expected output:** Reply to transaction 1: Action accepted. The status for the app-message1 is set to “code = 100 and category = info” and message is validated.

**3.2.2.27. Update export refund nomenclature: inb\_update.ern\_04.xml****Test case ID:** inb\_update.ern\_04.xml**Purpose:** Update of the indent for 1 ern**Precondition:** Section 2.6 should have been totally successfully processed.**Content:** **Transaction 1 :**

***message id=<<1>>*** update export refund nomenclature indent  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 additional.code.type.id:9  
 export.refund.code:300  
 product.line.suffix:80  
 start.date:1996-01-01  
 start.date:1996-01-01  
 indent.number:1

**Expected output:** Reply to transaction 1: Action accepted. The status for the app-message1 is set to “code = 100 and category = info” and message is validated.**3.2.2.28. Update footnote: inb\_update.footnote\_01.xml****Test case ID:** inb\_update.footnote\_01.xml**Purpose:** Update of the end date for 2 footnote in the same transaction and update of the description for another footnote in the second transactions**Precondition:** Section 2.6 should have been totally successfully processed.**Content:** **Transaction 1 :**

***message id=<<1>>*** update footnote  
 footnote.type.id:CD  
 footnote.id:271  
 start.date: 2000-11-01  
 end.date: 2030-08-13  
***message id=<<2>>*** update footnote  
 footnote.type.id:NC  
 footnote.id:028  
 start.date: 2001-01-01  
 end.date: 2030-08-13

**Transaction 2 :**

***message id=<<1>>*** update footnote description  
 footnote.type.id:MH  
 footnote.id:002  
 start.date: 1994-09-09

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

language.id:FR  
description: FO - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status for the app-message1 is set to “code = 100 and category = info” and message is validated. The status for the app-message2 is set to “code = 100 and category = info” and message is validated.

Reply to transaction 2: Action accepted. The status for the app-message1 is set to “code = 100 and category = info” and message is validated.

### 3.2.2.29. Update footnote: inb\_update.footnote\_02.xml

**Test case ID:** inb\_update.footnote\_02.xml

**Purpose:** Update of the description for 1 footnote

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<1>** update footnote description  
footnote.type.id:MH  
footnote.id:002  
start.date: 1994-09-09  
language.id:FR  
description: UITP-Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:** Reply to transaction 1: Action accepted. The status for the app-message1 is set to “code = 100 and category = info” and message is validated.

**Purpose:** delete of the only one description period in a separate transaction that the delete of the goods nomenclature and associated indent

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:**

```

goods.nomenclature.id:0100000000
productline.suffix:80
start.date:1970-12-31
nomenclature.group.type.id:B
nomenclature.group.id:000002
start.date:2010-01-01
env:app.message id=<<2>>
goods.nomenclature.id:0100000000
productline.suffix:80
start.date:1970-12-31
footnote.type.id:NC
footnote.id:018
start.date:2002-01-01
end.date:2030-01-01
env:app.message id=<<3>>
goods.nomenclature.id:0100000000
productline.suffix:80
start.date:1970-12-31
start.date:1970-12-31
    env:transaction id="2">
        goods.nomenclature.id:0100000000
        productline.suffix:80
        start.date:1970-12-31
        start.date:1970-12-31
            env:app.message id=<<2>>
            goods.nomenclature.id:0100000000
            productline.suffix:80
            start.date:1970-12-31
            start.date:1970-12-31
                env:app.message id=<<1>>
                goods.nomenclature.id:0100000000
                geographical.area.id: CM
                start.date: 1984-01-01
                country.group.id:1011
                start.date: 1958-01-01
                start.date:1986-01-01
                end.date:2010-12-31

```

**Expected output:** Action accepted. Message is deleted

### 3.2.2.30. Update geographical area: inb\_update.geographicalarea\_01.xml

**Test case ID:** inb\_update.geographicalarea\_01.xml

**Purpose:** Update of the end date for 5 countries in the same transaction

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<<1>>**: update geographical area  
geographical.area.id: CM  
start.date: 1984-01-01  
country.group.id:1011  
start.date: 1958-01-01

start.date:1986-01-01  
end.date:2010-12-31

**message id=<<2>>**:update geographical area description

geographical.area.id: CN  
 start.date: 1984-01-01  
 geographical.area.id:1011  
 start.date:1958-01-01

start.date:1988-01-01  
 end.date:2011-12-31

**message id=«3»:**update geographical area description  
 geographical.area.id: JP  
 start.date: 1972-01-01  
 geographical.area.id:1011  
 start.date:1958-01-01

start.date:1988-01-01  
 end.date: 2008-02-29

**message id=«4»:** : update geographical area description  
 geographical.area.id: NE  
 start.date: 1984-01-01  
 geographical.area.id:1011  
 start.date:1958-01-01

start.date: 1986-01-01  
 end.date: 2010-12-31

**message id=«5»:** : update geographical area description  
 geographical.area.id: RU  
 start.date: 1992-06-01  
 geographical.area.id:1011  
 start.date: 1992-06-01

start.date: 1986-01-01  
 end.date: 2008-02-29

**Expected output:** Action accepted. The status is set to “updated” and message is validated.

### 3.2.2.31. Update geographical area: inb\_update.geographicalarea\_02.xml

**Test case ID:** inb\_update.geographicalarea\_02.xml

**Purpose:** Update of the end date for one country in one transaction

Update of the description for one country in another transaction

Update of the end date for one country in another transaction

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:****Transaction 1 :**

**message id=«1»:** update geographical area membership  
geographical.area.id: SU  
start.date: 1984-01-01  
end.date: 2020-05-31  
geographical.area.id:1011  
start.date:1958-01-01

**Transaction 2 :**

**message id=«1»:**update geographical area membership  
geographical.area.id: XD  
start.date: 1984-01-01  
description.period.ref:  
start.date: 1984-01-01  
language.id:EN  
description:GA - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 3:**

**message id=«1»:**update geographical area  
geographical.area.id: XB  
start.date: 1986-01-01  
end.date: 2020-05-31  
geographical.area.id:1011  
start.date:1958-01-01

**Expected output:**

Action accepted. The status is set to “updated” and message is validated.

**3.2.2.32. Update geographical area: inb\_update.geographicalarea\_03.xml**

**Test case ID:** **inb\_update.geographicalarea\_03.xml**

**Purpose:** Update of the end date for country group

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:****Transaction 1 :**

**message id=«1»:**update geographical area  
geographical.area.id:1011  
start.date:1958-01-01  
end.date:2020-05-31  
area.code:1

**Expected**

Action accepted. The status is set to “updated” and message is

output: validated.

### 3.2.2.33. Update geographical area: inb\_update.geographicalarea\_04.xml

Test case ID: inb\_update.geographicalarea\_04.xml

Purpose: Update of the end date and the membership for one country in the same transaction

Precondition: Section 2.6 should have been totally successfully processed.

Content: Transaction 1 :

message id=<1>: update geographical area  
geographical.area.id: RU  
start.date: 1992-06-01  
country.group.id: 1030  
start.date: 1984-01-01  
area.code:2

Transaction 2 :

message id=<1>: update geographical area description  
geographical.area.id: RU  
start.date: 1992-06-01  
country.group.id: 1030  
start.date: 1984-01-01  
geographical.area.ref  
start.date:1993-01-01  
end.date:2020-01-01

Expected output: Action accepted. The status is set to “updated” and message is validated.

### 3.2.2.34. Update geographical area: inb\_update.geographicalarea\_05.xml

Test case ID: inb\_update.geographicalarea\_05.xml

Purpose: Update of the end date for a country group in a transaction

Insert of the description period for the same country group in a second transaction

Update of the description for the same country group in a third transaction

Precondition: Section 2.6 should have been totally successfully processed.

Content: Transaction 1 :

message id=<1>: update geographical area  
geographical.area.id: 1012  
start.date: 2003-01-01  
end.date: 2015-01-01  
area.code: 1

**Transaction 2 :**

**message id=<<1>>**: update geographical area description  
 geographical.area.id: 1012  
 start.date: 2003-01-01 start.date:  
 start.date: 2004-01-01

**Transaction 3 :**

**message id=<<1>>**: update geographical area  
 geographical.area.id: 1012  
 start.date: 2003-01-01  
 end.date: 2004-01-01  
 language.id:EN  
 description: GA - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
**Expected output:** Action accepted. The status is set to “updated” and message is validated.

**3.2.2.35. Update geographical area: inb\_update.geographicalarea\_06.xml**

**Test case ID:** **inb\_update.geographicalarea\_06.xml**

**Purpose:** Delete of the membership for a country group in the first transaction

Delete of the membership for a second country group in the second transaction

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:**

**Transaction 1 :**  
**message id=<<1>>**: delete geographical area membership  
 update geographical area  
 geographical.area.id: CN  
 start.date: 1984-01-01  
 logical.key  
 geographical.area.id:1030  
 start.date:1984-01-01  
 start.date1984-01-01  
 end.date: 2008-02-29

**Transaction 2 :**

**message id=<<1>>**: delete geographical area membership

update geographical area description  
geographical.area.id: CN  
start.date: 1984-01-01  
logical.key  
geographical.area.id:2020  
start.date:1984-01-01  
start.date1984-01-01  
end.date: 2008-02-29

**Expected output:** Action accepted. The status is set to “updated” and message is validated.

### 3.2.2.36. Update geographical area: inb\_update.geographicalarea\_07.xml

**Test case ID:** inb\_update.geographicalarea\_07.xml

**Purpose:** Update of the end date for a country in the first transaction

Insert of the description period for the same country in the second transaction

Update of the description for the same country in the third transaction

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

***message id=<<1>>:update.geographical.area***  
update geographical area  
geographical.area.id: CN  
start.date: 1984-01-01  
end.date: 2020-02-29  
area.code:0

**Transaction 2 :**

***message id=<<1>>:insert geographical area description***  
geographical.area.id: CN  
start.date: 1984-01-01  
description.period.ref:  
start.date:1990-01-01

**Transaction 3 :**

***message id=<<1>>:update geographical area description***  
geographical.area.id: CN  
start.date: 1984-01-01 start.date:  
description.period.ref:  
start.date:1990-01-01  
multilingual.description.ref:  
language.id:EN

description:DK - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique

conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri

**Expected output:** Action accepted. The status is set to “updated” and message is validated.

### 3.2.2.37. Update goods nomenclature: inb\_update.goodsnomenclature\_01.xml

**Test case ID:** inb\_update.goodsnomenclature\_01.xml

**Purpose:** Update of the end date for good nomenclature in the transaction  
Insert of the successor for the good nomenclature in the second transaction

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :  
***message id=<1>:*** update\_goods\_nomenclature  
 goods.nomenclature.id: 0600000000  
 productline.suffix:80  
 start.date: 1970-12-01  
 end.date: 1971-12-30  
 statistical.indicator:0

***message id=<2>:*** update\_goods\_nomenclature\_description  
 goods.nomenclature.id: 0600000000  
 productline.suffix:80  
 start.date: 1970-12-01  
 absorbed.goods.nomenclature.ref:  
 goods.nomenclature.id: 0500000000  
 productline.suffix:80  
 start.date: 1971-12-31

**Expected output:** Action accepted. The status is set to “updated” and message is validated.

### 3.2.2.38. Update goods nomenclature: inb\_update.goodsnomenclature\_02.xml

**Test case ID:** inb\_update.goodsnomenclature\_02.xml

**Purpose:** Insert of the description period for one good nomenclature in a transaction

Update of the description for the same good nomenclature in a second transaction

Insert of the description period for one good nomenclature in a third transaction

Update of the footnote association for the same good nomenclature in a fourth transaction

**Precondition:**

**Section 2.6 should have been totally successfully processed.**

**Content:**

**Transaction 1 :**

**message id=<<1>>:**insert goods nomenclature description period  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date: 1970-12-31  
 description.period.ref:  
 start.date: 1990-01-01

**Transaction 2 :**

**message id=<<1>>:**update goods nomenclature  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date: 1970-12-31  
 description.period.ref:  
 start.date: 1970-12-31  
 multilingual.description.ref:  
 language.id:FR  
 description:GN - Indi ab manu commercanda opulentis nundinas  
 mittunt municipium mensis quae consueta nundinas marique  
 conditum priscorum initium terra annua flumine sollemnitate  
 manu Anthemusia commercanda annua Indi plurima magna  
 Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri  
 multilingual.description.ref:  
 language.id:EN  
 description:The Animals  
 statistical.indicator:0

**Transaction 3 :**

**message id=<<1>>:**insert goods nomenclature description period  
  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date: 1970-12-31  
 description.period.ref:  
 start.date: 2005-01-01

**Transaction 4 :**

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**message id=<<1>>**: update goods nomenclature footnote association  
goods.nomenclature.id: 0100000000  
productline.suffix:80  
start.date: 1970-12-31  
footnote.type.id:NC  
footnote.id:018  
start.date:2002-01-01  
end.date:2020-01-01

**Expected output:** Action accepted. The status is set to “updated” and message is validated.

### 3.2.2.39.      Update goods nomenclature: **inb\_update.goodsnomenclature\_03.xml**

**Test case ID:** **inb\_update.goodsnomenclature\_03.xml**

**Purpose:** Update of the description of a good nomenclature in a transaction  
Update of the footnote association for the same good nomenclature in another transaction

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:**

**Transaction 1 :**  
**message id=<<1>>**:update goods nomenclature description  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date: 1970-12-31  
description.period.ref:  
start.date: 1970-12-31  
multilingual.description.ref:  
language.id: NL  
description:GN - Indi ab manu commercanda opulentis nundinas  
mittunt municipium mensis quae consueta nundinas marique  
conditum priscorum initium terra annua flumine sollemnitate  
manu Anthemusia commercanda annua Indi plurima magna  
Anthemusia magna brevi disparatur prope mittunt marique  
mittunt Euphrate manu annua magna annua Indi ubi fortunae  
fortunae prope spatio annua municipium annua plurima Seres  
conditum mercatoribus magna prope consueta Septembbris  
flumine ab refertum mensis manu Septembbris manu ad pri

**Transaction 2 :**

**message id=<<1>>**: update goods nomenclature footnote association  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date: 1970-12-31

	footnote.type.id:NC footnote.id:018 start.date: 2002-01-01 end.date: 2030-01-01
<u>Expected output:</u>	Action accepted. The status is set to “updated” and message is validated.

### 3.2.2.40. Update goods nomenclature: inb\_update.goodsnomenclature\_04.xml

Test case ID: **inb\_update.goodsnomenclature\_04.xml**

Purpose: Update of the group membership for one good nomenclature in a transaction

Update of the indent for the same good nomenclature in a second transaction

Precondition: **Section 2.6 should have been totally successfully processed.**

Content: **Transaction 1 :**

**message id=<1>**: update goods nomenclature group membership  
goods.nomenclature.id:0400000000  
productline.suffix:80  
start.date:1970-03-01  
nomenclature.group.type.id:T  
nomenclature.group.id:163000  
start.date:1970-03-01  
end.date:2020-01-01

**Transaction 2 :**

**message id=<1>**: update goods nomenclature indent  
goods.nomenclature.id:0400000000  
productline.suffix:80  
start.date:1970-03-01  
start.date:1970-03-01  
indent.number:3

Expected output: Action accepted. The status is set to “updated” and message is validated.

### 3.2.2.41. Update legal regulation: inb\_update.legalregulation\_01.xml

Test case ID: **inb\_update.legalregulation\_01.xml**

Purpose: Update of the published date for one legal regulation

Precondition: **Section 2.6 should have been totally successfully processed.**

**Content:****Transaction 1 :**

***message id=<<1>>***: update legal regulation  
 regulation.id:I9502840  
 published.date:1990-10-28  
 official.journal.number:C 213  
 official.journal.page:2  
 information.text:LR - Indi ab manu commercanda opulentis  
 nundinas mittunt municipium mensis quae consueta nundinas  
 marique conditum prisorum initium terra annua flumine  
 sollemitate manu Anthemusia commercanda annua Indi plurima  
 magna Anthemusia magna brevi disparatur prope mittunt marique  
 mittunt Euphrate manu annua magna annua Indi ubi fortunae  
 fortunae prope spatio annua municipium annua plurima Seres  
 conditum mercatoribus magna prope consueta Septembbris  
 flumine ab refertum mensis manu Septembbris manu ad pri

**Expected output:**

Action accepted. The status is set to “updated” and message is validated.

### 3.2.2.42. Update modification inb\_update.modificationregulation\_01.xml

regulation:

**Test case ID:**

**inb\_update.modificationregulation\_01.xml**

**Purpose:**

Update of the published date for one modification regulation

**Precondition:**

**Section 2.6 should have been totally successfully processed.**

**Content:**

**Transaction 1 :**  
***message id=<<1>>***: update modification regulation  
 regulation.id:I0000940  
 regulation.role.type:4  
 start.date:2000-04-01  
 end.date:2030-01-01  
 base.regulation.ref  
 regulation.id:I9902130  
 regulation.role.type:1

**Expected output:**

Action accepted. The status is set to “updated” and message is validated.

### 3.2.3. Message Delete

The test cases defined in this section cover the test scenario **INPUT\_BRIDGE\_DELETE** defined in [TARIC3-FTS]. A successful operation has to be validated in INB before it passes to TARIC3. However this execution should not be considered as business procedures validation for TARIC3.

#### 3.2.3.1. Delete additional code: inb\_delete.additionalcode\_01.xml

**Test case ID:** inb\_delete.additionalcode\_01.xml

**Purpose:** delete of an additional code

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<<1>>:** delete additional code

additional.code.type.id: 3

additional.code.id: 220

start.date: 2001-01-01

**Expected output:** Action accepted. Message is deleted

#### 3.2.3.2. Delete additional code: inb\_delete.additionalcode\_02.xml

**Test case ID:** inb\_delete.additionalcode\_02.xml

**Purpose:** delete of an additional code with delete of linked footnote.association and linked description period in the same transaction

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<<1>>:** delete additional code

additional.code.type.id: 8

additional.code.id: 616

start.date: 1999-02-19

footnote.type.id:CA

footnote.id:002

start.date:1970-01-01

**message id=<<2>>:** delete additional.code.description.period

additional.code.type.id:8

additional.code.id:616

start.date:1999-02-19

description.period.ref:

start.date:1999-02-19

**message id=<<3>>:** delete.additional.code

additional.code.type.id:8

additional.code.id:616

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**Expected output:**

start.date:1999-02-19  
Action accepted. Message is deleted

### 3.2.3.3. Delete additional code: inb\_delete.additionalcode\_03.xml

**Test case ID:** inb\_delete.additionalcode\_03.xml

**Purpose:** expected output error: An error occurred while translating from fine-grained to coarse-grained: Failed retrieving CDCO object, data does not exist in TARIC3

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=«1»:** delete.additional.code.footnote.association  
additional.code.type.id:8  
additional.code.id:616  
start.date:1999-02-19  
footnote.type.id:CA  
footnote.id:002  
start.date:1999-02-19

**message id=«2»:** delete.additional.code.description.period  
additional.code.type.id:8  
additional.code.id:616  
start.date:1999-02-19  
description.period.ref:  
start.date:1999-02-19

**Transaction 2 :**

**message id=«1»:** delete.additional.code  
additional.code.type.id:8  
additional.code.id:616  
start.date:1999-02-19

**Expected output:** Action refused. Error message: "An error occurred while translating from fine-grained to coarse-grained: Failed retrieving CDCO object, data does not exist in TARIC3."

### 3.2.3.4. Delete additional code: inb\_delete.additionalcode\_04.xml

**Test case ID:** inb\_delete.additionalcode\_04.xml

**Purpose:** delete of a description period of an additional code

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=«1»:** delete.additional.code.description.period

additional.code.type.id:P  
 additional.code.id:888  
 start.date:2001-01-01  
 description.period.ref:  
 start.date:2002-01-02

**Expected output:** Action accepted. Message is deleted

### 3.2.3.5. Delete legal regulation inb\_delete.legalregulation\_01.xml

**Test case ID:** inb\_delete.legalregulation\_01.xml

**Purpose:** delete of a legal regulation

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
`message id=<<1>>: delete.legal.regulation`  
 regulation.id:R220703Y

**Expected output:** Action accepted. Message is deleted

### 3.2.3.6. Delete base regulation inb\_delete.baseregulation\_01.xml

**Test case ID:** inb\_delete.baseregulation\_01.xml

**Purpose:** delete of a base regulation

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
`message id=<<1>>: delete.base.regulation`  
 regulation.id:R090703Y  
 regulation.role.type:1

**Expected output:** Action accepted. Message is deleted

### 3.2.3.7. Delete certificate: inb\_delete.certificate\_01.xml

**Test case ID:** inb\_delete.certificate\_01.xml

**Purpose:** delete of a certificate

**Precondition:** Section 2.6 should have been totally successfully processed.

<b><u>Content:</u></b>	<b>Transaction 1 :</b> <b><i>message id=&lt;&lt;1&gt;&gt;</i>:</b> delete certificate certificate.type.code:D certificate.code: 022
<b><u>Expected output:</u></b>	Action accepted. Message is deleted

### 3.2.3.8. Delete certificate: inb\_delete.certificate\_02.xml

**Test case ID:** inb\_delete.certificate\_02.xml

**Purpose:** Insert following messages that have sequence number older or equal to current sequence number.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
***message id=<<1>>*:** delete certificate description period  
certificate.type.code: V  
certificate.code: 046  
start.date: 2007-03-01

**Expected output:** Action accepted. Message is deleted

### 3.2.3.9. Delete ern: inb\_delete.ern\_01.xml

**Test case ID:** inb\_delete.ern\_01.xml

**Purpose:** delete of an export refund nomenclature and its associated indent, footnote association, description period

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
***message id=<<1>>*:** delete export refund nomenclature  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date:1970-12-31  
additional.code.type.id:9  
export.refund.code:300  
productline.suffix:80  
start.date:1996-01-01  
indent:  
start.date:1996-01-01  
indent.number:4

***message id=<<2>>*:**  
delete.export.refund.nomenclature.footnote.association  
goods.nomenclature.id:0100000000

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

productline.suffix:80  
 start.date:1970-12-31  
 additional.code.type.id:9  
 export.refund.code:300  
 productline.suffix:80  
 start.date:1996-01-01  
 footnote.type.id:NX  
 footnote.id:057  
 start.date:1997-01-01  
 end.date:1997-01-01

**message id=<<3>>**

delete.export.refund.nomenclature.footnote.association  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 export.refund.code:300  
 productline.suffix:80  
 start.date:1996-01-01  
 description.period.ref:  
 start.date:1996-01-01

**message id=<<4>>**: delete.export.refund.nomenclature.

goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 additional.code.type.id:9  
 export.refund.code:300  
 productline.suffix:80  
 start.date:1996-01-01

**Expected output:** Action accepted. Message is deleted

### 3.2.3.10. Delete ern: inb\_delete.ern\_02.xml

**Test case ID:** inb\_delete.ern\_02.xml

**Purpose:** Insert following messages that have sequence number older or equal to current sequence number.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** Transaction 1 :

**message id=<<1>>**: delete export refund nomenclature description period  
 goods.nomenclature.id: 0200000000  
 productline.suffix:80  
 start.date: 1971-12-31  
 additional.code.type.id:9  
 export.refund.code: 200

**Expected output:**

productline.suffix:80  
 start.date: 1996-01-01  
 Action accepted. Message is deleted

### 3.2.3.11. Delete ern: inb\_delete.ern\_03.xml

**Test case ID:** **inb\_delete.ern\_03.xml**

**Purpose:** delete of an indent of an export refund nomenclature in a transaction. delete of two description period of an export refund nomenclature in the same transaction

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:**

**Transaction 1 :**  
**message id=«1»:** delete export refund nomenclature indent.  
 period  
 goods.nomenclature.id:0120000000  
 productline.suffix:80  
 start.date:1971-12-30  
 additional.code.type.id:9  
 export.refund.code:120  
 productline.suffix:80  
 start.date:1996-01-01  
 indent:start.date:1997-01-01  
 indent.number:1

**Transaction 2 :**

**message id=«1»:**  
 delete.export.refund.nomenclature.description.period  
 goods.nomenclature.id:0120000000  
 productline.suffix:80  
 start.date:1971-12-30  
 additional.code.type.id:9  
 export.refund.code:120  
 productline.suffix:80  
 start.date:1996-01-01  
 description.period.ref:  
 start.date:2000-01-01

**message id=«2»:**

delete.export.refund.nomenclature.description.period  
 goods.nomenclature.id:0120000000  
 productline.suffix:80  
 start.date:1971-12-30  
 additional.code.type.id:9  
 export.refund.code:120  
 productline.suffix:80  
 start.date:1996-01-01

<u>Expected output:</u>	description.period.ref: start.date:1997-01-01 Action accepted. Message is deleted
-------------------------	---

**3.2.3.12. Delete footnote: inb\_delete.footnote\_01.xml****Test case ID: inb\_delete.footnote\_01.xml****Purpose: delete of footnote and an associated description period in the same transaction****Precondition: Section 2.6 should have been totally successfully processed.****Content: Transaction 1 :**

**message id=<1>:** delete footnote description period  
 footnote.type.id: ACG  
 footnote.id: 00008  
 start.date: 2007-01-01

**message id=<2>:** delete footnote  
 footnote.type.id: ACG  
 footnote.id: 00008

**Expected output: Action accepted. Message is deleted****3.2.3.13. Delete geographical area: inb\_delete.geographicalarea\_01.xml****Test case ID: inb\_delete.geographicalarea\_01.xml****Purpose: Delete of a description period of a geographical area****Precondition: Section 2.6 should have been totally successfully processed.****Content: Transaction 1 :**

**message id=<1>:** delete geographical area membership  
 geographical.area.id: LT  
 start.date: 2001-01-01  
 description.period.ref:  
 start.date:2003-01-01

**Expected output: Action accepted. Message is deleted****3.2.3.14. Delete geographical area: inb\_delete.geographicalarea\_02.xml****Test case ID: inb\_delete.geographicalarea\_02.xml**

**Purpose:** delete of a description period of a geographical area

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>**: delete geographical area description period  
geographical.area.id: PA  
start.date:2001-01-01  
description.period.ref:  
start.date: 2003-01-01

**Expected output:** Action accepted. Message is deleted.

### 3.2.3.15. Delete geographical area: inb\_delete.geographicalarea\_03.xml

**Test case ID:** inb\_delete.geographicalarea\_03.xml

**Purpose:** delete of a geographical area

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>**: delete geographical area  
geographical.area.id: BG  
start.date: 2001-01-01

**Expected output:** Action accepted. Message is deleted

### 3.2.3.16. Delete geographical area: inb\_delete.geographicalarea\_04.xml

**Test case ID:** inb\_delete.geographicalarea\_04.xml

**Purpose:** delete of an geographical area

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>**: delete geographical area  
geographical.area.id: RU  
start.date: 1992-06-01

**Expected output:** Action accepted. Message is deleted

### 3.2.3.17. Delete geographical area: inb\_delete.geographicalarea\_05.xml

**Test case ID:** inb\_delete.geographicalarea\_05.xml

Purpose: delete of a geographical area

Precondition: Section 2.6 should have been totally successfully processed.

Content: **Transaction 1 :**

**message id=<<1>>**: delete geographical area  
geographical.area.id:1012  
start.date: 2001-01-01

Expected output: Action accepted. Message is deleted

### 3.2.3.18. Delete geographical area: inb\_delete.geographicalarea\_06xml

Test case ID: inb\_delete.geographicalarea\_06.xml

Purpose: delete of a goods nomenclature

Precondition: Section 2.6 should have been totally successfully processed.

Content: **Transaction 1 :**

**message id=<<1>>**: delete geographical area  
geographical.area.id:XD  
start.date:1984-01-01  
geographical.area.id:1011  
start.date:1958-01-01  
geographical.area.ref  
start.date:1986-07-01  
geographical.area.meber.ref  
end.date:1994-12-31

Expected output: Action accepted. Message is deleted

### 3.2.3.19. Delete goods nomenclature: inb\_delete.goodsnomenclature\_01.xml

Test case ID: inb\_delete.goodsnomenclature\_01.xml

Purpose: delete of a goods nomenclature

Precondition: Section 2.6 should have been totally successfully processed.

Content: **Transaction 1 :**

**message id=<<1>>**: delete goods nomenclature  
goods.nomenclature.id:0150000100  
productline.suffix:80  
start.date:1971-12-31

Expected output: Action accepted. Message is deleted

**3.2.3.20. Delete goods nomenclature:  
inb\_delete.goodsnomenclature\_02.xml**

**Test case ID:** **inb\_delete.goodsnomenclature\_02.xml**

**Purpose:** in the first transaction, delete of 2 indents, a group membership, a footnote association and a description period of a goods nomenclature.

in the second transaction, delete of an origin, a successor, an indent, a description period of the same goods nomenclature.

The delete of the goods nomenclature itself is also done in this transaction..

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 :**  
**message id=<<1>>:**delete goods nomenclature indent  
goods.nomenclature.id:0150000000  
productline.suffix:80  
start.date:1971-12-30  
indent  
start.date:2005-02-04

**message id=<<2>>:**delete goods nomenclature indent  
goods.nomenclature.id:0150000000  
productline.suffix:80  
start.date:1971-12-30  
indent  
start.date:2003-02-04

**message id=<<3>>:** delete goods nomenclature membership  
goods.nomenclature.id:0150000000  
productline.suffix:80  
start.date:1971-12-30  
nomenclature.group.ref:  
nomenclature.group.type.id:T  
nomenclature.group.id:163000  
start.date:2001-01-03  
end.date:2007-08-13

**message id=<<4>>:**delete goods nomenclature footnote association  
goods.nomenclature.id:0150000000  
productline.suffix:80  
start.date:1971-12-30  
footnote.type.id:NC  
footnote.id:018  
start.date:2001-01-01

end.date:2003-01-01

**message id=«5»:**delete goods nomenclature description period  
 goods.nomenclature.id:0150000000  
 productline.suffix:80  
 start.date:1971-12-30  
 logical.key:  
 start.date:2000-02-29

**Transaction 1 :**

**message id=«1»:**delete goods nomenclature origin  
 goods.nomenclature.id:0150000000  
 productline.suffix:80  
 start.date:1971-12-30

**message id=«2»:**delete goods nomenclature successor  
 goods.nomenclature.id:0150000000  
 productline.suffix:80  
 start.date:1971-12-30  
 logical.key  
 goods.nomenclature.id:0200000000  
 productline.suffix:80  
 start.date:1971-12-31

**message id=«3»:**delete goods nomenclature indent  
 goods.nomenclature.id:0150000000  
 productline.suffix:80  
 start.date:1971-12-30  
 indent  
 start.date:1970-12-30

**message id=«4»:**delete goods nomenclature description period  
 goods.nomenclature.id:0150000000  
 productline.suffix:80  
 start.date:1971-12-30  
 logical.key:  
 start.date:1971-12-30

**message id=«5»:**delete goods nomenclature  
 goods.nomenclature.id:0150000000  
 productline.suffix:80  
 start.date:1971-12-30

**Expected output:** Action accepted. Message is deleted

**3.2.3.21. Delete goods nomenclature:  
 inb\_delete.goodsnomenclature\_03.xml**

**Test case ID:** **inb\_delete.goodsnomenclature\_03.xml**

**Purpose:** delete of the only one description period in a separate transaction that the delete of the goods nomenclature and associated indent

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:**

**Transaction 1 :**

**message id=«1»:** delete goods nomenclature membership  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 nomenclature.group.type.id:B  
 nomenclature.group.id:000002  
 start.date:2010-01-01

**message id=«2»:** delete goods nomenclature footnote association  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 footnote.type.id:NC  
 footnote.id:018  
 start.date:2002-01-01  
 end.date:2030-01-01

**message id=«3»:** delete goods nomenclature description period  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 start.date:1970-12-31

**Transaction 2 :**

**message id=«1»:** delete goods nomenclature indent  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 logical.key  
 start.date:1970-12-31  
 indent.number:0

**message id=«2»:** delete goods nomenclature  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31

**Expected output:** Action refused. Appropriate errors are displayed in the output message.

### 3.2.3.22. Delete measure: inb\_delete.measure\_01.xml

**Test case ID:** inb\_delete.measure\_01.xml

**Purpose:** delete of a measure

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>:**delete measure  
 measure.type.id:779  
 geographical.area.id:2080  
 start.date:2007-08-12  
 logical.key:  
 goods.nomenclature.id:0200000000  
 productline.suffix:80  
 start.date:1971-12-31

**Expected output:** Action accepted. Message is deleted.

### 3.2.3.23. Delete measure: inb\_delete.measure\_02.xml

**Test case ID:** inb\_delete.measure\_02.xml

**Purpose:** delete of a measure.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>:**delete measure measure.type.id:778  
 geographical.area.id:2080  
 start.date:2007-12-07  
 goods.nomenclature.id:0200000000  
 productline.suffix:80  
 start.date:1971-12-31

**Expected output:** Action accepted. Message is deleted.

### 3.2.3.24. Delete measure: inb\_delete.measure\_03.xml

**Test case ID:** inb\_delete.measure\_03.xml

**Purpose:** first transaction: delete of a measure component

second transaction: delete of the measure PTS on the same measure

third transaction: insert of a geographical area and a measure condition for the same measure

fourth transaction: insert of a condition component for the same measure

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>:**delete measure component

measure.type.id:777  
 geographical.area.id:2080  
 start.date:1985-03-01  
 logical.key  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 start.date:2007-12-06  
 duty.expression.id:20

**Transaction 2 :**

**message id=<<1>>**:delete measure partial temporary stop  
 measure.type.id:777  
 geographical.area.id:2080  
 start.date:1985-03-01  
 logical.key  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 start.date:2007-12-06  
 measure.pts.ref  
 start.date:2007-12-06

**Transaction 3 :**

**message id=<<2>>**:insert measure excluded geographical area  
 measure.type.id:777  
 geographical.area.id:2080  
 start.date:1985-03-01  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 goods.nomenclature.ref  
 geographical.area.ref  
 start.date:2007-12-06  
 geographical.area.id:GC  
 start.date:2001-01-01

**message id=<<3>>**: insert.measure.condition  
 measure.type.id:777  
 geographical.area.id:2080  
 start.date:1985-03-01  
 goods.nomenclature.ref  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 start.date:2007-12-06  
 measure.condition.code  
 condition.code:01  
 sequence.number:1  
 certificate.ref  
 certificate.type.code:A

certificate.code:CE1  
 measurement.unit.ref  
 measurement.unit.code:ASV  
 monetary.unit.ref  
 monetary.unit.code:EUR  
 measure.action.code.ref  
 action.code:001

**Transaction 4 :**

**message id=«1»:**insert measure condition component  
 measure.type.id:777  
 geographical.area.id:2080  
 start.date:1985-03-01  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31  
 goods.nomenclature.ref  
 start.date:2007-12-06  
 measure.condition.ref  
 condition.code:01  
 sequence.number:1  
 measure.component.ref  
 duty.expression.id:20  
 measurement.unit.code:ASV  
 measurement.unit.qualifier.code:X  
 monetary.unit.code:EUR  
 duty.amount:1

**Expected output:** Action accepted. Message is deleted.

**3.2.3.25. Delete measure: inb\_delete.measure\_04.xml**

**Test case ID:** inb\_delete.measure\_04.xml

**Purpose:** first transaction: delete of an excluded area of a measure

second transaction: delete of a condition component of the same measure

third transaction: delete of a condition of the same measure

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 :**

**message id=«1»:**delete measure excluded geographical area  
 measure.type.id:777  
 geographical.area.id:2080  
 start.date:1985-03-01  
 goods.nomenclature.id:0100000000  
 productline.suffix:80  
 start.date:1970-12-31

start.date:2007-12-06  
geographical.area.id:GC

**Transaction 2 :**

**message id=<<1>>:**delete measure condition component  
measure.type.id:777  
geographical.area.id:2080  
start.date:1985-03-01  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date:1970-12-31  
start.date:2007-12-06  
condition.code:01  
sequence.number:1  
duty.expression.id:20

**Transaction 3 :**

**message id=<<1>>:**delete measure condition  
measure.type.id:777  
geographical.area.id:2080  
start.date:1985-03-01  
goods.nomenclature.id:0100000000  
productline.suffix:80  
start.date:1970-12-31  
start.date:2007-12-06  
condition.code:01  
sequence.number:1

**Expected output:** Action accepted. Message is deleted.

**3.2.3.26. Delete measure: inb\_delete.measure\_05.xml**

**Test case ID:** inb\_delete.measure\_05.xml

**Purpose:** delete of a footnote association of a measure

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**

**message id=<<1>>:**delete measure footnote association  
measure.type.id:670  
geographical.area.id:2080  
start.date:1985-03-01  
goods.nomenclature.id:0200000000  
productline.suffix:80  
start.date:1971-12-31  
start.date:2008-01-01  
footnote.type.id:CD  
footnote.id:271

**Expected output:** Action accepted. Message is deleted.

**3.2.3.27. Delete modification regulation:  
inb\_delete.modificationregulation\_01.xml**

**Test case ID:** inb\_delete.modificationregulation\_01.xml

**Purpose:** delete of a modification regulation

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :**  
**message id=«1»:**delete modification regulation  
 regulation.id:D0300840  
 regulation.role.type:4

**Expected output:** Action accepted. Message is deleted.

### 3.2.4. Message Query

The test cases defined in this section cover the test scenario **INPUT\_BRIDGE\_PROCESSING** defined in [\[TARIC3-FTS\]](#).

**3.2.4.1. Query insert additional code:  
inb\_insert.additionalcode\_01.query.xml**

**Test case ID:** inb\_insert.additionalcode\_01.query.xml  
 inb\_insert.additionalcode\_02.query.xml  
 inb\_insert.additionalcode\_03.query.xml  
 inb\_insert.additionalcode\_04.query.xml  
 inb\_insert.additionalcode\_05.query.xml

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :** query additional code

**Expected output:** The datas are present in the response.

**3.2.4.2. Query insert base regulation:  
inb\_insert.baseregulation\_01.query.xml**

**Test case ID:** inb\_insert.baseregulation\_01.query.xml  
 inb\_insert.baseregulation\_02.query.xml

<b>Purpose:</b>	Query following messages that have sequence number older or equal to current sequence number.
<b>Precondition:</b>	<b>Section 2.6 should have been totally successfully processed.</b>
<b>Content:</b>	<b>Transaction 1 :</b> query base regulation
<b>Expected output:</b>	The datas are present in the response

**3.2.4.3. Query insert certificate:****inb\_insert.certificate\_01.query.xml**

<b>Test case ID:</b>	<b>inb_insert.certificate_01.query.xml</b> <b>inb_insert.certificate_02.query.xml</b>
<b>Purpose:</b>	Query following messages that have sequence number older or equal to current sequence number.
<b>Precondition:</b>	<b>Section 2.6 should have been totally successfully processed.</b>
<b>Content:</b>	<b>Transaction 1 :</b> query certificate
<b>Expected output:</b>	The datas are present in the response

**3.2.4.4. Query insert ern: inb\_insert.ern\_01.query.xml**

<b>Test case ID:</b>	<b>inb_insert.ern_01.query.xml</b> <b>inb_insert.ern_02.query.xml</b>
<b>Purpose:</b>	Query following messages that have sequence number older or equal to current sequence number.
<b>Precondition:</b>	<b>Section 2.6 should have been totally successfully processed.</b>
<b>Content:</b>	<b>Transaction 1 :</b> query export refund nomenclature
<b>Expected output:</b>	The datas are present in the response

**3.2.4.5. Query insert footnote: inb\_insert.footnote\_01.query.xml**

<b>Test case ID:</b>	<b>inb_insert.footnote_01.query.xml</b>
<b>Purpose:</b>	Query following messages that have sequence number older or equal to current sequence number.
<b>Precondition:</b>	<b>Section 2.6 should have been totally successfully processed.</b>

Content: **Transaction 1 : query footnote**

Expected output: The datas are present in the response

#### 3.2.4.6. Query insert geographical area: inb\_insert.geographicalarea\_01.query.xml

Test case ID: inb\_insert.geographicalarea\_01.query.xml  
 inb\_insert.geographicalarea\_02.query.xml  
 inb\_insert.geographicalarea\_03.query.xml  
 inb\_insert.geographicalarea\_04.query.xml  
 inb\_insert.geographicalarea\_06.query.xml

Purpose: Query following messages that have sequence number older or equal to current sequence number.

Precondition: Section 2.6 should have been totally successfully processed.

Content: **Transaction 1 : query country**

Expected output: The datas are present in the response

#### 3.2.4.7. Query insert geographical area: inb\_insert.geographicalarea\_05.query.xml

Test case ID: inb\_insert.geographicalarea\_05.query.xml

Purpose: Query following messages that have sequence number older or equal to current sequence number.

Precondition: Section 2.6 should have been totally successfully processed.

Content: **Transaction 1 : query country group**

Expected output: The datas are present in the response

#### 3.2.4.8. Query insert goods nomenclature: inb\_insert.goodsnomenclature\_01.query.xml

Test case ID: inb\_insert.goodsnomenclature\_01.query.xml  
 inb\_insert.goodsnomenclature\_02.query.xml  
 inb\_insert.goodsnomenclature\_03.query.xml  
 inb\_insert.goodsnomenclature\_04.query.xml  
 inb\_insert.goodsnomenclature\_05.query.xml  
 inb\_insert.goodsnomenclature\_06.query.xml

**inb\_insert.goodsnomenclature\_07.query.xml**

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 :** query goods nomenclature

**Expected output:** The datas are present in the response

**3.2.4.9. Query insert legal regulation:****inb\_insert.legalregulation\_01.query.xml**

**Test case ID:** **inb\_insert.legalregulation\_01.query.xml**

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 :** query legal regulation

**Expected output:** The datas are present in the response

**3.2.4.10. Query insert measure:****inb\_insert\_measure\_01.query.xml**

**Test case ID:** **inb\_insert.measure\_01.query.xml**  
**inb\_insert.measure\_02.query.xml**  
**inb\_insert.measure\_03.query.xml**  
**inb\_insert.measure\_04.query.xml**  
**inb\_insert.measure\_05.query.xml**  
**inb\_insert.measure\_06.query.xml**

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 :** query measure

**Expected output:** The datas are present in the response

**3.2.4.11. Query insert modification regulation:  
inb\_insert.modificationregulation\_01.query.xml**

**Test case ID:** **inb\_insert.modificationregulation\_01.query.xml**

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 : query measure**

**Expected output:** The datas are present in the response

**3.2.4.12. Query update additional code:  
inb\_update.additionalcode\_01.query.xml**

**Test case ID:** **inb\_update.additionalcode\_01.query.xml**  
**inb\_update.additionalcode\_02.query.xml**  
**inb\_update.additionalcode\_03.query.xml**  
**inb\_update.additionalcode\_04.query.xml**  
**inb\_update.additionalcode\_05.query.xml**  
**inb\_update.additionalcode\_06.query.xml**  
**inb\_update.additionalcode\_07.query.xml**

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 : query additional code**

**Expected output:** The datas are present in the response

**3.2.4.13. Query update base regulation:  
inb\_update.baseregulation\_01.query.xml**

**Test case ID:** **inb\_update.baseregulation\_01.query.xml**

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 : query base regulation**

**Expected output:** The datas are present in the response

**output:****3.2.4.14. Query update certificate:  
inb\_update.certificate\_01.query.xml**

- Test case ID:** inb\_update.certificate\_01.query.xml  
 inb\_update.certificate\_02.query.xml  
 inb\_update.certificate\_03.query.xml  
 inb\_update.certificate\_04.query.xml
- Purpose:** Query following messages that have sequence number older or equal to current sequence number.
- Precondition:** Section 2.6 should have been totally successfully processed.
- Content:** Transaction 1 : query certificate
- Expected output:** The datas are present in the response

**3.2.4.15. Query update ern:  
inb\_update.ern\_01.query.xml**

- Test case ID:** inb\_update.ern\_01.query.xml  
 inb\_update.ern\_02.query.xml  
 inb\_update.ern\_03.query.xml  
 inb\_update.ern\_04.query.xml
- Purpose:** Query following messages that have sequence number older or equal to current sequence number.
- Precondition:** Section 2.6 should have been totally successfully processed.
- Content:** Transaction 1 : query export refund nomenclature
- Expected output:** The datas are present in the response

**3.2.4.16. Query update footnote:  
inb\_update.footnote\_01.query.xml**

- Test case ID:** inb\_update.footnote\_01.query.xml
- Purpose:** Query following messages that have sequence number older or equal to current sequence number.
- Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :** query footnote

**Expected output:** The datas are present in the response

**3.2.4.17. Query update geographical area:  
inb\_update.geographicalarea\_01.query.xml**

**Test case ID:** inb\_update.geographicalarea\_01.query.xml  
inb\_update.geographicalarea\_02.query.xml  
inb\_update.geographicalarea\_04.query.xml

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :** query country

**Expected output:** The datas are present in the response

**3.2.4.18. Query update geographical area:  
inb\_update.geographicalarea\_03.query.xml**

**Test case ID:** inb\_update.geographicalarea\_03.query.xml

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1 :** query country group

**Expected output:** The datas are present in the response

**3.2.4.19. Query update goods nomenclature:  
inb\_update.goodsnomenclature\_01.query.xml**

**Test case ID:** inb\_update.goodsnomenclature\_01.query.xml  
inb\_update.goodsnomenclature\_02.query.xml  
inb\_update.goodsnomenclature\_03.query.xml

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1** : query goods nomenclature

**Expected output:** The datas are present in the response

**3.2.4.20. Query update legal regulation:  
inb\_update.legalregulation\_01.query.xml**

**Test case ID:** inb\_update.legalregulation\_01.query.xml

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1** : query legal regulation

**Expected output:** The datas are present in the response

**3.2.4.21. Query update measure:  
inb\_update.measure\_01.query.xml**

**Test case ID:** inb\_update.measure\_01.query.xml  
inb\_update.measure\_02.query.xml  
inb\_update.measure\_03.query.xml

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1** : query measure

**Expected output:** The datas are present in the response

**3.2.4.22. Query delete additional code:  
inb\_delete.additionalcode\_01.query.xml**

**Test case ID:** inb\_delete.additionalcode\_01.query.xml  
inb\_delete.additionalcode\_02.query.xml  
inb\_delete.additionalcode\_03.query.xml

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** Section 2.6 should have been totally successfully processed.

**Content:** **Transaction 1** : query additional code

**Expected output:** The datas are present in the response

**3.2.4.23. Query delete base regulation:  
inb\_delete.baseregulation\_01.query.xml**

**Test case ID:** **inb\_delete.baseregulation\_01.query.xml**

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 : query base regulation**

**Expected output:** The datas are present in the response

**3.2.4.24. Query delete certificate:  
inb\_delete.certificate\_01.query.xml**

**Test case ID:** **inb\_delete.certificate\_01.query.xml**  
**inb\_delete.certificate\_02.query.xml**

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 : query certificate**

**Expected output:** The datas are present in the response

**3.2.4.25. Query delete ern:  
inb\_delete..ern\_01.query.xml**

**Test case ID:** **inb\_delete.ern\_01.query.xml**  
**inb\_delete.ern\_02.query.xml**  
**inb\_delete.ern\_03.query.xml**

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 : query export refund nomenclature**

**Expected output:** The datas are present in the response

**output:**

**3.2.4.26.      Query delete footnote:  
inb\_delete.footnote\_01.query.xml**

**Test case ID:**    **inb\_delete.footnote\_01.query.xml**

**Purpose:**            Query following messages that have sequence number older or equal to current sequence number.

**Precondition:**    **Section 2.6 should have been totally successfully processed.**

**Content:**            **Transaction 1 : query footnote**

**Expected output:**    The datas are present in the response

**3.2.4.27.      Query delete geographical area:  
inb\_delete.geographicalarea\_01.query.xml**

**Test case ID:**    **inb\_delete.geographicalarea\_01.query.xml**  
**inb\_delete.geographicalarea\_02.query.xml**  
**inb\_delete.geographicalarea\_03.query.xml**  
**inb\_delete.geographicalarea\_04.query.xml**

**Purpose:**            Query following messages that have sequence number older or equal to current sequence number.

**Precondition:**    **Section 2.6 should have been totally successfully processed.**

**Content:**            **Transaction 1 : query country**

**Expected output:**    The datas are present in the response

**3.2.4.28.      Query delete geographical area:  
inb\_delete.geographicalarea\_05.query.xml**

**Test case ID:**    **inb\_delete.geographicalarea\_05.query.xml**

**Purpose:**            Query following messages that have sequence number older or equal to current sequence number.

**Precondition:**    **Section 2.6 should have been totally successfully processed.**

**Content:**            **Transaction 1 : query country group**

**Expected output:**    The datas are present in the response

**output:****3.2.4.29. Query delete goods nomenclature:  
inb\_delete.goodsnomenclature\_01.query.xml****Test case ID:** inb\_delete.goodsnomenclature\_01.query.xml**Purpose:** Query following messages that have sequence number older or equal to current sequence number.**Precondition:** Section 2.6 should have been totally successfully processed.**Content:** Transaction 1 : query goods nomenclature**Expected output:** The datas are present in the response**3.2.4.30. Query delete legal regulation:  
inb\_delete.legalregulation\_01.query.xml****Test case ID:** inb\_delete.legalregulation\_01.query.xml**Purpose:** Query following messages that have sequence number older or equal to current sequence number.**Precondition:** Section 2.6 should have been totally successfully processed.**Content:** Transaction 1 : query legal regulation**Expected output:** The datas are present in the response**3.2.4.31. Query delete measure:  
inb\_delete.measure\_01.query.xml****Test case ID:** inb\_delete.measure\_01.query.xml**Purpose:** Query following messages that have sequence number older or equal to current sequence number.**Precondition:** Section 2.6 should have been totally successfully processed.**Content:** Transaction 1 : query measure**Expected output:** The datas are present in the response

**3.2.4.32. Query delete modification regulation:  
inb\_delete.modificationregulation\_01.query.xml**

**Test case ID:** **inb\_delete.modificationregulation\_01.query.xml**

**Purpose:** Query following messages that have sequence number older or equal to current sequence number.

**Precondition:** **Section 2.6 should have been totally successfully processed.**

**Content:** **Transaction 1 : query measure**

**Expected output:** The datas are present in the response

### 3.3. Message NOK

In this section test case will verify “validation” rules concerning Message Exchange Management part of INB.

#### 3.3.1. inb\_nok.delete\_issuer\_nok.xml

<b><u>Message:</u></b>	<b>inb_nok.delete_issuer_nok.xml</b>
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.delete issuer nok.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Delete the configuration management with issuer id = <i>[U1]</i> .</li> <li><input type="checkbox"/> Message 2: Delete the configuration management with issuer id = <i>[U2]</i> .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1, on ns4:configuration.management.ref : OK.</li> <li><input type="checkbox"/> Message 2, on ns4:configuration.management.ref : OK.</li> </ul>

## 3.3.2. inb\_nok.init\_issuer\_nok.xml

<u>Message:</u>	inb_nok.init_issuer_nok.xml																				
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.init issuer nok.xml” folder should be successfully processed by the system.																				
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert a stable configuration management with           <table border="0"> <tr> <td>issuer id = [U1]</td> <td>,</td> </tr> <tr> <td>issuer name = Lambda compagny</td> <td>,</td> </tr> <tr> <td>directory = LC</td> <td>,</td> </tr> <tr> <td>control indicator = 0</td> <td>,</td> </tr> <tr> <td>response flag = 1 .</td> <td></td> </tr> </table> </li> <li><input type="checkbox"/> Message 2: Insert a stable configuration management with           <table border="0"> <tr> <td>issuer id = [U2]</td> <td>,</td> </tr> <tr> <td>issuer name = Charly compagny</td> <td>,</td> </tr> <tr> <td>directory = CC</td> <td>,</td> </tr> <tr> <td>control indicator = 1</td> <td>,</td> </tr> <tr> <td>response flag = 0 .</td> <td></td> </tr> </table> </li> </ul>	issuer id = [U1]	,	issuer name = Lambda compagny	,	directory = LC	,	control indicator = 0	,	response flag = 1 .		issuer id = [U2]	,	issuer name = Charly compagny	,	directory = CC	,	control indicator = 1	,	response flag = 0 .	
issuer id = [U1]	,																				
issuer name = Lambda compagny	,																				
directory = LC	,																				
control indicator = 0	,																				
response flag = 1 .																					
issuer id = [U2]	,																				
issuer name = Charly compagny	,																				
directory = CC	,																				
control indicator = 1	,																				
response flag = 0 .																					
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1, on ns4:configuration.management.ref : OK.</li> <li><input type="checkbox"/> Message 2, on ns4:configuration.management.ref : OK.</li> </ul>																				

## 3.3.3. inb\_nok.Init\_Measure\_nok.xml

<u>Message:</u>	inb_nok.Init_Measure_nok.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.Init Measure nok.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p>

	<input type="checkbox"/> Message 1: Insert an unstable measure with measure type id = 278 , geographical area id = BE , start date = 1900-01-01 , goods nomenclature id = 0120000000 , productline suffix = 80 , start date = 1971-12-30 , order number = 080641 , start date = 1997-02-01 , measure sid = 278 , end date = 1997-03-01 , regulation id = I9700320 , regulation role type = 1 , regulation id = R9700210 , regulation role type = 1 .
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <p><input type="checkbox"/> Message 1, on measure : OK.</p>

### 3.3.4. inb\_nok.measure\_nok.xml

<b><u>Message:</u></b>	inb_nok.measure_nok.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.measure nok.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <p><input type="checkbox"/> Message 1: Update the stable measure with  measure type id = 278 ,  geographical area id = BE ,  goods nomenclature id = 0120000000 ,  productline suffix = 80 ,  order number = 080641 ,  start date = 1997-02-01 ,  measure sid = 278 ,  end date = 1997-03-01 ,  effective end date = 1997-10-31 ,  regulation id = I9700320 ,  regulation role type = 1 ,</p>

	regulation id = R9700210 , regulation role type = I .
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1, on measure.ref : OK.</li> </ul>

## inb\_nok.PR-INB-CM-1.xml

<u>Message:</u>	inb_nok.PR-INB-CM-1.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.PR-INB-CM-1.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the measure with measure type id = 278 , geographical area id = BE , goods nomenclature id = 0120000000 , productline suffix = 80 , order number = 080641 , start date = 1997-02-02 , regulation id = I9700320 , regulation role type = I , regulation id = R9700210 , regulation role type = I .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : An error occurred while translating from fine-grained to coarse-grained: Failed retrieving CDCO object, data does not exist in TARIC3.</li> </ul>

## 3.3.5. inb\_nok.PR-INB-CM-1.query.xml

<u>Message:</u>	inb_nok.PR-INB-CM-1.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.PR-INB-CM-1.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Start date</i> , sort type = A .</li> </ul>
<u>Expected output:</u>	The message is composed of transactions that reply to the original transactions:

	<u>Reply to transaction 1:</u>  <input type="checkbox"/> Message 1 : OK.
--	--

## 3.3.6. inb\_nok.PR-INB-CM-1\_2.xml

<u>Message:</u>	inb_nok.PR-INB-CM-1_2.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.PR-INB-CM-1 2.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the measure with measure type id = 278 , geographical area id = BE , goods nomenclature id = 0120000000 , productline suffix = 80 , order number = 080641 , start date = 1997-02-01 , regulation id = I9700320 , regulation role type = 1 , regulation id = R9700210 , regulation role type = 1 , end date = 1997-03-02 .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.3.7. inb\_nok.PR-INB-CM-1\_2.query.xml

<u>Message:</u>	inb_nok.PR-INB-CM-1_2.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.PR-INB-CM-1 2.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	The message is composed of the following transactions:

	<p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Start date</i> , sort type = A .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.3.8. inb\_nok.SEC-RQ-DATA.xml

<u>Message:</u>	inb_nok.SEC-RQ-DATA.xml
-----------------	-------------------------

<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.SEC-RQ-DATA.xml” folder should be successfully processed by the system.  This message is launched by user3 as defined in section 2.5.1																							
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Insert measure with           <table border="0"> <tr><td>measure type id = 000001 ,</td></tr> <tr><td>geographical area id = XD ,</td></tr> <tr><td>start date = 2001-01-01 ,</td></tr> <tr><td>goods nomenclature id = 0800000000 ,</td></tr> <tr><td>productline suffix = 80 ,</td></tr> <tr><td>start date = 2001-01-01 ,</td></tr> <tr><td>order number = 060235 ,</td></tr> <tr><td>start date = 2001-01-01 ,</td></tr> <tr><td>end date = 2009-01-01 ,</td></tr> <tr><td>regulation id = R9900000 ,</td></tr> <tr><td>regulation role type = 1 ,</td></tr> <tr><td>regulation id = R9900020 ,</td></tr> <tr><td>regulation role type = 1 .</td></tr> </table> </li> </ul> <p><u>Transaction 2:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Update the base regulation with           <table border="0"> <tr><td>regulation id = R9801510 ,</td></tr> <tr><td>regulation role type = 1 ,</td></tr> <tr><td>start date = 1997-02-01 ,</td></tr> <tr><td>end date = 2020-01-02 ,</td></tr> <tr><td>community code = 1 ,</td></tr> <tr><td>regulation group id = PRF ,</td></tr> <tr><td>approved flag = 1 .</td></tr> </table> </li> </ul> <p><u>Transaction 3:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Delete the goods nomenclature with           <table border="0"> <tr><td>goods nomenclature id = 7500000000 ,</td></tr> <tr><td>productline suffix = 80 ,</td></tr> <tr><td>start date = 2001-01-01 .</td></tr> </table> </li> </ul>	measure type id = 000001 ,	geographical area id = XD ,	start date = 2001-01-01 ,	goods nomenclature id = 0800000000 ,	productline suffix = 80 ,	start date = 2001-01-01 ,	order number = 060235 ,	start date = 2001-01-01 ,	end date = 2009-01-01 ,	regulation id = R9900000 ,	regulation role type = 1 ,	regulation id = R9900020 ,	regulation role type = 1 .	regulation id = R9801510 ,	regulation role type = 1 ,	start date = 1997-02-01 ,	end date = 2020-01-02 ,	community code = 1 ,	regulation group id = PRF ,	approved flag = 1 .	goods nomenclature id = 7500000000 ,	productline suffix = 80 ,	start date = 2001-01-01 .
measure type id = 000001 ,																								
geographical area id = XD ,																								
start date = 2001-01-01 ,																								
goods nomenclature id = 0800000000 ,																								
productline suffix = 80 ,																								
start date = 2001-01-01 ,																								
order number = 060235 ,																								
start date = 2001-01-01 ,																								
end date = 2009-01-01 ,																								
regulation id = R9900000 ,																								
regulation role type = 1 ,																								
regulation id = R9900020 ,																								
regulation role type = 1 .																								
regulation id = R9801510 ,																								
regulation role type = 1 ,																								
start date = 1997-02-01 ,																								
end date = 2020-01-02 ,																								
community code = 1 ,																								
regulation group id = PRF ,																								
approved flag = 1 .																								
goods nomenclature id = 7500000000 ,																								
productline suffix = 80 ,																								
start date = 2001-01-01 .																								
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1 : GEN-AUTHORISATION-ERROR: The user is not authorised to perform the insert operation.</li> </ul>																							

	<p><u>Reply to transaction 2:</u></p> <ul style="list-style-type: none"> <li>□ Message 1 : GEN-AUTHORISATION-ERROR: The user is not authorised to perform the update operation.</li> </ul> <p><u>Reply to transaction 3:</u></p> <ul style="list-style-type: none"> <li>□ Message 1 : GEN-AUTHORISATION-ERROR: The user is not authorised to perform the delete operation.</li> </ul>
--	---

### 3.3.9. inb\_nok.SEC-RQ-DATA.query.xml

<u>Message:</u>	inb_nok.SEC-RQ-DATA.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.SEC-RQ-DATA.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = <i>&gt;=</i> , constant = <i>0</i> , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = <i>A</i> , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = <i>A</i> , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = <i>A</i> , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = <i>A</i> , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = <i>A</i> , query space field = <i>MEASURE.MEASURE</i></li> </ul>

	<pre> REF.LOGICAL      KEY.Order      number      , sort      type      =      A      , query     space     field      =      MEASURE.MEASURE REF.LOGICAL      KEY.Reduction   indicator   , sort      type      =      A      , query     space     field      =      MEASURE.MEASURE REF.LOGICAL      KEY.Start       date       , sort type = A . </pre>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.3.10. inb\_nok.SEC-RQ-DATA\_2.query.xml

<u>Message:</u>	inb_nok.SEC-RQ-DATA_2.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.SEC-RQ-DATA 2.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the base regulation with query space field = <i>ROLE REGULATION.ROLE REGULATION REF.LEGAL REGULATION REF.Regulation id</i>, sort type = <i>A</i> .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.3.11. inb\_nok.SEC-RQ-DATA\_3.query.xml

<u>Message:</u>	inb_nok.SEC-RQ-DATA_3.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message

	of the “inb nok.SEC-RQ-DATA 3.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the goods nomenclature with query space field = GOODS NOMENCLATURE.Stability flag , operator = &gt;= , constant = 0 , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE</li> <li><input type="checkbox"/> REF.LOGICAL KEY.Goods nomenclature id , sort type = A , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE</li> <li><input type="checkbox"/> REF.LOGICAL KEY.Productline suffix , sort type = A , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE</li> <li><input type="checkbox"/> REF.LOGICAL KEY.Start date , sort type = A .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

**inb\_nok.TARIC-INB-SPEC-02.xml**

<b><u>Message:</u></b>	inb_nok.TARIC-INB-SPEC-02.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-02.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert measure with measure type id = 000001 , geographical area id = XD , start date = 2001-01-01 ,</li> </ul>

	<pre> goods nomenclature id   = 0800000000 , productline      suffix    = 80 , start date      = 2001-01-01 , order number     = 080618 , start date      = 2001-01-01 , end date        = 2009-01-01 , regulation id    = R9900000 , regulation role   type    = 1 , regulation id    = R9900020 , regulation role type = 1 . </pre>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : The sender is not allowed to use the input-bridge (Control-Indicator = No).</li> </ul>

### 3.3.12. inb\_nok.TARIC-INB-SPEC-02.query.xml

<b><u>Message:</u></b>	inb_nok.TARIC-INB-SPEC-02.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-02.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i></li> </ul>

	<pre>         ,          sort      type      =      A      ,         query    space   field   =  MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code      id      ,         sort      type      =      A      ,         query    space   field   =  MEASURE.MEASURE REF.LOGICAL      KEY.Order      number      ,         sort      type      =      A      ,         query    space   field   =  MEASURE.MEASURE REF.LOGICAL      KEY.Reduction      indicator      ,         sort      type      =      A      ,         query    space   field   =  MEASURE.MEASURE REF.LOGICAL      KEY.Start      date      ,         sort type = A . </pre>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

**inb\_nok.TARIC-INB-SPEC-03.xml**

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-03.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb_nok.TARIC-INB-SPEC-03.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert measure with           <pre>           measure type id = 000001 ,           geographical area id = XD ,           start date = 2001-01-01 ,           goods nomenclature id = 0800000000 ,           productline suffix = 80 ,           start date = 2001-01-01 ,           order number = 080619 ,           start date = 2001-01-01           end date = 2009-01-01           regulation id = R9900000           , </pre> </li> </ul>

	regulation role type = 1 , regulation id = R9900020 , regulation role type = 1 .
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.3.13. inb\_nok.TARIC-INB-SPEC-03.query.xml

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-03.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-03.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the measure with query space field = MEASURE.Stability flag , operator = &gt;= , constant = 0 , query space field = MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id , sort type = A ,</li> </ul>

	<pre> query space field = MEASURE.MEASURE REF.LOGICAL      KEY.Order      number      , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL      KEY.Reduction   indicator   , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL      KEY.Start       date       , sort type = A . </pre>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.3.14. inb\_nok.TARIC-INB-SPEC-03\_2.xml

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-03_2.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-03 2.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert measure with           <pre> measure type id = 000001 , geographical area id = XD , start date = 2001-01-01 , goods nomenclature id = 0800000000 , productline suffix = 80 , start date = 2001-01-01 , order number = 080619 , start date = 2001-01-01 , end date = 2009-01-01 , regulation id = R9900000 , regulation role type = 1 , regulation id = R9900020 , regulation role type = 1 . </pre> </li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : VR-INB-GEN-1: The message (issuerID=0001,</li> </ul>

	envelopeID=inb_nok.TARIC-INB-SPEC-03) is rejected because it has already been handled previously.
--	---

## 3.3.15. inb\_nok.TARIC-INB-SPEC-03\_2.query.xml

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-03_2.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-03 2.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Start date</i> , sort type = A .</li> </ul>

<b><u>Expected output:</u></b>	The message is composed of transactions that reply to the original transactions:  <u>Reply to transaction 1:</u>  <input type="checkbox"/> Message 1 : OK.
--------------------------------	--

## 3.3.16. inb\_nok.TARIC-INB-SPEC-03\_2.query.xml

<b><u>Message:</u></b>	inb_nok.TARIC-INB-SPEC-03_2.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-03 2.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> , sort type = A , query space field = <i>MEASURE.MEASURE</i></li> </ul>

	<i>REF.LOGICAL</i> sort type = A .	<i>KEY.Start</i>	<i>date</i>	,
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>			

## 3.3.17. inb\_nok.TARIC-INB-SPEC-04.xml

<b><u>Message:</u></b>	inb_nok.TARIC-INB-SPEC-04.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-04.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert measure with            measure type id = 000001 ,            geographical area id = XD ,            start date = 2001-01-01 ,            goods nomenclature id = 0800000000 ,            productline suffix = 80 ,            start date = 2001-01-01 ,            order number = 080619 ,            start date = 2001-01-01 ,            end date = 2009-01-01 ,            regulation id = R9900000 ,            regulation role type = 1 ,            regulation id = R9900020 ,            regulation role type = 1 .         </li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : Could not validate document against INB schema for : Error unmarshalling input-bridge message.</li> </ul>

## 3.3.18. inb\_nok.TARIC-INB-SPEC-04.query.xml

<b><u>Message:</u></b>	inb_nok.TARIC-INB-SPEC-04.query.xml
------------------------	-------------------------------------

<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-04.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Start date</i> , sort type = A .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.3.19. inb\_nok.TARIC-INB-SPEC-05.query.xml

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-05.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb_nok.TARIC-INB-SPEC-05.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the goods nomenclature with query space field = GOODS  <math>NOMENCLATURE.Stability</math> flag ,  operator = &gt;= ,  constant = 0 ,  query space field = GOODS  <math>NOMENCLATURE.GOODS</math> <math>NOMENCLATURE</math>  <math>REF.LOGICAL KEY.Goods</math> nomenclature id ,  sort type = A ,  query space field = GOODS  <math>NOMENCLATURE.GOODS</math> <math>NOMENCLATURE</math>  <math>REF.LOGICAL KEY.Productline</math> suffix ,  sort type = A ,  query space field = GOODS  <math>NOMENCLATURE.GOODS</math> <math>NOMENCLATURE</math>  <math>REF.LOGICAL KEY.Start</math> date ,  sort type = A .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1 : OK.</li> </ul>

## 3.3.20. inb\_nok.TARIC-INB-SPEC-06.xml

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-06.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb_nok.TARIC-INB-SPEC-06.xml” folder should be successfully processed by the system.
<u>Content:</u>	The message is composed of the following transactions:

	<p><u>Transaction 1:</u></p> <p>□ Message 1: Insert measure with  measure type id = AAAAAAAAAAAAAAAA ,  geographical area id = 00000000000000000000 ,  start date = YYYY-MM-DD ,  goods nomenclature id =  UUUUUUUUUUUUUU  productline suffix = YYYYYYYYYYYY ,  start date = YYYY-MM-DD ,  order number = FFFFFFFFFFFFFFFFFF ,  start date = YYYY-MM-DD ,  end date = YYYY-MM-DD ,  regulation id = 9999999999999999 ,  regulation role type = AAAAAAAAAAAAAAAA ,  regulation id = 9999999999999999 ,  regulation role type =  AAAAAAAAAAAAAAA .</p>
<u>Expected output:</u>	No file for automatic comparison due to a random id.  The file should be manually checked.

**inb\_nok.TARIC-INB-SPEC-08.xml**

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-08.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb_nok.TARIC-INB-SPEC-08.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <p>□ Message 1: Update the measure with  measure type id = 444 ,  geographical area id = 2087 ,  goods nomenclature id = 0100005000 ,  productline suffix = 80 ,  start date = 1997-02-01 ,  end date = 2010-01-01 ,  regulation id = R9921141 ,  regulation role type = 1 ,  regulation id = R9921141 ,  regulation role type = 1 .</p>

<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : An error occurred while translating from fine-grained to coarse-grained: Failed retrieving CDCO object, data does not exist in TARIC3.</li> </ul>

### 3.3.21. inb\_nok.TARIC-INB-SPEC-08.query.xml

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-08.query.xml
<u>Precondition:</u>	<p>First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb_nok.TARIC-INB-SPEC-08.query.xml” folder should be successfully processed by the system.</p>
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> ,</li> </ul>

	sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.Start date , sort type = A .
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

**inb\_nok.TARIC-INB-SPEC-10.xml**

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-10.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb_nok.TARIC-INB-SPEC-10.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the measure with measure type id = 670 , geographical area id = 2080 , goods nomenclature id = 0200000000 , productline suffix = 80 , start date = 2008-01-01 , end date = 2099-01-01 , regulation id = R0020070 , regulation role type = 1 , regulation id = R0608170 , regulation role type = 1 .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : GEN-VALIDATION-ERROR: XML Schema validation error.</li> <li><input type="checkbox"/> Message 1 : GEN-MANDATORY-FIELD-ERROR: Mandatory field.</li> </ul>

## 3.3.22. inb\_nok.TARIC-INB-SPEC-10.query.xml

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-10.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-10.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Start date</i> , sort type = A .</li> </ul>
<u>Expected output:</u>	The message is composed of transactions that reply to the original transactions:

	<u>Reply to transaction 1:</u>
	<input type="checkbox"/> Message 1 : OK.

## 3.3.23. inb\_nok.TARIC-INB-SPEC-12.xml

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-12.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-12.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the measure with measure type id = 670 , geographical area id = 2080 , goods nomenclature id = 0200000000 , productline suffix = 80 , start date = 2008-01-01 , end date = 2099-01-01 , regulation id = R0020070 , regulation role type = 1 , regulation id = R0608170 , regulation role type = 1 .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : VR-INB-GEN-5: The sender 0043 does not exists.</li> </ul>

## 3.3.24. inb\_nok.TARIC-INB-SPEC-12.query.xml

<u>Message:</u>	inb_nok.TARIC-INB-SPEC-12.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.TARIC-INB-SPEC-12.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the measure with</li> </ul>

	query space field = MEASURE.Stability flag , operator = >= , constant = 0 , query space field = MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.Order number , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator , sort type = A , query space field = MEASURE.MEASURE REF.LOGICAL KEY.Start date , sort type = A .
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <p><input type="checkbox"/> Message 1 : OK.</p>

### 3.3.25. inb\_nok.VR-INB-GEN-1.xml

<u>Message:</u>	inb_nok.VR-INB-GEN-1.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-GEN-1.xml” folder should be successfully

	processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Update the goods nomenclature indent with            goods nomenclature id = 0400000000 ,            productline suffix = 80 ,            start date = 1971-12-31 ,            start date = 1990-12-31 ,            indent number = I .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li>□ Message : An error occurred while translating from fine-grained to coarse-grained: No corresponding data found in CDCO.</li> </ul>

### 3.3.26. inb\_nok.VR-INB-GEN-1.query.xml

<b><u>Message:</u></b>	inb_nok.VR-INB-GEN-1.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb_nok.VR-INB-GEN-1.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the goods nomenclature with            query space field = GOODS  <i>NOMENCLATURE.Stability</i> flag ,            operator = &gt;= ,            constant = 0 ,            query space field = GOODS  <i>NOMENCLATURE.GOODS</i> <i>NOMENCLATURE</i>  <i>REF.LOGICAL KEY.Goods</i> nomenclature id ,            sort type = A ,            query space field = GOODS  <i>NOMENCLATURE.GOODS</i> <i>NOMENCLATURE</i>  <i>REF.LOGICAL KEY.Productline</i> suffix ,            sort type = A ,            query space field = GOODS  <i>NOMENCLATURE.GOODS</i> <i>NOMENCLATURE</i>  <i>REF.LOGICAL KEY.Start</i> date ,            sort type = A .</li> </ul>

<b><u>Expected output:</u></b>	The message is composed of transactions that reply to the original transactions:  <u>Reply to transaction 1:</u>  <input type="checkbox"/> Message 1 : OK.
--------------------------------	--

## 3.3.27. inb\_nok.VR-INB-GEN-1\_2.xml

<b><u>Message:</u></b>	inb_nok.VR-INB-GEN-1_2.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-GEN-1 2.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the goods nomenclature indent with goods nomenclature id = 0400000000 , productline suffix = 80 , start date = 1971-12-31 , start date = 1990-12-31 , indent number = 2 .</li> </ul>
<b><u>Expected output:</u></b>	The message is composed of transactions that reply to the original transactions:  <input type="checkbox"/> Message : VR-INB-GEN-1: The message (issuerID=0001, envelopeID=inb_nok.VR-INB-GEN-1) is rejected because it has already been handled previously.

## 3.3.28. inb\_nok.VR-INB-GEN-2.query.xml

<b><u>Message:</u></b>	inb_nok.VR-INB-GEN-2.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-GEN-2.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the goods nomenclature with</li> </ul>

	query space field = <b><i>GOODS</i></b> <b><i>NOMENCLATURE.Stability</i></b> flag , operator = >= , constant = 0 , query space field = <b><i>GOODS</i></b> <b><i>NOMENCLATURE.GOODS</i></b> <b><i>NOMENCLATURE</i></b> <b><i>REF.LOGICAL KEY.Goods</i></b> nomenclature id , sort type = A , query space field = <b><i>GOODS</i></b> <b><i>NOMENCLATURE.GOODS</i></b> <b><i>NOMENCLATURE</i></b> <b><i>REF.LOGICAL KEY.Productline</i></b> suffix , sort type = A , query space field = <b><i>GOODS</i></b> <b><i>NOMENCLATURE.GOODS</i></b> <b><i>NOMENCLATURE</i></b> <b><i>REF.LOGICAL KEY.Start</i></b> date , sort type = A .
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

### 3.3.29. inb\_nok.VR-INB-GEN-2.xml

<b><u>Message:</u></b>	inb_nok.VR-INB-GEN-2.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-GEN-2.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the goods nomenclature indent with goods nomenclature id = 0400000000 , productline suffix = 80 , start date = 1971-12-31 , start date = 1971-12-31 , indent number = 3 .</li> </ul> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the goods nomenclature indent with</li> </ul>

	<pre> goods nomenclature id   = 0400000001 , productline      suffix   = 80 , start       date     = 1999-01-01 , start       date     = 1999-01-01 , indent number = 4 . </pre>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : VR-INB-GEN-2: Transaction Identifier uniqueness failed for : 1.</li> </ul>

### 3.3.30. inb\_nok.VR-INB-GEN-3.xml

<b><u>Message:</u></b>	inb_nok.VR-INB-GEN-3.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-GEN-3.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the goods nomenclature indent with           <pre> goods nomenclature id   = 0400000000 , productline      suffix   = 80 , start       date     = 1971-12-31 , start       date     = 1971-12-31 , indent number = 10 . </pre> </li> <li><input type="checkbox"/> Message 2: Update the goods nomenclature indent with           <pre> goods nomenclature id   = 0400000001 , productline      suffix   = 80 , start       date     = 1999-01-01 , start       date     = 1999-01-01 , indent number = 11 . </pre> </li> <li><input type="checkbox"/> Message 1: Update the goods nomenclature indent with           <pre> goods nomenclature id   = 0400000001 , productline      suffix   = 80 , start       date     = 1999-01-01 , start       date     = 2002-01-01 , indent number = 12 . </pre> </li> </ul>
<b><u>Expected</u></b>	The message is composed of transactions that reply to the original

<b><u>output:</u></b>	transactions:  □ Message : VR-INB-GEN-3: Application message Identifier uniqueness failed for : 1.
-----------------------	--

## 3.3.31. inb\_nok.VR-INB-GEN-3.query.xml

<b><u>Message:</u></b>	inb_nok.VR-INB-GEN-3.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb_nok.VR-INB-GEN-3.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the goods nomenclature with query space field = <i>GOODS</i>, <i>NOMENCLATURE.Stability</i> flag , operator = &gt;= , constant = 0 , query space field = <i>GOODS</i> <i>NOMENCLATURE.GOODS</i> <i>NOMENCLATURE</i> <i>REF.LOGICAL</i> <i>KEY.Goods</i> nomenclature id , sort type = A , query space field = <i>GOODS</i> <i>NOMENCLATURE.GOODS</i> <i>NOMENCLATURE</i> <i>REF.LOGICAL</i> <i>KEY.Productline</i> suffix , sort type = A , query space field = <i>GOODS</i> <i>NOMENCLATURE.GOODS</i> <i>NOMENCLATURE</i> <i>REF.LOGICAL</i> <i>KEY.Start</i> date , sort type = A .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1 : OK.</li> </ul>

## 3.3.32. inb\_nok.VR-INB-GEN-4.xml

<b><u>Message:</u></b>	inb_nok.VR-INB-GEN-4.xml
------------------------	--------------------------

<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-GEN-4.xml” folder should be successfully processed by the system.																																																		
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Update the stable configuration management with           <table border="0"> <tr><td>issuer</td><td>id</td><td>=</td><td>[U1]</td><td>,</td></tr> <tr><td>issuer</td><td>name</td><td>=</td><td>Lambda compagny</td><td>,</td></tr> <tr><td>directory</td><td>=</td><td>TEST</td><td>VR-INB-GEN-4</td><td>,</td></tr> <tr><td>control</td><td>indicator</td><td>=</td><td>0</td><td>,</td></tr> <tr><td colspan="5">response flag = 1 .</td></tr> </table> </li> <li>□ Message 2: Update the stable configuration management with           <table border="0"> <tr><td>issuer</td><td>id</td><td>=</td><td>[U2]</td><td>,</td></tr> <tr><td>issuer</td><td>name</td><td>=</td><td>Charly compagny</td><td>,</td></tr> <tr><td>directory</td><td>=</td><td>TEST</td><td>VR-INB-GEN-4</td><td>,</td></tr> <tr><td>control</td><td>indicator</td><td>=</td><td>1</td><td>,</td></tr> <tr><td colspan="5">response flag = 0 .</td></tr> </table> </li> </ul>	issuer	id	=	[U1]	,	issuer	name	=	Lambda compagny	,	directory	=	TEST	VR-INB-GEN-4	,	control	indicator	=	0	,	response flag = 1 .					issuer	id	=	[U2]	,	issuer	name	=	Charly compagny	,	directory	=	TEST	VR-INB-GEN-4	,	control	indicator	=	1	,	response flag = 0 .				
issuer	id	=	[U1]	,																																															
issuer	name	=	Lambda compagny	,																																															
directory	=	TEST	VR-INB-GEN-4	,																																															
control	indicator	=	0	,																																															
response flag = 1 .																																																			
issuer	id	=	[U2]	,																																															
issuer	name	=	Charly compagny	,																																															
directory	=	TEST	VR-INB-GEN-4	,																																															
control	indicator	=	1	,																																															
response flag = 0 .																																																			
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1, on ns4:configuration.management.ref : OK.</li> <li>□ Message 2, on directory : VR-INB-GEN-4: The directory must be unique for each issuer.</li> </ul>																																																		

### 3.3.33. inb\_nok.VR-INB-GEN-4.query.xml

<u>Message:</u>	inb_nok.VR-INB-GEN-4.query.xml										
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-GEN-4.query.xml” folder should be successfully processed by the system.										
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the goods nomenclature with           <table border="0"> <tr><td>query space</td><td>field</td><td>=</td><td>GOODS</td><td>,</td></tr> <tr><td colspan="5"><i>NOMENCLATURE.Stability</i> flag</td></tr> </table> </li> </ul>	query space	field	=	GOODS	,	<i>NOMENCLATURE.Stability</i> flag				
query space	field	=	GOODS	,							
<i>NOMENCLATURE.Stability</i> flag											

	operator = >= , constant = 0 , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id , sort type = A , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.LOGICAL KEY.Productline suffix , sort type = A , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.LOGICAL KEY.Start date , sort type = A .
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

**inb\_nok.VR-INB-MEM-1.xml**

<b><u>Message:</u></b>	inb_nok.VR-INB-MEM-1.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-MEM-1.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the measure with measure type id = 670 , geographical area id = 2080 , goods nomenclature id = 0200000000 , productline suffix = 80 , start date = 2008-01-01 , end date = 2099-01-01 , regulation id = R0020070 , regulation role type = 1 , regulation id = R0608170 , regulation role type = 1 .</li> </ul>
<b><u>Expected</u></b>	The message is composed of transactions that reply to the original

<b><u>output:</u></b>	transactions:  □ Message : The Envelope Id has not been assigned, JMS Property : ENVELOPEID may not have been defined correctly. (issuer=0001,envelopeId=null).
-----------------------	---

## 3.3.34. inb\_nok.VR-INB-MEM-1.query.xml

<b><u>Message:</u></b>	inb_nok.VR-INB-MEM-1.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb_nok.VR-INB-MEM-1.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> , sort type = A , query space field = <i>MEASURE.MEASURE</i></li> </ul>

	<i>REF.LOGICAL</i> <i>KEY.Start</i> <i>date</i> , sort type = A .
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.3.35. inb\_nok.VR-INB-MEM-2.xml

<u>Message:</u>	inb_nok.VR-INB-MEM-2.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-MEM-2.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the measure with measure type id = 670 , geographical area id = 2080 , goods nomenclature id = 0200000000 , productline suffix = 80 , start date = 2008-01-01 , end date = 2099-01-01 , regulation id = R0020070 , regulation role type = 1 , regulation id = R0608170 , regulation role type = 1 .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : The sender is an empty string.</li> </ul>

## 3.3.36. inb\_nok.VR-INB-MEM-2.query.xml

<u>Message:</u>	inb_nok.VR-INB-MEM-2.query.xml
-----------------	--------------------------------

<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-MEM-2.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Start date</i> , sort type = A .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.3.37. inb\_nok.VR-INB-MEM-4.xml

<u>Message:</u>	inb_nok.VR-INB-MEM-4.xml					
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-MEM-4.xml” folder should be successfully processed by the system.					
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Update the goods nomenclature indent with           <table border="0"> <tr> <td>goods nomenclature id = 0400000000 ,</td> </tr> <tr> <td>productline suffix = 80 ,</td> </tr> <tr> <td>start date = 1971-12-31 ,</td> </tr> <tr> <td>start date = AAA-12-31 ,</td> </tr> <tr> <td>indent number = 3 .</td> </tr> </table> </li> </ul>	goods nomenclature id = 0400000000 ,	productline suffix = 80 ,	start date = 1971-12-31 ,	start date = AAA-12-31 ,	indent number = 3 .
goods nomenclature id = 0400000000 ,						
productline suffix = 80 ,						
start date = 1971-12-31 ,						
start date = AAA-12-31 ,						
indent number = 3 .						
<u>Expected output:</u>	No file for automatic comparison due to an random id. The file should be manually check.					

## 3.3.38. inb\_nok.VR-INB-MEM-5.xml

<u>Message:</u>	inb_nok.VR-INB-MEM-5.xml					
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb nok.VR-INB-MEM-5.xml” folder should be successfully processed by the system.					
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Update the goods nomenclature indent with           <table border="0"> <tr> <td>goods nomenclature id = 0400000000 ,</td> </tr> <tr> <td>productline suffix = 80 ,</td> </tr> <tr> <td>start date = 1971-12-31 ,</td> </tr> <tr> <td>start date = 1971-12-31 ,</td> </tr> <tr> <td>indent number = -1 .</td> </tr> </table> </li> </ul>	goods nomenclature id = 0400000000 ,	productline suffix = 80 ,	start date = 1971-12-31 ,	start date = 1971-12-31 ,	indent number = -1 .
goods nomenclature id = 0400000000 ,						
productline suffix = 80 ,						
start date = 1971-12-31 ,						
start date = 1971-12-31 ,						
indent number = -1 .						
<u>Expected output:</u>	No file for automatic comparison due to an random id. The file should be manually check.					

### 3.4. Message CDCOKO

In this section test case will verify “validation” rules concerning Message Exchange Management part of INB.

#### 3.4.1. inb\_insert\_kocdco.additionalcode\_01.xml

<u>Message:</u>	inb_insert_kocdco.additionalcode_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.additionalcode 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert additional code with additional code type id = X , additional code id = 444 , start date = 2008-01-01 , end date = 2010-01-01 .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : GEN-MANDATORY-FIELD-ERROR: Mandatory field.</li> </ul>

#### 3.4.2. inb\_insert\_kocdco.additionalcode\_01.query.xml

<u>Message:</u>	inb_insert_kocdco.additionalcode_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.additionalcode 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the additional code with query space field = <i>ADDITIONAL CODE.Stability flag</i> , operator = &gt;= ,</li> </ul>

	<pre> constant      =      0      , query      space      field      =      ADDITIONAL CODE.ADDITIONAL      CODE      REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id , sort      type      =      A      , query      space      field      =      ADDITIONAL CODE.ADDITIONAL CODE REF.LOGICAL KEY.Additional code      id      , sort      type      =      A      , query      space      field      =      ADDITIONAL CODE.ADDITIONAL CODE REF.LOGICAL KEY.Start date , sort type = A . </pre>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <p><input type="checkbox"/> Message 1 : OK.</p>

## 3.4.3. inb\_insert\_kocdco.baseregulation\_01.xml

<b><u>Message:</u></b>	inb_insert_kocdco.baseregulation_01.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.baseregulation 01.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <p><input type="checkbox"/> Message 1: Insert legal regulation with  regulation id = R9900889 ,  published date = 2020-01-02 ,  official journal number = C 111 ,  official journal page = 16 ,  information text = <i>LR - Indi ab manu commercanda  opulentis nundinas mittunt municipium mensis quae consueta  nundinas marique conditum priscorum initium terra annua  flumine sollemnitate manu Anthemusia commercanda annua  Indi plurima magna Anthemusia magna brevi disparatur  prope mittunt marique mittunt Euphrate manu annua magna  annua Indi ubi fortunae fortunae prope spatio annua  municipium annua plurima Seres conditum mercatoribus  magna prope consueta Septembbris flumine ab refertum mensis</i></p>

	<p><i>manu Septembris manu ad pri .</i></p> <p><u>Transaction 2:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert base regulation with           <table border="0"> <tr><td>regulation id</td><td>=</td><td>R9900889</td><td>,</td></tr> <tr><td>regulation role</td><td>=</td><td>3</td><td>,</td></tr> <tr><td>start date</td><td>=</td><td>2020-01-02</td><td>,</td></tr> <tr><td>end date</td><td>=</td><td>2030-01-01</td><td>,</td></tr> <tr><td>community code</td><td>=</td><td>1</td><td>,</td></tr> <tr><td>regulation group id</td><td>=</td><td>DUM</td><td>,</td></tr> </table>           approved flag = 1 .         </li> </ul> <p><u>Transaction 3:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert legal regulation with           <table border="0"> <tr><td>regulation id</td><td>=</td><td>R9900890</td><td>,</td></tr> <tr><td>published date</td><td>=</td><td>2001-01-01</td><td>,</td></tr> <tr><td>official journal number</td><td>=</td><td>C 112</td><td>,</td></tr> <tr><td>official journal page</td><td>=</td><td>17</td><td>,</td></tr> </table> <i>information text = LR - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum prisorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i> </li> </ul> <p><u>Transaction 4:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert base regulation with           <table border="0"> <tr><td>regulation id</td><td>=</td><td>R9900890</td><td>,</td></tr> <tr><td>regulation role</td><td>=</td><td>2</td><td>,</td></tr> <tr><td>start date</td><td>=</td><td>2001-01-01</td><td>,</td></tr> <tr><td>end date</td><td>=</td><td>2020-01-01</td><td>,</td></tr> <tr><td>regulation id</td><td>=</td><td>R9900889</td><td>,</td></tr> <tr><td>regulation role</td><td>=</td><td>3</td><td>,</td></tr> <tr><td>community code</td><td>=</td><td>1</td><td>,</td></tr> <tr><td>regulation group id</td><td>=</td><td>DUM</td><td>,</td></tr> </table>           approved flag = 1 .         </li> </ul>	regulation id	=	R9900889	,	regulation role	=	3	,	start date	=	2020-01-02	,	end date	=	2030-01-01	,	community code	=	1	,	regulation group id	=	DUM	,	regulation id	=	R9900890	,	published date	=	2001-01-01	,	official journal number	=	C 112	,	official journal page	=	17	,	regulation id	=	R9900890	,	regulation role	=	2	,	start date	=	2001-01-01	,	end date	=	2020-01-01	,	regulation id	=	R9900889	,	regulation role	=	3	,	community code	=	1	,	regulation group id	=	DUM	,
regulation id	=	R9900889	,																																																																						
regulation role	=	3	,																																																																						
start date	=	2020-01-02	,																																																																						
end date	=	2030-01-01	,																																																																						
community code	=	1	,																																																																						
regulation group id	=	DUM	,																																																																						
regulation id	=	R9900890	,																																																																						
published date	=	2001-01-01	,																																																																						
official journal number	=	C 112	,																																																																						
official journal page	=	17	,																																																																						
regulation id	=	R9900890	,																																																																						
regulation role	=	2	,																																																																						
start date	=	2001-01-01	,																																																																						
end date	=	2020-01-01	,																																																																						
regulation id	=	R9900889	,																																																																						
regulation role	=	3	,																																																																						
community code	=	1	,																																																																						
regulation group id	=	DUM	,																																																																						
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-REG-1: The legal-regulation reference (regulation ID) must be unique in the universe of the stable and</li> </ul>																																																																								

	<p>unstable data.</p> <p><u>Reply to transaction 2:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-ROL-1: The role-regulation reference (combination of regulation ID and regulation role type) must be unique in the universe of the stable and unstable data.</li> </ul> <p><u>Reply to transaction 3:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-REG-1: The legal-regulation reference (regulation ID) must be unique in the universe of the stable and unstable data.</li> </ul> <p><u>Reply to transaction 4:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-ROL-1: The role-regulation reference (combination of regulation ID and regulation role type) must be unique in the universe of the stable and unstable data.</li> </ul>
--	---

#### 3.4.4. inb\_insert\_kocdco.baseregulation\_01.query.xml

<u>Message:</u>	inb_insert_kocdco.baseregulation_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.baseregulation 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the base regulation with query space field = <i>ROLE REGULATION.ROLE REGULATION REF.LEGAL REGULATION REF.Regulation id</i>, sort type = <i>A</i> .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.5. inb\_insert\_kocdco.certificate\_01.xml

<u>Message:</u>	inb_insert_kocdco.certificate_01.xml																																																			
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.certificate 01.xml” folder should be successfully processed by the system.																																																			
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Insert certificate with           <table border="0"> <tr><td>certificate type code =</td><td><i>J</i></td><td>,</td></tr> <tr><td>certificate code =</td><td><i>001</i></td><td>,</td></tr> <tr><td>start date =</td><td><i>1970-01-01</i></td><td>,</td></tr> <tr><td>end date =</td><td><i>2011-04-01</i></td><td>.</td></tr> </table> </li> <li>□ Message 2: Insert certificate description period with           <table border="0"> <tr><td>certificate type code =</td><td><i>J</i></td><td>,</td></tr> <tr><td>certificate code =</td><td><i>001</i></td><td>,</td></tr> <tr><td>start date =</td><td><i>1970-01-01</i></td><td>.</td></tr> </table> </li> <li>□ Message 3: Update the certificate description with           <table border="0"> <tr><td>certificate type code =</td><td><i>J</i></td><td>,</td></tr> <tr><td>certificate code =</td><td><i>001</i></td><td>,</td></tr> <tr><td>start date =</td><td><i>1970-01-01</i></td><td>,</td></tr> <tr><td>language id =</td><td><i>EN</i></td><td>,</td></tr> <tr><td>description =</td><td colspan="2"><i>CE - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i></td></tr> </table> </li> <li>□ Message 4: Update the certificate description with           <table border="0"> <tr><td>certificate type code =</td><td><i>J</i></td><td>,</td></tr> <tr><td>certificate code =</td><td><i>001</i></td><td>,</td></tr> <tr><td>start date =</td><td><i>1970-01-01</i></td><td>,</td></tr> <tr><td>language id =</td><td><i>FR</i></td><td>,</td></tr> <tr><td>description =</td><td colspan="2"><i>CE - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua</i></td></tr> </table> </li> </ul>	certificate type code =	<i>J</i>	,	certificate code =	<i>001</i>	,	start date =	<i>1970-01-01</i>	,	end date =	<i>2011-04-01</i>	.	certificate type code =	<i>J</i>	,	certificate code =	<i>001</i>	,	start date =	<i>1970-01-01</i>	.	certificate type code =	<i>J</i>	,	certificate code =	<i>001</i>	,	start date =	<i>1970-01-01</i>	,	language id =	<i>EN</i>	,	description =	<i>CE - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i>		certificate type code =	<i>J</i>	,	certificate code =	<i>001</i>	,	start date =	<i>1970-01-01</i>	,	language id =	<i>FR</i>	,	description =	<i>CE - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua</i>	
certificate type code =	<i>J</i>	,																																																		
certificate code =	<i>001</i>	,																																																		
start date =	<i>1970-01-01</i>	,																																																		
end date =	<i>2011-04-01</i>	.																																																		
certificate type code =	<i>J</i>	,																																																		
certificate code =	<i>001</i>	,																																																		
start date =	<i>1970-01-01</i>	.																																																		
certificate type code =	<i>J</i>	,																																																		
certificate code =	<i>001</i>	,																																																		
start date =	<i>1970-01-01</i>	,																																																		
language id =	<i>EN</i>	,																																																		
description =	<i>CE - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i>																																																			
certificate type code =	<i>J</i>	,																																																		
certificate code =	<i>001</i>	,																																																		
start date =	<i>1970-01-01</i>	,																																																		
language id =	<i>FR</i>	,																																																		
description =	<i>CE - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua</i>																																																			

	<p><i>municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i></p> <ul style="list-style-type: none"> <li>□ Message 5: Update the certificate description with certificate type code = <i>J</i> , certificate code = <i>001</i> , start date = <i>1970-01-01</i> , language id = <i>NL</i> , description = <i>CE - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i></li> <li>□ Message 6: Update the certificate description with certificate type code = <i>J</i> , certificate code = <i>001</i> , start date = <i>1970-01-01</i> , language id = <i>EL</i> , description = <i>CE - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i></li> </ul> <p><u>Transaction 2:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Insert certificate with certificate type code = <i>K</i> , certificate code = <i>002</i> , start date = <i>1970-01-01</i> , end date = <i>2011-04-01</i> .</li> <li>□ Message 2: Insert certificate description period with certificate type code = <i>K</i> , certificate code = <i>002</i> , start date = <i>1970-01-01</i> .</li> <li>□ Message 3: Update the certificate description with certificate type code = <i>K</i> , certificate code = <i>002</i> , start date = <i>1970-01-01</i> ,</li> </ul>
--	--

	<p>language id = EN ,      description = CE - Indi ab manu commercanda  <i>opulentis nundinas mittunt municipium mensis quae consueta      nundinas marique conditum priscorum initium terra annua      flumine sollemnitate manu Anthemusia commercanda annua      Indi plurima magna Anthemusia magna brevi disparatur      prope mittunt marique mittunt Euphrate manu annua magna      annua Indi ubi fortunae fortunae prope spatio annua      municipium annua plurima Seres conditum mercatoribus      magna prope consueta Septembris flumine ab refertum mensis      manu Septembris manu ad pri .</i></p> <ul style="list-style-type: none"> <li>□ Message 4: Update the certificate description with          certificate type code = K ,          certificate code = 002 ,          start date = 1970-01-01 ,          language id = FR ,          description = CE - Indi ab manu commercanda  <i>opulentis nundinas mittunt municipium mensis quae consueta      nundinas marique conditum priscorum initium terra annua      flumine sollemnitate manu Anthemusia commercanda annua      Indi plurima magna Anthemusia magna brevi disparatur      prope mittunt marique mittunt Euphrate manu annua magna      annua Indi ubi fortunae fortunae prope spatio annua      municipium annua plurima Seres conditum mercatoribus      magna prope consueta Septembris flumine ab refertum mensis      manu Septembris manu ad pri .</i></li> <li>□ Message 5: Update the certificate description with          certificate type code = K ,          certificate code = 002 ,          start date = 1970-01-01 ,          language id = NL ,          description = CE - Indi ab manu commercanda  <i>opulentis nundinas mittunt municipium mensis quae consueta      nundinas marique conditum priscorum initium terra annua      flumine sollemnitate manu Anthemusia commercanda annua      Indi plurima magna Anthemusia magna brevi disparatur      prope mittunt marique mittunt Euphrate manu annua magna      annua Indi ubi fortunae fortunae prope spatio annua      municipium annua plurima Seres conditum mercatoribus      magna prope consueta Septembris flumine ab refertum mensis      manu Septembris manu ad pri .</i></li> <li>□ Message 6: Update the certificate description with          certificate type code = K ,          certificate code = 002 ,          start date = 1970-01-01 ,          language id = EL ,          description = CE - Indi ab manu commercanda  <i>opulentis nundinas mittunt municipium mensis quae consueta      nundinas marique conditum priscorum initium terra annua</i></li> </ul>
--	---

	<p><i>flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i></p>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> <li><input type="checkbox"/> Message 2 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> <li><input type="checkbox"/> Message 3 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> <li><input type="checkbox"/> Message 4 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> <li><input type="checkbox"/> Message 5 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> <li><input type="checkbox"/> Message 6 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> </ul> <p><u>Reply to transaction 2:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> <li><input type="checkbox"/> Message 2 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> <li><input type="checkbox"/> Message 3 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> <li><input type="checkbox"/> Message 4 : VR-CE-1: The combination of certificate type and</li> </ul>

	<p>certificate code must be unique in the universe of the stable and unstable data.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 5 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> <li><input type="checkbox"/> Message 6 : VR-CE-1: The combination of certificate type and certificate code must be unique in the universe of the stable and unstable data.</li> </ul>
--	--

### 3.4.6. inb\_insert\_kocdco.certificate\_01.query.xml

<u>Message:</u>	inb_insert_kocdco.certificate_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.certificate 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the certificate with query space field = <i>CERTIFICATE.Stability flag</i> , operator = <math>\geq</math> , constant = 0 , query space field = <i>CERTIFICATE.CERTIFICATE REF.CERTIFICATE TYPE REF.Certificate type code</i> , sort type = A , query space field = <i>CERTIFICATE.CERTIFICATE REF.Certificate code</i> , sort type = A .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

### 3.4.7. inb\_insert\_kocdco.ern\_01.xml

<u>Message:</u>	inb_insert_kocdco.ern_01.xml
-----------------	------------------------------

<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.ern 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Insert export refund nomenclature with            goods nomenclature id = 0410000000 ,            productline suffix = 80 ,            start date = 2001-01-01 ,            additional code type id = X ,            export refund code = 443 ,            productline suffix = 80 ,            start date = 1990-01-01 ,            end date = 1990-01-01 .         </li> <li>□ Message 2: Update the export refund nomenclature indent with            goods nomenclature id = 0410000000 ,            productline suffix = 80 ,            start date = 2001-01-01 ,            additional code type id = X ,            export refund code = 443 ,            productline suffix = 80 ,            start date = 1990-01-01 ,            start date = 1990-01-01 ,            indent number = 4 .         </li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li>□ Message : An error occurred while translating from fine-grained to coarse-grained: No corresponding data found in CDCO.</li> <li>□ Message : An error occurred while translating from fine-grained to coarse-grained: No corresponding data found in CDCO.</li> </ul>

#### 3.4.8. inb\_insert\_kocdco.ern\_01.query.xml

<u>Message:</u>	inb_insert_kocdco.ern_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.ern 01.query.xml” folder should be

	successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the export refund nomenclature with            query space field = EXPORT REFUND NOMENCLATURE.Stability flag ,            operator = &gt;= ,            constant = 0 ,            query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.GOODS NOMENCLATURE            REF.LOGICAL KEY.Goods nomenclature id ,            sort type = A ,            query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.ADDITIONAL CODE TYPE            REF.Additional code type id ,            sort type = A ,            query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.Export refund code ,            sort type = A ,            query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.Productline suffix ,            sort type = A ,            query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.Start date ,            sort type = A .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

### 3.4.9. inb\_insert\_kocdco.footnote\_01.xml

<b><u>Message:</u></b>	inb_insert_kocdco.footnote_01.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.footnote 01.xml” folder should be successfully processed by the system.

**Content:**

The message is composed of the following transactions:

**Transaction 1:**

- Message 2: Insert footnote description period with
 

footnote type id = NC ,
footnote id = 080 ,
start date = 2001-01-01 .
- Message 3: Update the footnote description with
 

footnote type id = NC ,
footnote id = 080 ,
start date = 2001-01-01 ,
language id = EL ,
description = <i>FO - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i>
- Message 4: Update the footnote description with
 

footnote type id = NC ,
footnote id = 080 ,
start date = 2001-01-01 ,
language id = EN ,
description = <i>FO - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i>
- Message 5: Update the footnote description with
 

footnote type id = NC ,
footnote id = 080 ,
start date = 2001-01-01 ,
language id = NL ,
description = <i>FO - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna</i>

	<i>annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 2 : VR-FO-7: No two associated description periods for the same footnote may have the same start date.</li> <li><input type="checkbox"/> Message 3 : VR-FO-7: No two associated description periods for the same footnote may have the same start date.</li> <li><input type="checkbox"/> Message 4 : VR-FO-7: No two associated description periods for the same footnote may have the same start date.</li> <li><input type="checkbox"/> Message 5 : VR-FO-7: No two associated description periods for the same footnote may have the same start date.</li> </ul>

### 3.4.10. inb\_insert\_kocdco.footnote\_01.query.xml

<b><u>Message:</u></b>	inb_insert_kocdco.footnote_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.footnote 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the footnote with query space field = <i>FOOTNOTE.Stability flag</i> , operator = <math>\geq</math> , constant = 0 , query space field = <i>FOOTNOTE.FOOTNOTE REF.Footnote type id</i> , sort type = A , query space field = <i>FOOTNOTE.FOOTNOTE REF.Footnote id</i> , sort type = A .</li> </ul>
<b><u>Expected</u></b>	The message is composed of transactions that reply to the original

<b><u>output:</u></b>	transactions:  <u>Reply to transaction 1:</u>  <input type="checkbox"/> Message 1 : OK.
-----------------------	---

## 3.4.11. inb\_insert\_kocdco.geographicalarea\_01.xml

<b><u>Message:</u></b>	inb_insert_kocdco.geographicalarea_01.xml													
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.geographicalarea 01.xml” folder should be successfully processed by the system.													
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert geographical area description period with           <table border="0"> <tr> <td>geographical area id = HV ,</td> </tr> <tr> <td>start date = 1970-01-01 ,</td> </tr> <tr> <td>start date = 1970-01-01 .</td> </tr> </table> </li> <li><input type="checkbox"/> Message 3: Update the geographical area description with           <table border="0"> <tr> <td>geographical area id = HV ,</td> </tr> <tr> <td>start date = 1970-01-01 ,</td> </tr> <tr> <td>start date = 1970-01-01 ,</td> </tr> <tr> <td>language id = EN ,</td> </tr> <tr> <td>description = GA - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembbris flumine ab refertum mensis manu Septembbris manu ad pri .</td> </tr> </table> </li> <li><input type="checkbox"/> Message 4: Update the geographical area description with           <table border="0"> <tr> <td>geographical area id = HV ,</td> </tr> <tr> <td>start date = 1970-01-01 ,</td> </tr> <tr> <td>start date = 1970-01-01 ,</td> </tr> <tr> <td>language id = FR ,</td> </tr> <tr> <td>description = GA - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua</td> </tr> </table> </li> </ul>	geographical area id = HV ,	start date = 1970-01-01 ,	start date = 1970-01-01 .	geographical area id = HV ,	start date = 1970-01-01 ,	start date = 1970-01-01 ,	language id = EN ,	description = GA - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembbris flumine ab refertum mensis manu Septembbris manu ad pri .	geographical area id = HV ,	start date = 1970-01-01 ,	start date = 1970-01-01 ,	language id = FR ,	description = GA - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua
geographical area id = HV ,														
start date = 1970-01-01 ,														
start date = 1970-01-01 .														
geographical area id = HV ,														
start date = 1970-01-01 ,														
start date = 1970-01-01 ,														
language id = EN ,														
description = GA - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembbris flumine ab refertum mensis manu Septembbris manu ad pri .														
geographical area id = HV ,														
start date = 1970-01-01 ,														
start date = 1970-01-01 ,														
language id = FR ,														
description = GA - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua														

	<p><i>municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 5: Update the geographical area description with geographical area id = HV , start date = 1970-01-01 , start date = 1970-01-01 , language id = NL , description = GA - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-CTR-5: No two associated description periods for the same geographical area may have the same start date.</li> <li><input type="checkbox"/> Message 3 : VR-CTR-5: No two associated description periods for the same geographical area may have the same start date.</li> <li><input type="checkbox"/> Message 4 : VR-CTR-5: No two associated description periods for the same geographical area may have the same start date.</li> <li><input type="checkbox"/> Message 5 : VR-CTR-5: No two associated description periods for the same geographical area may have the same start date.</li> </ul>

### 3.4.12. inb\_insert\_kocdco.geographicalarea\_01.query.xml

<b><u>Message:</u></b>	inb_insert_kocdco.geographicalarea_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.geographicalarea 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p>

	<input type="checkbox"/> Message 1: Request the country with query space field = COUNTRY.Stability flag , operator = >= , constant = 0 , query space field = COUNTRY.COUNTRY REF.LOGICAL KEY.Country id , sort type = A , query space field = COUNTRY.COUNTRY REF.LOGICAL KEY.Start date , sort type = A .
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <p><input type="checkbox"/> Message 1 : OK.</p>

## 3.4.13. inb\_insert\_kocdco.geographicalarea\_01.query.xml

<b><u>Message:</u></b>	inb_insert_kocdco.geographicalarea_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.geographicalarea 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <p><input type="checkbox"/> Message 1: Request the country with query space field = COUNTRY.Stability flag , operator = &gt;= , constant = 0 , query space field = COUNTRY.COUNTRY REF.LOGICAL KEY.Country id , sort type = A , query space field = COUNTRY.COUNTRY REF.LOGICAL KEY.Start date , sort type = A .</p>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <p><input type="checkbox"/> Message 1 : OK.</p>

## 3.4.14. inb\_insert\_kocdco.goodsnomenclature\_01.xml

<u>Message:</u>	inb_insert_kocdco.goodsnomenclature_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.goodsnomenclature 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Insert goods nomenclature description period with            goods nomenclature id = 7700000000 ,            productline suffix = 80 ,            start date = 2001-01-01 ,            start date = 2001-01-01 .</li> <li>□ Message 3: Update the goods nomenclature description with            goods nomenclature id = 7700000000 ,            productline suffix = 80 ,            start date = 2001-01-01 ,            start date = 2001-01-01 ,            language id = EN ,            description = GA - <i>Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i></li> <li>□ Message 4: Insert goods nomenclature indent with            goods nomenclature id = 7700000000 ,            productline suffix = 80 ,            start date = 2001-01-01 ,            start date = 2001-01-01 ,            indent number = 4 .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1 : VR-NIG-19: No two associated description periods for the same goods nomenclature may have the same</li> </ul>

	<p>start date.</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 3 : VR-NIG-19: No two associated description periods for the same goods nomenclature may have the same start date.</li> <li><input type="checkbox"/> Message 4 : VR-NIG-19: No two associated description periods for the same goods nomenclature may have the same start date.</li> <li><input type="checkbox"/> Message 1 : VR-NIG-31: No two associated indentations may have the same start date.</li> <li><input type="checkbox"/> Message 3 : VR-NIG-31: No two associated indentations may have the same start date.</li> <li><input type="checkbox"/> Message 4 : VR-NIG-31: No two associated indentations may have the same start date.</li> </ul>
--	---

#### 3.4.15. inb\_insert\_kocdco.goodsnomenclature\_01.query.xml

<u>Message:</u>	inb_insert_kocdco.goodsnomenclature_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.goodsnomenclature 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the goods nomenclature with query space field = GOODS NOMENCLATURE.Stability flag , operator = &gt;= , constant = 0 , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id , sort type = A , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.LOGICAL KEY.Productline suffix , sort type = A , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.LOGICAL KEY.Start date , sort type = A .</li> </ul>
<u>Expected</u>	The message is composed of transactions that reply to the original

<b><u>output:</u></b>	transactions:  <u>Reply to transaction 1:</u>  <input type="checkbox"/> Message 1 : OK.
-----------------------	---

## 3.4.16. inb\_insert\_kocdco.goodsnomenclature\_01.query.xml

<b><u>Message:</u></b>	inb_insert_kocdco.goodsnomenclature_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.goodsnomenclature 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the goods nomenclature with query space field = GOODS NOMENCLATURE.Stability flag , operator = &gt;= , constant = 0 , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id , sort type = A , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.LOGICAL KEY.Productline suffix , sort type = A , query space field = GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.LOGICAL KEY.Start date , sort type = A .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.17. inb\_insert\_kocdco.legalregulation\_01.xml

<b><u>Message:</u></b>	inb_insert_kocdco.legalregulation_01.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message

	of the “inb insert kocdco.legalregulation 01.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert legal regulation with             regulation id = 19902130 ,            published date = 1999-07-24 ,            official journal number = C 213 ,            official journal page = 2 ,            information text = <i>LR - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i></li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : Could not validate document against INB schema for : Error unmarshalling input-bridge message.</li> </ul>

### 3.4.18. inb\_insert\_kocdco.legalregulation\_01.query.xml

<b><u>Message:</u></b>	inb_insert_kocdco.legalregulation_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.legalregulation 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the legal regulation with             query space field = <i>LEGAL REGULATION.Stability flag</i> ,            operator = &gt;= ,            constant = 0 ,            query space field = <i>LEGAL REGULATION.LEGAL REGULATION REF.Regulation id</i> ,            sort type = A .</li> </ul>

<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

**inb\_insert\_kocdco.measure\_01.xml**

<u>Message:</u>	inb_insert_kocdco.measure_01.xml																																							
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.measure 01.xml” folder should be successfully processed by the system.																																							
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert measure with           <table border="0"> <tr><td>measure type</td><td>id = 000001</td><td>,</td></tr> <tr><td>geographical area</td><td>id = XD</td><td>,</td></tr> <tr><td>start date</td><td>= 2001-01-01</td><td>,</td></tr> <tr><td>goods nomenclature</td><td>id = 0800000000</td><td>,</td></tr> <tr><td>productline</td><td>suffix = 80</td><td>,</td></tr> <tr><td>start date</td><td>= 2002-01-01</td><td>,</td></tr> <tr><td>order number</td><td>= 080615</td><td>,</td></tr> <tr><td>start date</td><td>= 2001-01-01</td><td>,</td></tr> <tr><td>end date</td><td>= 2009-01-01</td><td>,</td></tr> <tr><td>regulation id</td><td>= R9900000</td><td>,</td></tr> <tr><td>regulation role</td><td>type = 1</td><td>,</td></tr> <tr><td>regulation id</td><td>= R9900020</td><td>,</td></tr> <tr><td>regulation role type</td><td>= 1 .</td><td></td></tr> </table> </li> </ul>	measure type	id = 000001	,	geographical area	id = XD	,	start date	= 2001-01-01	,	goods nomenclature	id = 0800000000	,	productline	suffix = 80	,	start date	= 2002-01-01	,	order number	= 080615	,	start date	= 2001-01-01	,	end date	= 2009-01-01	,	regulation id	= R9900000	,	regulation role	type = 1	,	regulation id	= R9900020	,	regulation role type	= 1 .	
measure type	id = 000001	,																																						
geographical area	id = XD	,																																						
start date	= 2001-01-01	,																																						
goods nomenclature	id = 0800000000	,																																						
productline	suffix = 80	,																																						
start date	= 2002-01-01	,																																						
order number	= 080615	,																																						
start date	= 2001-01-01	,																																						
end date	= 2009-01-01	,																																						
regulation id	= R9900000	,																																						
regulation role	type = 1	,																																						
regulation id	= R9900020	,																																						
regulation role type	= 1 .																																							
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-MEAS-2: The combination of measure type, origin/destination area, goods nomenclature, additional code (including additional code type), order number, reduction indicator and start date (defined in the validity period) must be unique in the universe of the stable and unstable data.</li> </ul>																																							

## 3.4.19. inb\_insert\_kocdco.measure\_01.query.xml

<u>Message:</u>	inb_insert_kocdco.measure_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.measure 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i>, operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE</i> <i>REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Start date</i> , sort type = A .</li> </ul>
<u>Expected output:</u>	The message is composed of transactions that reply to the original transactions:

	<u>Reply to transaction 1:</u>
	<input type="checkbox"/> Message 1 : OK.

## 3.4.20. inb\_insert\_kocdco.modificationregulation\_01.xml

<u>Message:</u>	inb_insert_kocdco.modificationregulation_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.modificationregulation 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <p><input type="checkbox"/> Message 1: Insert legal regulation with regulation id = R9900895 , published date = 2020-01-02 , official journal number = C 111 , official journal page = 16 , information text = <i>LR - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembbris flumine ab refertum mensis manu Septembbris manu ad pri .</i></p> <p><u>Transaction 2:</u></p> <p><input type="checkbox"/> Message 1: Insert base regulation with regulation id = R9900895 , regulation role type = 3 , start date = 2020-01-02 , end date = 2030-01-01 , community code = 1 , regulation group id = DUM , approved flag = 1 .</p> <p><u>Transaction 3:</u></p> <p><input type="checkbox"/> Message 1: Insert legal regulation with regulation id = R9900897 , published date = 2020-01-02 , official journal number = C 111 , official journal page = 16 , information text = <i>LR - Indi ab manu commercanda</i></p>

	<p><i>opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i></p> <p><u>Transaction 4:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert base regulation with           <table border="0"> <tr><td>regulation</td><td>id</td><td>=</td><td>R9900897</td><td>,</td></tr> <tr><td>regulation</td><td>role</td><td>type</td><td>=</td><td>3</td><td>,</td></tr> <tr><td>start</td><td>date</td><td>=</td><td>2020-01-02</td><td>,</td></tr> <tr><td>end</td><td>date</td><td>=</td><td>2030-01-01</td><td>,</td></tr> <tr><td>community</td><td>code</td><td>=</td><td>1</td><td>,</td></tr> <tr><td>regulation</td><td>group</td><td>id</td><td>=</td><td>DUM</td><td>,</td></tr> <tr><td colspan="6">approved flag = 1 .</td></tr> </table> </li> </ul> <p><u>Transaction 5:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert modification regulation with           <table border="0"> <tr><td>regulation</td><td>id</td><td>=</td><td>R9900895</td><td>,</td></tr> <tr><td>regulation</td><td>role</td><td>type</td><td>=</td><td>4</td><td>,</td></tr> <tr><td>start</td><td>date</td><td>=</td><td>2020-01-02</td><td>,</td></tr> <tr><td>end</td><td>date</td><td>=</td><td>2030-01-01</td><td>,</td></tr> <tr><td>regulation</td><td>id</td><td>=</td><td>R9900898</td><td>,</td></tr> <tr><td>regulation</td><td>role</td><td>type</td><td>=</td><td>3</td><td>,</td></tr> <tr><td colspan="6">approved flag = 1 .</td></tr> </table> </li> </ul>	regulation	id	=	R9900897	,	regulation	role	type	=	3	,	start	date	=	2020-01-02	,	end	date	=	2030-01-01	,	community	code	=	1	,	regulation	group	id	=	DUM	,	approved flag = 1 .						regulation	id	=	R9900895	,	regulation	role	type	=	4	,	start	date	=	2020-01-02	,	end	date	=	2030-01-01	,	regulation	id	=	R9900898	,	regulation	role	type	=	3	,	approved flag = 1 .					
regulation	id	=	R9900897	,																																																																									
regulation	role	type	=	3	,																																																																								
start	date	=	2020-01-02	,																																																																									
end	date	=	2030-01-01	,																																																																									
community	code	=	1	,																																																																									
regulation	group	id	=	DUM	,																																																																								
approved flag = 1 .																																																																													
regulation	id	=	R9900895	,																																																																									
regulation	role	type	=	4	,																																																																								
start	date	=	2020-01-02	,																																																																									
end	date	=	2030-01-01	,																																																																									
regulation	id	=	R9900898	,																																																																									
regulation	role	type	=	3	,																																																																								
approved flag = 1 .																																																																													
<u>Expected output:</u>	The message is composed of transactions that reply to the original transactions:  <u>Reply to transaction 1:</u>  <ul style="list-style-type: none"><li><input type="checkbox"/> Message 1 : VR-REG-1: The legal-regulation reference (regulation ID) must be unique in the universe of the stable and unstable data.</li></ul> <u>Reply to transaction 2:</u>  <ul style="list-style-type: none"><li><input type="checkbox"/> Message 1 : VR-ROL-1: The role-regulation reference (combination of regulation ID and regulation role type) must be unique in the universe of the stable and unstable data.</li></ul> <u>Reply to transaction 3:</u>  <ul style="list-style-type: none"><li><input type="checkbox"/> Message 1 : VR-REG-1: The legal-regulation reference (regulation ID) must be unique in the universe of the stable and</li></ul>																																																																												

	<p>unstable data.</p> <p><u>Reply to transaction 4:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-ROL-1: The role-regulation reference (combination of regulation ID and regulation role type) must be unique in the universe of the stable and unstable data.</li> </ul> <p><u>Reply to transaction 5:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-MOD-1: The base regulation reference must refer to an existing base regulation.</li> </ul>
--	--

#### 3.4.21. inb\_insert\_kocdco.modificationregulation\_01.query.xml

<u>Message:</u>	inb_insert_kocdco.modificationregulation_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb insert kocdco.modificationregulation 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the base regulation with query space field = <i>ROLE REGULATION.ROLE REGULATION REF.LEGAL REGULATION REF.Regulation id</i>, sort type = <i>A</i> .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

#### 3.4.22. inb\_update\_kocdco.additionalcode\_01.xml

<u>Message:</u>	inb_update_kocdco.additionalcode_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.additionalcode 01.xml” folder should be successfully processed by the system.

<b><u>Content:</u></b>	The message is composed of the following transactions:  <u>Transaction 1:</u>  <input type="checkbox"/> Message 1: Update the additional code footnote association with additional code type id = I , additional code id = 002 , start date = 2001-01-01 , footnote type id = ACD , footnote id = 00010 , start date = 2001-01-01 , end date = 1999-01-01 .
<b><u>Expected output:</u></b>	The message is composed of transactions that reply to the original transactions:  <u>Reply to transaction 1:</u>  <input type="checkbox"/> Message 1 : VR-PERIOD-1: Period end date must be greater than or equal to the start date. The absence of the end date indicates infinity into the future.

## 3.4.23. inb\_update\_kocdco.additionalcode\_01.query.xml

<b><u>Message:</u></b>	<b>inb_update_kocdco.additionalcode_01.query.xml</b>
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.additionalcode 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	The message is composed of the following transactions:  <u>Transaction 1:</u>  <input type="checkbox"/> Message 1: Request the additional code with query space field = ADDITIONAL CODE.Stability flag , operator = >= , constant = 0 , query space field = ADDITIONAL CODE.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id , sort type = A , query space field = ADDITIONAL CODE.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id , sort type = A ,

	query space field = ADDITIONAL CODE.ADDITIONAL CODE REF.LOGICAL KEY.Start date , sort type = A .
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.24. inb\_update\_kocdco.baseregulation\_01.xml

<u>Message:</u>	inb_update_kocdco.baseregulation_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.baseregulation 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the base regulation with regulation id = R9801510 , regulation role type = I , start date = 1997-02-01 , end date = 2020-01-01 , community code = I , regulation group id = PRT , approved flag = I .</li> </ul> <p><u>Transaction 2:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the base regulation with regulation id = I9700320 , regulation role type = I , start date = 1997-02-01 , end date = 2020-01-01 , community code = I , regulation group id = DUM , approved flag = I .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p>

	<ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-BAS-2: The referenced regulation group must exist.</li> </ul> <p><u>Reply to transaction 2:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-ROL-4: If a role regulation has been abrogated or prorogued, it cannot be modified, apart from modifying a base regulation's regulation group.</li> </ul>
--	---

### 3.4.25. inb\_update\_kocdco.baseregulation\_01.query.xml

<u>Message:</u>	inb_update_kocdco.baseregulation_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.baseregulation 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the base regulation with query space field = <i>ROLE REGULATION.ROLE REGULATION REF.LEGAL REGULATION REF.Regulation id</i>, sort type = <i>A</i> .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

### inb\_update\_kocdco.certificate\_01.xml

<u>Message:</u>	inb_update_kocdco.certificate_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.certificate 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p>

	<p><input type="checkbox"/> Message 1: Update the certificate with certificate type code = C , certificate code = CE3 , start date = 2001-01-01 , end date = 2001-01-01 .</p>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <p><input type="checkbox"/> Message 1 : VR-CE-7: The start date of the description period must be enclosed by the validity period of the certificate.</p>

## 3.4.26. inb\_update\_kocdco.certificate\_01.query.xml

<b><u>Message:</u></b>	inb_update_kocdco.certificate_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.certificate 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <p><input type="checkbox"/> Message 1: Request the certificate with query space field = CERTIFICATE.Stability flag , operator = &gt;= , constant = 0 , query space field = CERTIFICATE.CERTIFICATE REF.CERTIFICATE TYPE REF.Certificate type code , sort type = A , query space field = CERTIFICATE.CERTIFICATE REF.Certificate code , sort type = A .</p>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <p><input type="checkbox"/> Message 1 : OK.</p>

## 3.4.27. inb\_update\_kocdco.ern\_01.xml

<u>Message:</u>	inb_update_kocdco.ern_01.xml																								
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.ern 01.xml” folder should be successfully processed by the system.																								
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Update the export refund nomenclature with           <table border="0"> <tr><td>goods nomenclature id =</td><td>0100000000</td><td>,</td></tr> <tr><td>productline suffix =</td><td>80</td><td>,</td></tr> <tr><td>start date =</td><td>1970-12-31</td><td>,</td></tr> <tr><td>additional code type id =</td><td>R</td><td>,</td></tr> <tr><td>export refund code =</td><td>445</td><td>,</td></tr> <tr><td>productline suffix =</td><td>80</td><td>,</td></tr> <tr><td>start date =</td><td>2001-01-01</td><td>,</td></tr> <tr><td>end date =</td><td>2000-01-01</td><td>.</td></tr> </table> </li> </ul>	goods nomenclature id =	0100000000	,	productline suffix =	80	,	start date =	1970-12-31	,	additional code type id =	R	,	export refund code =	445	,	productline suffix =	80	,	start date =	2001-01-01	,	end date =	2000-01-01	.
goods nomenclature id =	0100000000	,																							
productline suffix =	80	,																							
start date =	1970-12-31	,																							
additional code type id =	R	,																							
export refund code =	445	,																							
productline suffix =	80	,																							
start date =	2001-01-01	,																							
end date =	2000-01-01	.																							
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1 : VR-PERIOD-1: Period end date must be greater than or equal to the start date. The absence of the end date indicates infinity into the future.</li> <li>□ Messge 1 : VR-ERN-26: The start date of the description period must be enclosed by the validity period of the ERN.</li> <li>□ Message 1 : VR-ERN-10: The start date of the nomenclature indent must be enclosed by the validity period of the ERN.</li> </ul>																								

## 3.4.28. inb\_update\_kocdco.ern\_01.query.xml

<u>Message:</u>	inb_update_kocdco.ern_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.ern 01.query.xml” folder should be successfully processed by the system.

<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the export refund nomenclature with            query space field = EXPORT REFUND            NOMENCLATURE.Stability flag , , ,            operator = &gt;= , ,            constant = 0 , ,            query space field = EXPORT REFUND            NOMENCLATURE.EXPORT REFUND NOMENCLATURE            REF.LOGICAL KEY.GOODS NOMENCLATURE            REF.LOGICAL KEY.Goods nomenclature id , ,            sort type = A , ,            query space field = EXPORT REFUND            NOMENCLATURE.EXPORT REFUND NOMENCLATURE            REF.LOGICAL KEY.ADDITIONAL CODE TYPE            REF.Additional code type id , ,            sort type = A , ,            query space field = EXPORT REFUND            NOMENCLATURE.EXPORT REFUND NOMENCLATURE            REF.LOGICAL KEY.Export refund code , ,            sort type = A , ,            query space field = EXPORT REFUND            NOMENCLATURE.EXPORT REFUND NOMENCLATURE            REF.LOGICAL KEY.Productline suffix , ,            sort type = A , ,            query space field = EXPORT REFUND            NOMENCLATURE.EXPORT REFUND NOMENCLATURE            REF.LOGICAL KEY.Start date , ,            sort type = A .         </li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

### 3.4.29. inb\_update\_kocdco.footnote\_01.xml

<b><u>Message:</u></b>	inb_update_kocdco.footnote_01.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.footnote 01.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	The message is composed of the following transactions:

	<p><u>Transaction 1:</u></p> <p><input type="checkbox"/> Message 1: Update the footnote with footnote type id = CA , footnote id = 002 , start date = 1970-01-01 , start date = 1969-01-01 .</p>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-FO-5: A description period having the same start date as the footnote is mandatory.</li> <li><input type="checkbox"/> Message 1 : VR-FO-9: The validity period of the footnote must be enclosed by the validity period of the related footnote type.</li> </ul>

### 3.4.30. inb\_update\_kocdco.footnote\_01.query.xml

<u>Message:</u>	inb_update_kocdco.footnote_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.footnote 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <p><input type="checkbox"/> Message 1: Request the footnote with query space field = FOOTNOTE.Stability flag , operator = &gt;= , constant = 0 , query space field = FOOTNOTE.FOOTNOTE REF.Footnote type id , sort type = A , query space field = FOOTNOTE.FOOTNOTE REF.Footnote id , sort type = A .</p>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p>

	<input type="checkbox"/> Message 1 : OK.
--	--

## 3.4.31. inb\_update\_kocdco.geographicalarea\_01.xml

<u>Message:</u>	inb_update_kocdco.geographicalarea_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.geographicalarea 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the geographical area membership with geographical area id = CM , start date = 1984-01-01 , geographical area id = 1011 , start date = 1958-01-01 , start date = 1950-01-01 , end date = 2010-12-31 .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-CTR-6: The validity period of a membership must be within (inclusive) the validity period of the country.</li> <li><input type="checkbox"/> Message 1 : VR-CTR-19: The validity period of a membership must be within (inclusive) the validity period of the country group.</li> </ul>

## 3.4.32. inb\_update\_kocdco.geographicalarea\_01.query.xml

<u>Message:</u>	inb_update_kocdco.geographicalarea_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.geographicalarea 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the country with</li> </ul>

	query space field = COUNTRY.Stability flag , operator = >= , constant = 0 , query space field = COUNTRY.COUNTRY REF.LOGICAL KEY.Country id , sort type = A , query space field = COUNTRY.COUNTRY REF.LOGICAL KEY.Start date , sort type = A .
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.33. inb\_update\_kocdco.goodsnomenclature\_01.xml

<u>Message:</u>	inb_update_kocdco.goodsnomenclature_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.goodsnomenclature 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the goods nomenclature group membership with <ul style="list-style-type: none"> <li>goods nomenclature id = 0100000000 ,</li> <li>productline suffix = 80 ,</li> <li>start date = 1970-12-31 ,</li> <li>nomenclature group type id = B ,</li> <li>nomenclature group id = 000002 ,</li> <li>start date = 2010-01-01 ,</li> <li>end date = 1970-12-31 .</li> </ul> </li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-PERIOD-1: Period end date must be greater than or equal to the start date. The absence of the end date indicates infinity into the future.</li> </ul>

## 3.4.34. inb\_update\_kocdco.goodsnomenclature\_01.query.xml

<u>Message:</u>	inb_update_kocdco.goodsnomenclature_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.goodsnomenclature 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the goods nomenclature with query space field = GOODS NOMENCLATURE.Stability flag , operator = &gt;= , constant = 0 , query space field = GOODS NOMENCLATURE.GOODS REF.LOGICAL KEY.Goods nomenclature id , sort type = A , query space field = GOODS NOMENCLATURE.GOODS REF.LOGICAL KEY.Productline suffix , sort type = A , query space field = GOODS NOMENCLATURE.GOODS REF.LOGICAL KEY.Start date , sort type = A .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1 : OK.</li> </ul>

## 3.4.35. inb\_update\_kocdco.legalregulation\_01.xml

<u>Message:</u>	inb_update_kocdco.legalregulation_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.legalregulation 01.xml” folder should be successfully processed by the system.

<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the legal regulation with regulation id = I9502840 , official journal number = C 213 , official journal page = 2 , information text = <i>LR - Indi ab manu commercanda opulentis nundinas mittunt municipium mensis quae consueta nundinas marique conditum priscorum initium terra annua flumine sollemnitate manu Anthemusia commercanda annua Indi plurima magna Anthemusia magna brevi disparatur prope mittunt marique mittunt Euphrate manu annua magna annua Indi ubi fortunae fortunae prope spatio annua municipium annua plurima Seres conditum mercatoribus magna prope consueta Septembris flumine ab refertum mensis manu Septembris manu ad pri .</i></li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-REG-4: Publication date is mandatory for a non-draft legal-regulation.</li> </ul>

### 3.4.36. inb\_update\_kocdco.legalregulation\_01.query.xml

<b><u>Message:</u></b>	inb_update_kocdco.legalregulation_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.legalregulation 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the legal regulation with query space field = <i>LEGAL REGULATION.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>LEGAL REGULATION.LEGAL REGULATION REF.Regulation id</i> , sort type = A .</li> </ul>

<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.37. inb\_update\_kocdco.measure\_01.xml

<u>Message:</u>	inb_update_kocdco.measure_01.xml																																																				
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.measure 01.xml” folder should be successfully processed by the system.																																																				
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Insert measure component with           <table border="0"> <tr><td>measure type</td><td>id</td><td>=</td><td>777</td><td>,</td></tr> <tr><td>geographical area</td><td>id</td><td>=</td><td>2080</td><td>,</td></tr> <tr><td>start date</td><td>=</td><td>1985-03-01</td><td>,</td></tr> <tr><td>goods nomenclature</td><td>id</td><td>=</td><td>0180000000</td><td>,</td></tr> <tr><td>productline</td><td>suffix</td><td>=</td><td>80</td><td>,</td></tr> <tr><td>start date</td><td>=</td><td>1970-12-31</td><td>,</td></tr> <tr><td>start date</td><td>=</td><td>2007-12-06</td><td>,</td></tr> <tr><td>duty expression</td><td>id</td><td>=</td><td>20</td><td>,</td></tr> <tr><td>measurement unit</td><td>code</td><td>=</td><td>CCT</td><td>,</td></tr> <tr><td>monetary unit</td><td>code</td><td>=</td><td>GBP</td><td>,</td></tr> <tr><td colspan="5">duty amount = 1050 .</td></tr> </table> </li> </ul>	measure type	id	=	777	,	geographical area	id	=	2080	,	start date	=	1985-03-01	,	goods nomenclature	id	=	0180000000	,	productline	suffix	=	80	,	start date	=	1970-12-31	,	start date	=	2007-12-06	,	duty expression	id	=	20	,	measurement unit	code	=	CCT	,	monetary unit	code	=	GBP	,	duty amount = 1050 .				
measure type	id	=	777	,																																																	
geographical area	id	=	2080	,																																																	
start date	=	1985-03-01	,																																																		
goods nomenclature	id	=	0180000000	,																																																	
productline	suffix	=	80	,																																																	
start date	=	1970-12-31	,																																																		
start date	=	2007-12-06	,																																																		
duty expression	id	=	20	,																																																	
measurement unit	code	=	CCT	,																																																	
monetary unit	code	=	GBP	,																																																	
duty amount = 1050 .																																																					
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : An error occurred while translating from fine-grained to coarse-grained: Failed retrieving CDCO object, data does not exist in TARIC3.</li> </ul>																																																				

## 3.4.38. inb\_update\_kocdco.measure\_01.query.xml

<u>Message:</u>	inb_update_kocdco.measure_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.measure 01.query.xml” folder should be

	successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Reduction indicator</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Start date</i> , sort type = A .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.39. inb\_update\_kocdco.modificationregulation\_01.xml

<u>Message:</u>	inb_update_kocdco.modificationregulation_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.modificationregulation 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Update the modification regulation with regulation id = I0000940 , regulation role type = 4 , start date = 2000-04-01 , end date = 2030-01-01 , regulation id = I9902130 , regulation role type = 3 , approved flag = 1 .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-MOD-1: The base regulation reference must refer to an existing base regulation.</li> </ul>

## 3.4.40. inb\_update\_kocdco.modificationregulation\_01.query.xml

<u>Message:</u>	inb_update_kocdco.modificationregulation_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb update kocdco.modificationregulation 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the base regulation with query space field = ROLE REGULATION.ROLE REGULATION REF.LEGAL REGULATION REF.Regulation id , sort type = A .</li> </ul>

<b><u>Expected output:</u></b>	The message is composed of transactions that reply to the original transactions:  <u>Reply to transaction 1:</u>  <input type="checkbox"/> Message 1 : OK.
--------------------------------	--

#### 3.4.41. inb\_delete\_kocdco.additionalcode\_01.xml

<b><u>Message:</u></b>	inb_delete_kocdco.additionalcode_01.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.additionalcode 01.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Delete the additional code with additional code type id = X , additional code id = 444 , start date = 2008-01-01 .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : Could not validate document against INB schema for : Error unmarshalling input-bridge message.</li> </ul>

#### 3.4.42. inb\_delete\_kocdco.additionalcode\_01.query.xml

<b><u>Message:</u></b>	inb_delete_kocdco.additionalcode_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.additionalcode 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the additional code with</li> </ul>

	<pre> query space field = ADDITIONAL CODE.Stability flag ,  operator = &gt;= , constant = 0 , query space field = ADDITIONAL CODE.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id , sort type = A , query space field = ADDITIONAL CODE.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id , sort type = A , query space field = ADDITIONAL CODE.ADDITIONAL CODE REF.LOGICAL KEY.Start date , sort type = A . </pre>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.43. inb\_delete\_kocdco.baseregulation\_01.xml

<b><u>Message:</u></b>	inb_delete_kocdco.baseregulation_01.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.baseregulation 01.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Delete the base regulation with regulation id = R090703Y , regulation role type = 3 .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p>

	<input type="checkbox"/> Message 1: VR-VI-3: Data to be deleted must exist.
--	---

## 3.4.44. inb\_delete\_kocdco.baseregulation\_01.query.xml

<u>Message:</u>	inb_delete_kocdco.baseregulation_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.baseregulation 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the base regulation with query space field = <i>ROLE REGULATION.ROLE REGULATION REF.LEGAL REGULATION REF.Regulation id</i>, sort type = <i>A</i>.</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.45. inb\_delete\_kocdco.certificate\_01.xml

<u>Message:</u>	inb_delete_kocdco.certificate_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.certificate 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Delete the certificate description period with certificate type code = <i>V</i>, certificate code = <i>046</i>, start date = <i>2008-03-01</i>.</li> </ul>

<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.46. inb\_delete\_kocdco.certificate\_01.query.xml

<b><u>Message:</u></b>	inb_delete_kocdco.certificate_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.certificate 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the certificate with query space field = <i>CERTIFICATE.Stability flag</i> , operator = <math>\geq</math> , constant = 0 , query space field = <i>CERTIFICATE.CERTIFICATE REF.CERTIFICATE TYPE REF.Certificate type code</i> , sort type = A , query space field = <i>CERTIFICATE.CERTIFICATE REF.Certificate code</i> , sort type = A .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.47. inb\_delete\_kocdco.ern\_01.xml

<b><u>Message:</u></b>	inb_delete_kocdco.ern_01.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.ern 01.xml” folder should be successfully

	processed by the system.								
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Delete the export refund nomenclature indent with           <table border="0"> <tr><td>goods nomenclature id = 0100000000 ,</td></tr> <tr><td>productline suffix = 80 ,</td></tr> <tr><td>start date = 1972-12-31 ,</td></tr> <tr><td>additional code type id = R ,</td></tr> <tr><td>export refund code = 444 ,</td></tr> <tr><td>productline suffix = 80 ,</td></tr> <tr><td>start date = 2001-01-01 ,</td></tr> <tr><td>start date = 2001-01-02 .</td></tr> </table> </li> </ul>	goods nomenclature id = 0100000000 ,	productline suffix = 80 ,	start date = 1972-12-31 ,	additional code type id = R ,	export refund code = 444 ,	productline suffix = 80 ,	start date = 2001-01-01 ,	start date = 2001-01-02 .
goods nomenclature id = 0100000000 ,									
productline suffix = 80 ,									
start date = 1972-12-31 ,									
additional code type id = R ,									
export refund code = 444 ,									
productline suffix = 80 ,									
start date = 2001-01-01 ,									
start date = 2001-01-02 .									
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li>□ Message : An error occurred while translating from fine-grained to coarse-grained: Failed retrieving CDCO object, data does not exist in TARIC3.</li> </ul>								

#### 3.4.48. inb\_delete\_kocdco.ern\_01.query.xml

<b><u>Message:</u></b>	inb_delete_kocdco.ern_01.query.xml					
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.ern 01.query.xml” folder should be successfully processed by the system.					
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the export refund nomenclature with           <table border="0"> <tr><td>query space field = EXPORT REFUND NOMENCLATURE.Stability flag ,</td></tr> <tr><td>operator = &gt;= ,</td></tr> <tr><td>constant = 0 ,</td></tr> <tr><td>query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id ,</td></tr> <tr><td>sort type = A ,</td></tr> </table> </li> </ul>	query space field = EXPORT REFUND NOMENCLATURE.Stability flag ,	operator = >= ,	constant = 0 ,	query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id ,	sort type = A ,
query space field = EXPORT REFUND NOMENCLATURE.Stability flag ,						
operator = >= ,						
constant = 0 ,						
query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id ,						
sort type = A ,						

	query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id , sort type = A , query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.Export refund code , sort type = A , query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.Productline suffix , sort type = A , query space field = EXPORT REFUND NOMENCLATURE.EXPORT REFUND NOMENCLATURE REF.LOGICAL KEY.Start date , sort type = A .
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.49. inb\_delete\_kocdco.footnote\_01.xml

<b><u>Message:</u></b>	inb_delete_kocdco.footnote_01.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.footnote 01.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Delete the footnote with footnote type id = NX , footnote id = 057 .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p>

	<ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-FO-18: A footnote cannot be deleted if used in an Export Refund Nomenclature footnote association. Rule applicable for footnotes having Export Refund Nomenclature as footnote type.</li> </ul>
--	--

## 3.4.50. inb\_delete\_kocdco.footnote\_01.query.xml

<u>Message:</u>	inb_delete_kocdco.footnote_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.footnote 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the footnote with query space field = <i>FOOTNOTE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>FOOTNOTE.FOOTNOTE REF.Footnote type id</i> , sort type = A , query space field = <i>FOOTNOTE.FOOTNOTE REF.Footnote id</i> , sort type = A .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.51. inb\_delete\_kocdco.geographicalarea\_01.xml

<u>Message:</u>	inb_delete_kocdco.geographicalarea_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.geographicalarea 01.xml” folder should be successfully processed by the system.

<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Delete the geographical area description period with           <pre>geographical area id = PA , start date = 2000-01-01 , start date = 2001-01-01 .</pre> </li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : An error occurred while translating from fine-grained to coarse-grained: Failed retrieving CDCO object, data does not exist in TARIC3.</li> </ul>

### 3.4.52. inb\_delete\_kocdco.geographicalarea\_01.query.xml

<b><u>Message:</u></b>	inb_delete_kocdco.geographicalarea_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.geographicalarea 01.query.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the country with           <pre>query space field = COUNTRY.Stability flag , operator = &gt;= , constant = 0 , query space field = COUNTRY.COUNTRY REF.LOGICAL KEY.Country id , sort type = A , query space field = COUNTRY.COUNTRY REF.LOGICAL KEY.Start date , sort type = A .</pre> </li> </ul>
<b><u>Expected output:</u></b>	The message is composed of transactions that reply to the original transactions:

	<u>Reply to transaction 1:</u>
	<ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.53. inb\_delete\_kocdco.goodsnomenclature\_01.xml

<u>Message:</u>	inb_delete_kocdco.goodsnomenclature_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.goodsnomenclature 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Delete the goods nomenclature with goods nomenclature id = 0200000000 , productline suffix = 80 , start date = 1971-12-31 .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-NIG-26: A goods nomenclature cannot be deleted if used in a measure.</li> <li><input type="checkbox"/> Message 1 : VR-NIG-27: A goods nomenclature cannot be deleted if used in an ERN.</li> <li><input type="checkbox"/> Message 1 : VR-NIG-73: The goods nomenclature cannot be deleted if it is used as an "absorbed by" code.</li> </ul>

## 3.4.54. inb\_delete\_kocdco.goodsnomenclature\_01.query.xml

<u>Message:</u>	inb_delete_kocdco.goodsnomenclature_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.goodsnomenclature 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the goods nomenclature with</li> </ul>

	query space field = <i>GOODS</i> <i>NOMENCLATURE.Stability</i> flag , operator = >= , constant = 0 , query space field = <i>GOODS</i> <i>NOMENCLATURE.GOODS</i> <i>NOMENCLATURE</i> <i>REF.LOGICAL KEY.Goods</i> nomenclature id , sort type = A , query space field = <i>GOODS</i> <i>NOMENCLATURE.GOODS</i> <i>NOMENCLATURE</i> <i>REF.LOGICAL KEY.Productline</i> suffix , sort type = A , query space field = <i>GOODS</i> <i>NOMENCLATURE.GOODS</i> <i>NOMENCLATURE</i> <i>REF.LOGICAL KEY.Start</i> date , sort type = A .
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.55. inb\_delete\_kocdco.legalregulation\_01.xml

<b><u>Message:</u></b>	inb_delete_kocdco.legalregulation_01.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.legalregulation 01.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Delete the legal regulation with regulation id = <i>I9502841</i> .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-VI-3: Data to be deleted must exist.</li> </ul>

## 3.4.56. inb\_delete\_kocdco.legalregulation\_01.query.xml

<u>Message:</u>	inb_delete_kocdco.legalregulation_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.legalregulation 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Request the legal regulation with query space field = <i>LEGAL REGULATION.LEgal REGULATION REF.Regulation id</i> , sort type = <i>A</i> .</li> </ul>
<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1 : OK.</li> </ul>

## 3.4.57. inb\_delete\_kocdco.measure\_01.xml

<u>Message:</u>	inb_delete_kocdco.measure_01.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.measure 01.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li>□ Message 1: Delete the measure component with measure type id = 777 , geographical area id = 2081 , start date = 1986-03-01 , goods nomenclature id = 0100000000 , productline suffix = 80 , start date = 1971-12-31 , start date = 2007-13-06 , duty expression id = 20 .</li> </ul>

<u>Expected output:</u>	<p>The message is composed of transactions that reply to the original transactions:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message : Could not validate document against INB schema for : Error unmarshalling input-bridge message.</li> </ul>

## 3.4.58. inb\_delete\_kocdco.measure\_01.query.xml

<u>Message:</u>	inb_delete_kocdco.measure_01.query.xml
<u>Precondition:</u>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.measure 01.query.xml” folder should be successfully processed by the system.
<u>Content:</u>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Request the measure with query space field = <i>MEASURE.Stability flag</i> , operator = &gt;= , constant = 0 , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.MEASURE TYPE REF.Measure type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GEOGRAPHICAL AREA REF.LOGICAL KEY.Geographical area id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.GOODS NOMENCLATURE REF.LOGICAL KEY.Goods nomenclature id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.ADDITIONAL CODE TYPE REF.Additional code type id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.ADDITIONAL CODE REF.LOGICAL KEY.Additional code id</i> , sort type = A , query space field = <i>MEASURE.MEASURE REF.LOGICAL KEY.Order number</i> , sort type = A , query space field = <i>MEASURE.MEASURE</i></li> </ul>

	$  \begin{array}{llll}  REF.LOGICAL & KEY.Reduction & indicator & , \\  \text{sort} & \text{type} & = & A \\  \text{query} & \text{space} & \text{field} & = MEASURE.MEASURE \\  REF.LOGICAL & KEY.Start & date & , \\  \text{sort type} & = A . & &  \end{array}  $
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : OK.</li> </ul>

## 3.4.59. inb\_delete\_kocdco.modificationregulation\_01.xml

<b><u>Message:</u></b>	inb_delete_kocdco.modificationregulation_01.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.modificationregulation 01.xml” folder should be successfully processed by the system.
<b><u>Content:</u></b>	<p>The message is composed of the following transactions:</p> <p><u>Transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1: Delete the modification regulation with regulation id = R9900820 , regulation role type = 4 .</li> </ul>
<b><u>Expected output:</u></b>	<p>The message is composed of transactions that reply to the original transactions:</p> <p><u>Reply to transaction 1:</u></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Message 1 : VR-VI-3: Data to be deleted must exist.</li> </ul>

## 3.4.60. inb\_delete\_kocdco.modificationregulation\_01.query.xml

<b><u>Message:</u></b>	inb_delete_kocdco.modificationregulation_01.query.xml
<b><u>Precondition:</u></b>	First, make sure the database is empty. Then load the testing reference data in the system. For this purpose, the <i>init_ref_setup_01.xml</i> message of the “inb delete kocdco.modificationregulation 01.query.xml” folder should be successfully processed by the system.

<b><u>Content:</u></b>	The message is composed of the following transactions:  <u>Transaction 1:</u>  <input type="checkbox"/> Message 1: Request the modification regulation with query space field = <i>ROLE REGULATION.ROLE REGULATION REF.LEGAL REGULATION REF.Regulation id</i> , sort type = <i>A</i> .
<b><u>Expected output:</u></b>	The message is composed of transactions that reply to the original transactions:  <u>Reply to transaction 1:</u>  <input type="checkbox"/> Message 1 : OK.

### 3.5. Message EDIFACT

In this section test case will verify “validation” rules concerning Message Exchange Management part of INB. Please verify that the EDIFACT files are in the correct format (UTF-8, UNIX line separator). The tests will fail if in unix after opening the EDIFACT files with ‘vi’ a ‘^M’ can be seen at the end of the line.

#### 3.5.1. Insert Message

**Test case ID:** inb\_insert.goodsnomenclature\_01.EDIFACT

**Purpose:** Insert a new sub goods nomenclature with an end date. If an end date is added, a successor (400\_40) must be added in the same transaction. The "absorbed by" (400\_35) must be added in the same transaction that goods nomenclature (400\_00).

In the same transaction, insert

400\_00: good nomenclature with an end date

400\_05: indent

400\_10: description period

400\_35: origin

400\_40: successor

In another transaction, update

400\_15: description

In another transaction, insert

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

400\_20: footnote association

In another transaction, insert

400\_25: group membership

<b><u>Precondition:</u></b>	UNB+XXIB:1+CEC/XXI/B5+ +21122009:1208+TARIC' UNH+ACTEN + '
<b><u>Content:</u></b>	000000178740000+00000573301900000008001011971010120200' 000000178740005+0000057430190000000800101197101011971 4' 000000178740010+0000057530190000000800101197101011971' 000000178740035+0000057630190000000800101197101000000008 0' 000000178740040+0000057630190000000800101197102000000008 0' 000000179040015+0000019410190000000800101197101011971EN Quid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberali tate sustentant,p: hos perire patiemur? An, si qui frui publ ico non potuit per hostem, hic tegitur ipsa lege censoria; p: quem is frui non sinit, qui est, etiamsi non appellatur.' 000000179040015+0000019410190000000800101197101011971FR Quid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberali tate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum soci is faciat pactiones, qui hoc etiam se pluris esse quam colleg am putet, quod ille vos tristia voltuque deceperit, ipse numq uam se minus quam erat, nequam esse simularit. Piso autem ali o quodam modo gloriatur se brevi tempore perfecisse, ne Gabin ius unus omnium nequissimus existimaretur.P:Nec minus femina e quoque calamitatum participes fuere similium. nam ex hoc qu o que sexu peremptae sunt originis altae conplures, adulterior um flagitiis obnoxiae vel stuprorum. inter quas notiores fuer e Claritas et Flaviana, quarum altera cum duceretur ad mortem , indumento, quo vestita erat, abrepto, ne velemen quidem secr eto membrorum sufficiens retinere permissa est. ideoque carnif ex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicci in his malorum quaerebat ur acervis ut saltem specie tenus crimina praescriptis legum c ommitterentur, quod aliquotiens fecere principes saevi: sed qu icquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris u lla licet subditicci in his malorum quaerebatur acervis ut sal tem specie tenus crimina praescriptis legum committerentur, qu od aliquotiens fecere principes saevi: sed quicquid Caesaris i mplacabilitati sedisset, id velut fas iusque perpensum confest im urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque h

aec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A' 000000179040015+000001941019000000800101197101011971NL Quid? q

ui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similia. nam ex hoc quoque sexu plementae sunt originis altae conplures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flavia, quarum altera cum duceretur ad mortem, indumento, quovis vestita erat, abrepto, ne velemen quidem secreto membrorum sufficientiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecerunt principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.< P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A' 000000179040015+000001941019000000800101197101011971EL Quid? q

ui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico no-

n potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic fratribus auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat prae actiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo glor iatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur. P:Nec minus feminae quoque calamitatum participants fuere similia. nam ex hoc quoque sexu peremptae sunt originis altae conplures, adulterorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retine re permissa est. i

deoque carnifex nefas admisisse convictus inmane, vivus exustus est. P:Nec vox accusatoris ulla licet subditicia in his malorum quaerebatur acervis ut saltem specie tenus crimina praesciptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri. P:Nec vox accusatoris ulla licet subditicia in his malorum quaerebatur a cervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri. P:Ac ne quis a nobis hoc ita duci forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic unius studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur. P:Ego vero sic intellego, Patres conscri

pti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione beli? <

P:Huic A'

000000179140020+0000057630190000008001011971NC01801012

0010101

2005'

000000179240025+0000057630190000008001011971T163000010

1200101

012020'

999+00000198+130000000071000000017110000000612000000

0814000

0

0000715000000071600000008200000002420500000072100000

00052

15000000822500000004230000000423500000012245000000425

00000

0035270000000532500000083500000009355000000440000000

008'

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

<u>Expected output:</u>	UNT+00000199+ACTEN UNZ+01+TARIC' Message successfully processed.
<u>Test case ID:</u>	<b>inb_insert.goodsnomenclature_01.query.xml</b>
<u>Purpose:</u>	Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.
<u>Precondition:</u>	<b>Transaction 1 :</b> query goods nomenclature query:query.space.field:GOODS NOMENCLATURE.Stability flag
<u>Content:</u>	query:operator:>=br/>query:constant:0 query:query.space.field:GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.Goods nomenclature sid query:sort.type:A
<u>Expected output:</u>	Message successfully processed.

### 3.5.2. Insert Message

<u>Test case ID:</u>	<b>inb_insert.goodsnomenclature_02.EDIFACT</b>
<u>Purpose:</u>	Insert a new sub goods nomenclature without an end date.  Not creation of a successor (400_40)  In the same transaction, insert  400_00: good nomenclature with an end date  400_05: indent  400_10: description period  400_35: origin  In another transaction, update  400_15: description  In another transaction, insert  400_20: footnote association  In another transaction, insert  400_25: group membership

Precondition: UNB+XXIB:1+CEC/XXI/B5+ +03092009:1209+TARIC'

Content:

UNH+ACTEN + '

000000178740000+0000057330210000008001011972 0'

000000178740005+000005743021000000800101197201011972 4'

000000178740010+000005753021000000800101197201011972'

000000178740035+000005763021000000800101197202000000080'

000000179040015+000001941021000000800101197201011972ENQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, p: hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; p: quem is frui non sinit, qui est, etiamsi non appellatur.'

000000179040015+0000019410210000008001011972FRQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltusque decepterit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere simili. nam ex hoc quoque sexu peremptae sunt originis altae complures, adulteriorum flagitis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A'

000000179040015+000001941021000000800101197201011972NLQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltusque decepterit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere simili. nam ex hoc quoque sexu peremptae sunt originis altae complures, adulteriorum flagitis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A'

000000179040015+000001941021000000800101197201011972ELQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatis participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae complures, adulteriorum flagitis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A'

000000179140020+0000057630210000008001011972NC0180101200101012005'

000000179240025+0000057630210000008001011972T1630000101200101012020'

999+00000198+1300000007100000001711000000061200000008140000000715000  
0000071600000008200000002420500000072100000005215000000822500000042  
300000004235000001224500000042500000035270000000532500000083500000  
00935500000044000000008'

UNT+00000199+ACTEN

UNZ+01+TARIC'

**Expected output:** Message successfully processed.

**Test case ID:** inb\_insert.goodsnomenclature\_02.query.xml

**Purpose:** Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Precondition:** **Transaction 1 :** query goods nomenclature  
query:query.space.field:GOODS NOMENCLATURE.Stability flag  
**Content:**  
query:operator:&gt;=br/>query:constant:0  
query:query.space.field:GOODS NOMENCLATURE.GOODS  
NOMENCLATURE REF.Goods nomenclature sid  
query:sort.type:A

**Expected output:** Reply to transaction12: Message successfully processed.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

### 3.5.3. Insert Message

**Test case ID:** **inb\_insert.goodsnomenclature\_03.EDIFACT**

**Purpose:** Insert a new goods nomenclature without an end date.

Not creation of a successor (400\_40)

In the same transaction, insert

400\_00: good nomenclature with an end date

400\_05: indent

400\_10: description period

In another transaction, update

400\_15: description

In another transaction, insert

400\_20: footnote association

In another transaction, insert

400\_25: group membership

**Precondition:** UNB+XXIB:1+CEC/XXI/B5+ +22122009:1208+TARIC'

**Content:** UNH+ACTEN + '

000000178740000+00000573307000000008001011970 0'

000000178740005+0000057430700000000800101197001011970 4'

000000178740010+0000057530700000000800101197001011970'

000000179040015+0000019410700000000800101197001011970ENQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant,p: hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; p:quem is frui non sinit, qui est, etiamsi non appellatur.'

000000179040015+0000019410700000000800101197001011970FRQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinet igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque decepterit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae complures, adulteriorum flagitis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A'

000000179040015+0000019410700000000800101197001011970NLQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinet igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque decepterit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo

gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae complures, adulteriorum flagitis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingeni, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A'

000000179040015+00000194107000000080010119701011970ELQuid? qui 'se etiam nunc subsidii patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinet igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod illi vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse similarit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae complures, adulteriorum flagitis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingeni, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A'

000000179140020+0000057630700000008001011970NC0180101200101012005'

000000179240025+0000057630700000008001011970T1630000101200101012020'

999+00000198+1300000007100000001711000000061200000008140000000715000  
0000071600000008200000002420500000072100000005215000000822500000042  
300000004235000001224500000042500000035270000000532500000083500000  
0093550000004400000008'

UNT+00000199+ACTEN

UNZ+01+TARIC'

**Expected output:** Message successfully processed.

**Test case ID:** inb\_insert.goodsnomenclature\_03.query.xml

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

<b><u>Purpose:</u></b>	Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.
<b><u>Precondition:</u></b>	<b>Transaction 1 :</b> query goods nomenclature query:query.space.field:GOODS NOMENCLATURE.Stability flag
<b><u>Content:</u></b>	query:operator:&gt;=br/>query:constant:0 query:query.space.field:GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.Goods nomenclature sid query:sort.type:A
<b><u>Expected output:</u></b>	Reply to transaction12: Message successfully processed.

### 3.5.4. Insert Message

<b><u>Test case ID:</u></b>	inb_insert.goodsnomenclature_04.EDIFACT
<b><u>Purpose:</u></b>	Insert a new sub goods nomenclature with an end date. If an end date is added, a successor (400_40) must be added in the same transaction.  the "absorbed by" (400_35) must be added in the same transaction that goods nomenclature (400_00).
	In the same transaction, insert  400_00: good nomenclature with an end date  400_05: indent  400_10: description period  400_35: origin  400_40: successor
	In another transaction, update  400_15: description  In another transaction, insert  400_20: footnote association  In another transaction, insert  400_25: group membership
<b><u>Precondition:</u></b>	UNB+XXIB:1+CEC/XXI/B5+ +23122009:0845+TARIC'  UNH+ACTEN + '  000000178740000+0000057330220000008001011972010120200'  000000178740005+000005743022000000800101197201011972 4'

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

000000178740010+000005753022000000800101197201011972'

000000178740035+000005763022000000800101197202000000080'

000000178740040+000005763022000000800101197207000000080'

000000179040015+000001941022000000800101197201011972ENQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; p:quem is frui non sinit, qui est, etiamsi non appellatur.'

000000179040015+000001941022000000800101197201011972FRQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque decepterit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae complures, adulteriorum flagitis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisso convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A'

000000179040015+000001941022000000800101197201011972NLQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque decepterit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae complures, adulteriorum flagitis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisso convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A'

000000179040015+000001941022000000800101197201011972ELQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae complures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus immane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicci in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicci in his malorum quaerebatur acervis ut saltem specie tenus crima praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A'

000000179140020+0000057630220000008001011972NC0180101200101012005'

000000179240025+0000057630220000008001011972T1630000101200101012020'

999+00000198+1300000007100000001711000000061200000008140000000715000  
0000071600000008200000002420500000072100000005215000000822500000042  
30000000042350000001224500000042500000035270000000532500000083500000  
00935500000044000000008'

UNT+00000199+ACTEN

UNZ+01+TARIC'

**Expected output:** Message successfully processed.

**Test case ID:** **inb\_insert.goodsnomenclature\_04.query.xml**

**Purpose:** Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Precondition:** **Transaction 1 :** query goods nomenclature  
query:query.space.field:GOODS NOMENCLATURE.Stability flag

**Content:** query:operator:&gt;=br/>query:constant:0  
query:query.space.field:GOODS NOMENCLATURE.GOODS  
NOMENCLATURE REF.Goods nomenclature sid  
query:sort.type:A

**Expected output:** Reply to transaction12: Message successfully processed.

### 3.5.5. Insert Message

**Test case ID:** **inb\_insert.goodsnomenclature\_06.EDIFACT**

**Purpose:** Insert a new sub goods nomenclature with an end date with the issuer ‘0004’.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**Precondition :** the "absorbed by" (400\_35) must be added in the same transaction that goods nomenclature (400\_00).

In the same transaction, insert

400\_00: good nomenclature with an end date

400\_05: indent (addition 2 indents)

400\_10: description period (addition 2 addition periods)

400\_35: origin (addition 2 origins)

400\_40: successor

In another transaction, update

400\_15: description (addition 2 description for every languages)

In another transaction, insert

400\_20: footnote association (addition 2 footnote associations)

In another transaction, insert

400\_25: group membership (addition 2 groups memberships)

**Content:**

```

UNB+XXIB:1+CEC/XXI/B5+          +21122009:1208+TARIC'
UNH+ACTEN  +
000000178740000+0000057330310000008001011972010120200'
000000178740005+000005743031000000800101197201011972 4'
000000178740010+000005753031000000800101197201011972'
000000178740035+0000057630310000008001011972030000000080'
000000178740040+0000057630310000008001011972010000000080'
000000179040015+000001941031000000800101197201011972ENQuid? qui 'se etiam nunc
subsidiis patrimonii aut amicorum liberalitate sustentant,<p> hos perire patiemur? An, si qui
frui publico non potuit per hostem, hic tegitur ipsa lege censoria; <p>quem is frui non sinit, qui
est, etiamsi non appellatur.'
000000179040015+000001941031000000800101197201011972FRQuid? qui 'se etiam nunc
subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui
publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est,
etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia
diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se
pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se
minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi
tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.<P>Nec minus
feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt
originis altae conplures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere
Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat,
abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque
carnifex nefas admisisse convictus inmane, vivus exustus est.<P>Nec vox accusatoris ulla licet
subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum
committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati
sedisset, id velut fas iusque perpensum confestim urgebatur impleri.<P>Nec vox accusatoris
ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina
praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid
Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur
impleri.<P>Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit
ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam
dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune
vinculum, et quasi cognatione quadam inter se continentur.<P>Ego vero sic intellego, Patres
conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem.
Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione

```

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

bel?<P>Huic A'  
000000179040015+000001941031000000800101197201011972NLQuid? qui 'se etiam nunc  
subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui  
publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est,  
etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinet igitur in provincia  
diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se  
pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se  
minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi  
tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.<P>Nec minus  
feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt  
originis altae conplures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere  
Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat,  
abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque  
carnifex nefas admisisse convictus inmane, vivus exustus est.<P>Nec vox accusatoris ulla licet  
subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum  
committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati  
sedisset, id velut fas iusque perpensum confestim urgebatur impleri.<P>Nec vox accusatoris  
ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina  
praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid  
Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur  
impleri.<P>Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit  
ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam  
dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune  
vinculum, et quasi cognatione quadam inter se continentur.<P>Ego vero sic intellego, Patres  
conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem.  
Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione  
bel?<P>Huic A'  
000000179040015+000001941031000000800101197201011972ELQuid? qui 'se etiam nunc  
subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui  
publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est,  
etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinet igitur in provincia  
diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se  
pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se  
minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi  
tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.<P>Nec minus  
feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt  
originis altae conplures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere  
Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat,  
abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque  
carnifex nefas admisisse convictus inmane, vivus exustus est.<P>Nec vox accusatoris ulla licet  
subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum  
committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati  
sedisset, id velut fas iusque perpensum confestim urgebatur impleri.<P>Nec vox accusatoris  
ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina  
praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid  
Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur  
impleri.<P>Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit  
ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam  
dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune  
vinculum, et quasi cognatione quadam inter se continentur.<P>Ego vero sic intellego, Patres  
conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem.  
Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione  
bel?<P>Huic A'

000000179140020+0000057630310000008001011972NC0180101200101012005'  
000000179240025+0000057630310000008001011972T1630000101200101012020'  
999+00000198+13000000071000000017110000000612000000081400000007150000  
000071600000008200000002420500000072100000005215000000822500000042300  
0000004235000001224500000042500000035270000000532500000083500000000935  
500000044000000008'

UNT+00000199+ACTEN  
UNZ+01+TARIC'

**Expected output:** Message successfully processed.

**Test case ID:** inb\_insert.goodsnomenclature\_05.query.xml

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

<u>Purpose:</u>	Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.
<u>Content:</u>	<b>Transaction 1 :</b> query goods nomenclature query:query.space.field:GOODS NOMENCLATURE.Stability flag query:operator:&gt;=br/> query:constant:0 query:query.space.field:GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.Goods nomenclature sid query:sort.type:A
<u>Expected output:</u>	<u>Reply to transaction12:</u> Message successfully processed.

### 3.5.6. Insert Message

Test case ID: **inb\_insert.goodsnomenclature\_05.EDIFACT**

Purpose: Insert a new sub goods nomenclature with an end date. If an end date is added, a successor (400\_40) must be added in the same transaction.

Precondition : the "absorbed by" (400\_35) must be added in the same transaction that goods nomenclature (400\_00).

In the same transaction, insert

400\_00: good nomenclature with an end date

400\_05: indent (addition 2 indents)

400\_10: description period (addition 2 addition periods)

400\_35: origin (addition 2 origins)

400\_40: successor

In another transaction, update

400\_15: description (addition 2 description for every languages)

In another transaction, insert

400\_20: footnote association (addition 2 footnote associations)

In another transaction, insert

400\_25: group membership (addition 2 groups memberships)

Content:

```

UNB+XXIB:1+CEC/XXI/B5+      +03092009:1209+TARIC'
UNH+ACTEN  +
000000178740000+00000573302300000008001011972010120200'
000000178740005+0000057430230000000800101197201011972 4'
000000178740005+0000057430230000000800101197201011975 0'
000000178740010+0000057530230000000800101197201011972'

```

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan  
INPUT BRIDGE XML MESSAGES Ref: TARIC3-INB-stp

000000178740010+000005753023000000800101197201011975' 000000178740035+000005763023000000800101197202000000080' 000000178740035+000005763023000000800101197207000000080' 000000178740040+000005763023000000800101197201000000080' 000000179040015+000001941023000000800101197201011972ENQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant,p: hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; p:quem is frui non sinit, qui est, etiamsi non appellatur.' 000000179040015+000001941023000000800101197201011972FRQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinet igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae conplures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicci in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestimurgebat impleri.P:Nec vox accusatoris ulla licet subditicci in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestimurgebat impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingeni, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuiimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A' 000000179040015+000001941023000000800101197201011972NLQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinet igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae conplures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicci in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestimurgebat impleri.P:Nec vox accusatoris ulla licet subditicci in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestimurgebat impleri.P:Nec vox accusatoris ulla licet subditicci in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestimurgebat impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingeni, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuiimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A' 000000179040015+000001941023000000800101197201011972ELQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinet igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae conplures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas

admisso convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A' 000000179140015+000001941023000000800101197201011975ENQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant,p: hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; p:quem is frui non sinit, qui est, etiamsi non appellatur.'

000000179140015+000001941023000000800101197201011975FRQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae conplures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisso convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A' 000000179140015+000001941023000000800101197201011975NLQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae conplures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisso convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A' 000000179140015+000001941023000000800101197201011975ELQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est,

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae conplures, adulteriorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confessim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confessim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingenii, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione beli?P:Huic A' 000000179240020+0000057630230000008001011972NC0180101200101012005' 000000179340020+0000057630230000008001011972NC0280101200101012003' 000000179440025+0000057630230000008001011972T1630000101200101012020' 000000179540025+0000057630230000008001011972T2270000101200101012010' 999+00000198+1300000000710000000017110000000061200000000814000000007150000 000071600000008200000002420500000072100000005215000000822500000042300 0000004235000000122450000004250000003527000000053250000008350000000935 5000000440000000008' UNT+00000199+ACTEN UNZ+01+TARIC'

**Expected output:**

Message successfully processed.

**Test case ID:**

inb\_insert.goodsnomenclature\_06.query.xml

**Purpose:**

Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Content:**

**Transaction 1 :** query goods nomenclature  
query:query.space.field:GOODS NOMENCLATURE.Stability flag  
query:operator:&gt;=

query:constant:0  
query:query.space.field:GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.Goods nomenclature sid  
query:sort.type:A

**Expected output:**

Reply to transaction12: Message successfully processed.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

### 3.5.7. Update Message

Test case ID: **inb\_update.goodsnomenclature\_01.EDIFACT**

Purpose: Addition of an end date and verify applied rules.

Content:

```

UNB+XXIB:1+CEC/XXI/B5+
+21122009:1508+TARIC'
UNH+ACTEN + '
000000178740000+000005731018000000080301219710101201
50'
999+00000198+13000000007100000000171100000000612000
0000081400000000715000000007160000000082000000002420
5000000072100000000521500000008225000000042300000000
4235000000122450000000425000000035270000000053250000
0008350000000093550000000440000000008'
UNT+00000199+ACTEN '
UNZ+01+TARIC'
```

Expected output: [Reply to transaction12](#): Message successfully processed.

Test case ID: **inb\_update.goodsnomenclature\_01.query.xml**

Purpose: Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

Content:

**Transaction 1 :** query goods nomenclature  
query:query.space.field:GOODS NOMENCLATURE.Stability flag  
query:operator:&gt;=

query:constant:0  
query:query.space.field:GOODS NOMENCLATURE.GOODS  
NOMENCLATURE REF.Goods nomenclature sid  
query:sort.type:A

Expected output: Message successfully processed.

### 3.5.8. Update Message

Test case ID: **inb\_update.goodsnomenclature\_02.EDIFACT**

Purpose: Addition of a new description period

Addition of description

First transaction:

400\_10: new description period

Second transaction:

400\_15: new description

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**Content:** UNB+XXIB:1+CEC/XXI/B5+  
+21122009:1608+TARIC'  
UNH+ACTEN + '  
000000178740010+000005753018000000080301219710101197  
5'  
000000179040015+000001941018000000080301219710101197  
5ENQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum  
liberalitate sustentant,p: hos perire patiemur? An, si qui frui  
publico non potuit per hostem, hic tegitur ipsa lege censoria;  
p:quem is frui non sinit, qui est, etiamsi non appellatur.'  
000000179040015+000001941018000000080301219710101197  
5FRQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum  
liberalitate sustentant, hos perire patiemur? An, si qui frui publico  
non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui  
non sinit, qui est, etiamsi non appellatur, hostis, huic ferri  
auxilium non oportet? Retinete igitur in provincia diutius eum,  
qui de sociis cum hostibus, de civibus cum sociis faciat pactiones,  
qui hoc etiam se pluris esse quam collegam putet, quod ille vos  
tristia voltuque deceperit, ipse numquam se minus quam erat,  
nequam esse simularit. Piso autem alio quodam modo gloriatur se  
brevi tempore perfecisse, ne Gabinius unus omnium nequissimus  
existimaretur.P:Nec minus feminae quoque calamitatum  
participes fuere similium. nam ex hoc quoque sexu peremptae  
sunt originis altae conplures, adulteriorum flagitiis obnoxiae vel  
stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum  
altera cum duceretur ad mortem, indumento, quo vestita erat,  
abrepto, ne velemen quidem secreto membrorum sufficiens  
retinere permissa est. ideoque carnifex nefas admisisse convictus  
inmane, vivus exustus est.P:Nec vox accusatoris ulla licet  
subditicii in his malorum quaerebatur acervis ut saltem specie  
tenus crimina praescriptis legum committerentur, quod  
aliquotiens fecere principes saevi: sed quicquid Caesaris  
implacabilitati sedisset, id velut fas iusque perpensum confestim  
urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his  
malorum quaerebatur acervis ut saltem specie tenus crimina  
praescriptis legum committerentur, quod aliquotiens fecere  
principes saevi: sed quicquid Caesaris implacabilitati sedisset, id  
velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne  
quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc  
facultas sit ingeni, neque haec dicendi ratio aut disciplina, ne nos  
quidem huic uni studio penitus umquam dediti fuimus. Etenim  
omnes artes, quae ad humanitatem pertinent, habent quoddam  
commune vinculum, et quasi cognatione quadam inter se  
continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc  
tempore in provinciis decernendis perpetuae pacis habere  
oportere rationem. Nam quis hoc non sentit omnia alia esse nobis  
vacua ab omni periculo atque etiam suspicione bel?P:Huic A'  
000000179040015+000001941018000000080301219710101197  
5NLQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum  
liberalitate sustentant, hos perire patiemur? An, si qui frui publico  
non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui

non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae conplures, adulterorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingeni, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A' 000000179040015+000001941018000000080301219710101197 5ELQuid? qui 'se etiam nunc subsidiis patrimonii aut amicorum liberalitate sustentant, hos perire patiemur? An, si qui frui publico non potuit per hostem, hic tegitur ipsa lege censoria; quem is frui non sinit, qui est, etiamsi non appellatur, hostis, huic ferri auxilium non oportet? Retinete igitur in provincia diutius eum, qui de sociis cum hostibus, de civibus cum sociis faciat pactiones, qui hoc etiam se pluris esse quam collegam putet, quod ille vos tristia voltuque deceperit, ipse numquam se minus quam erat, nequam esse simularit. Piso autem alio quodam modo gloriatur se brevi tempore perfecisse, ne Gabinius unus omnium nequissimus existimaretur.P:Nec minus feminae quoque calamitatum participes fuere similium. nam ex hoc quoque sexu peremptae sunt originis altae conplures, adulterorum flagitiis obnoxiae vel stuprorum. inter quas notiores fuere Claritas et Flaviana, quarum altera cum duceretur ad mortem, indumento, quo vestita erat, abrepto, ne velemen quidem secreto membrorum sufficiens retinere permissa est. ideoque carnifex nefas admisisse convictus

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

inmane, vivus exustus est.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Nec vox accusatoris ulla licet subditicii in his malorum quaerebatur acervis ut saltem specie tenus crimina praescriptis legum committerentur, quod aliquotiens fecere principes saevi: sed quicquid Caesaris implacabilitati sedisset, id velut fas iusque perpensum confestim urgebatur impleri.P:Ac ne quis a nobis hoc ita dici forte miretur, quod alia quaedam in hoc facultas sit ingeni, neque haec dicendi ratio aut disciplina, ne nos quidem huic uni studio penitus umquam dediti fuimus. Etenim omnes artes, quae ad humanitatem pertinent, habent quoddam commune vinculum, et quasi cognatione quadam inter se continentur.P:Ego vero sic intellego, Patres conscripti, nos hoc tempore in provinciis decernendis perpetuae pacis habere oportere rationem. Nam quis hoc non sentit omnia alia esse nobis vacua ab omni periculo atque etiam suspicione bel?P:Huic A' 999+00000198+13000000007100000000171100000000612000 0000081400000000715000000071600000008200000002420 500000072100000005215000000822500000042300000000 4235000000122450000004250000003527000000053250000 0008350000000935500000044000000008' UNT+00000199+ACTEN ' UNZ+01+TARIC'

**Expected output:** Message successfully processed.

**Test case ID:** inb\_update.goodsnomenclature\_02.query.xml

**Purpose:** Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Content:** **Transaction 1 :** query goods nomenclature  
query:query.space.field:GOODS NOMENCLATURE.Stability flag  
query:operator:&gt;=  
query:constant:0  
query:query.space.field:GOODS NOMENCLATURE.GOODS  
NOMENCLATURE REF.Goods nomenclature sid  
query:sort.type:A

**Expected output:** Message successfully processed.

### 3.5.9. Update Message

**Test case ID:** inb\_update.goodsnomenclature\_03.EDIFACT

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**Purpose:** Addition of a footnote association (400\_25)

**Content:**

```
UNB+XXIB:1+CEC/XXI/B5+
+21122009:1408+TARIC'
UNH+ACTEN  +
000000179240025+00000577102200000008001011972T16300
00101200101012010'
999+00000198+13000000007100000000171100000000612000
000008140000000071500000000716000000008200000002420
50000000721000000005215000000082250000004230000000
42350000001224500000004250000003527000000053250000
000835000000009355000000044000000008'
UNT+00000199+ACTEN  '
UNZ+01+TARIC'
```

**Expected output:** Message successfully processed.

**Test case ID:** inb\_update.goodsnomenclature\_03.query.xml

**Purpose:** Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Content:**

```
Transaction 1 : query goods nomenclature
query:query.space.field:GOODS NOMENCLATURE.Stability flag
query:operator:&gt;=
query:constant:0
query:query.space.field:GOODS NOMENCLATURE.GOODS
NOMENCLATURE REF.Goods nomenclature sid
query:sort.type:A
```

**Expected output:** Message successfully processed.

### 3.5.10. Update Message

**Test case ID:** inb\_update.goodsnomenclature\_04.EDIFACT

**Purpose:** Addition of an end date (400\_00)

                  Addition of a successor in the same transaction (400\_40)

**Content:**

```
UNB+XXIB:1+CEC/XXI/B5+
+21122009:1508+TARIC'
UNH+ACTEN  +
000000178740000+00000573101100000080311219710101201
50'
000000178740040+00000576301100000080311219710700000
00080'
999+00000198+13000000007100000000171100000000612000
00000814000000007150000000071600000008200000002420
```

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

500000007210000000521500000082250000004230000000  
 423500000122450000004250000003527000000053250000  
 0008350000000935500000044000000008'  
 UNT+00000199+ACTEN  
 UNZ+01+TARIC'

**Expected output:** Message successfully processed.

**Test case ID:** inb\_update.goodsnomenclature\_04.query.xml

**Purpose:** Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Content:** **Transaction 1 :** query goods nomenclature  
 query:query.space.field:GOODS NOMENCLATURE.Stability flag  
 query:operator:>=br/>
 query:constant:0  
 query:query.space.field:GOODS NOMENCLATURE.GOODS  
 NOMENCLATURE REF.Goods nomenclature sid  
 query:sort.type:A

**Expected output:** Message successfully processed.

### 3.5.11. Update Message

**Test case ID:** inb\_update.goodsnomenclature\_05.EDIFACT

**Purpose:** Addition of an indent (400\_05)  
 Addition of a group membership in another transaction (400\_20)

**Content:** UNB+XXIB:1+CEC/XXI/B5+  
 +23122009:0845+TARIC'  
 UNH+ACTEN + '  
 00000178740005+0000574102200000080010119720101198  
 0 0'  
 00000179140020+000057610220000008001011972NX0580  
 101200101012005'  
 999+00000198+13000000071000000017110000000612000  
 000008140000000715000000071600000008200000002420  
 50000007210000000521500000082250000004230000000  
 423500000122450000004250000003527000000053250000  
 0008350000000935500000044000000008'  
 UNT+00000199+ACTEN  
 UNZ+01+TARIC'

**Expected output:** Message successfully processed.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**Test case ID:** **inb\_update.goodsnomenclature\_05.query.xml**

**Purpose:** Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Content:** **Transaction 1 :** query goods nomenclature  
query:query.space.field:GOODS NOMENCLATURE.Stability flag  
query:operator:>=br/>
query:constant:0  
query:query.space.field:GOODS NOMENCLATURE.GOODS  
NOMENCLATURE REF.Goods nomenclature sid  
query:sort.type:A

**Expected output:** Message successfully processed.

### 3.5.12. Update Message

**Test case ID:** **inb\_update.goodsnomenclature\_06.EDIFACT**

**Purpose:** Modification of an end date

**Content:** UNB+XXIB:1+CEC/XXI/B5+  
+21122009:1508+TARIC'  
UNH+ACTEN + '  
000000178740000+000005731090000000080010120010101201  
50'  
000000178740040+000005761090000000080010120010800000  
00080'  
999+00000198+13000000007100000000171100000000612000  
000008140000000071500000000716000000008200000002420  
5000000072100000000521500000008225000000042300000000  
4235000000122450000000425000000035270000000053250000  
000835000000093550000000440000000008'  
UNT+00000199+ACTEN '  
UNZ+01+TARIC'

**Expected output:** Message successfully processed.

**Test case ID:** **inb\_update.goodsnomenclature\_06.query.xml**

**Purpose:** Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Content:** **Transaction 1 :** query goods nomenclature  
query:query.space.field:GOODS NOMENCLATURE.Stability flag  
query:operator:>=br/>
query:constant:0  
query:query.space.field:GOODS NOMENCLATURE.GOODS  
NOMENCLATURE REF.Goods nomenclature sid

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**Expected output:** query:sort.type:A  
Message successfully processed.

### 3.5.13. Delete Message

**Test case ID:** inb\_delete.goodsnomenclature\_01.EDIFACT

**Purpose:** delete of description period (400-10)

**Content:** UNB+XXIB:1+CEC/XXI/B5+  
+13122009:1309+TARIC'  
UNH+ACTEN + '  
000000178740010+000005752018000000080301219710101200  
2'  
999+00000198+13000000007100000000171100000000612000  
000008140000000071500000000716000000008200000002420  
5000000072100000000521500000008225000000042300000000  
4235000000122450000000425000000035270000000053250000  
0008350000000093550000000440000000008'  
UNT+00000199+ACTEN '  
UNZ+01+TARIC'

**Expected output:** Reply to transaction12: Message successfully processed.

**Test case ID:** inb\_delete.goodsnomenclature\_01.query.xml

**Purpose:** Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Precondition:** Transaction 1 : query goods nomenclature  
query:query.space.field:GOODS NOMENCLATURE.Stability flag

**Content:** query:operator:>=  
query:constant:0  
query:query.space.field:GOODS NOMENCLATURE.GOODS  
NOMENCLATURE REF.Goods nomenclature sid  
query:sort.type:A

**Expected output:** Reply to transaction12: Message successfully processed.

### 3.5.14. Delete Message

**Test case ID:** inb\_delete.goodsnomenclature\_02.EDIFACT

**Purpose:** Delete of the end date (400\_00)

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

Delete of the successor (400\_40)

**Content:** UNB+XXIB:1+CEC/XXI/B5+  
+13122009:1309+TARIC'  
UNH+ACTEN + '  
000000178740000+00000573101800000008030121971 0'  
000000178740040+000005762018000000080311219710200000  
00080'  
999+00000198+1300000000710000000017110000000612000  
00000814000000007150000000071600000008200000002420  
50000000721000000052150000000822500000042300000000  
423500000012245000000042500000003527000000053250000  
000835000000093550000000440000000008'  
UNT+00000199+ACTEN '  
UNZ+01+TARIC'

**Expected output:** [Reply to transaction12](#): Message successfully processed.

**Test case ID:** **inb\_delete.goodsnomenclature\_02.query.xml**

**Purpose:** Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Content:** **Transaction 1 :** query goods nomenclature  
query:query.space.field:GOODS NOMENCLATURE.Stability flag  
query:operator:>=br/>query:constant:0  
query:query.space.field:GOODS NOMENCLATURE.GOODS  
NOMENCLATURE REF.Goods nomenclature sid  
query:sort.type:A

**Expected output:** [Reply to transaction12](#): Message successfully processed.

### 3.5.15. Delete Message

**Test case ID:** **inb\_delete.goodsnomenclature\_03.EDIFACT**

**Purpose:** Delete of the end date (400\_00)  
Delete of the successor (400\_40)

**Content:** UNB+XXIB:1+CEC/XXI/B5+  
+13122009:1309+TARIC'  
UNH+ACTEN + '  
000000178740000+0000057310180000000803012  
1971 0'  
000000178740040+0000057620180000000803112  
197102000000080'  
999+00000198+130000000071000000017110000  
000061200000000814000000071500000007160  
00000008200000000242050000000721000000005

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

21500000008225000000423000000042350000  
 01224500000042500000035270000000532500  
 000008350000000935500000044000000008'  
 UNT+0000199+ACTEN    '  
 UNZ+01+TARIC'

**Expected output:** [Reply to transaction12](#): Message successfully processed.

**Test case ID:** **inb\_delete.goodsnomenclature\_03.query.xml**

**Purpose:** Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.

**Precondition:** **Transaction 1 : query goods nomenclature**

query:query.space.field:GOODS NOMENCLATURE.Stability flag  
 query:operator:&gt;=br/>
 query:constant:0  
 query:query.space.field:GOODS NOMENCLATURE.GOODS  
 NOMENCLATURE REF.Goods nomenclature sid  
 query:sort.type:A

**Expected output:** [Reply to transaction12](#): Message successfully processed.

### 3.5.16. Delete Message

**Test case ID:** **inb\_delete.goodsnomenclature\_04.EDIFACT**

**Purpose:** delete of indent (400\_05)

delete of origin(400\_35)

delete of group membership (400\_25)

**Content:** UNB+XXIB:1+CEC/XXI/B5+  
 +21122009:1208+TARIC'  
 UNH+ACTEN    +    '  
 000000178740005+000005742019000000080010119710101197  
 14'  
 000000178740035+000005762019000000080010119710100000  
 00080'  
 000000179240025+00000576201900000008001011971T16300  
 0010120010102020'  
 999+00000198+1300000000710000000017110000000612000  
 00000814000000007150000000071600000008200000002420  
 50000000721000000005215000000082250000004230000000  
 4235000000122450000004250000003527000000053250000  
 0008350000000935500000044000000008'  
 UNT+0000199+ACTEN    '  
 UNZ+01+TARIC'

**Expected** [Reply to transaction12](#): Message successfully processed.

DG TAXUD – TARIC3 Input Bridge Input Bridge – System Test Plan	
INPUT BRIDGE XML MESSAGES	Ref: TARIC3-INB-STP

**output:**

<b><u>Test case ID:</u></b>	<b>inb_delete.goodsnomenclature_04.query.xml</b>
<b><u>Purpose:</u></b>	Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.
<b><u>Precondition:</u></b>	<b>Transaction 1 :</b> query goods nomenclature query:query.space.field:GOODS NOMENCLATURE.Stability flag
<b><u>Content:</u></b>	query:operator:&gt;=br/>query:constant:0 query:query.space.field:GOODS NOMENCLATURE.GOODS NOMENCLATURE REF.Goods nomenclature sid query:sort.type:A
<b><u>Expected output:</u></b>	Reply to transaction12: Message successfully processed.

### 3.5.17. Delete Message

<b><u>Test case ID:</u></b>	<b>inb_delete.goodsnomenclature_05.EDIFACT</b>
<b><u>Purpose:</u></b>	Delete of goods nomenclature (400_00)
<b><u>Content:</u></b>	UNB+XXIB:1+CEC/XXI/B5+ +21122009:1208+TARIC' UNH+ACTEN + ' 000000178740005+000005742019000000080010119710101197 1 4' 000000178740035+000005762019000000080010119710100000 00080' 000000179240025+00000576201900000008001011971T16300 00101200101012020' 999+00000198+13000000007100000000171100000000612000 0000081400000000715000000007160000000082000000002420 5000000072100000000521500000008225000000042300000000 4235000000122450000000425000000035270000000053250000 0008350000000093550000000440000000008' UNT+00000199+ACTEN ' UNZ+01+TARIC'
<b><u>Expected output:</u></b>	Reply to transaction12: Message successfully processed.

<b><u>Test case ID:</u></b>	<b>inb_delete.goodsnomenclature_05.query.xml</b>
<b><u>Purpose:</u></b>	Perform “Query” by requesting details of “Message Exchange” data for specific ‘Issuer’s’ and verify applied rules.
<b><u>Precondition:</u></b>	<b>Transaction 1 :</b> query goods nomenclature query:query.space.field:GOODS NOMENCLATURE.Stability flag

**Content:** query:operator:&gt;=  
query:constant:0  
query:query.space.field:GOODS NOMENCLATURE.GOODS  
NOMENCLATURE REF.Goods nomenclature sid  
query:sort.type:A

**Expected output:** [Reply to transaction12](#): Message successfully processed.

## 4. TEST REPORT FORM

### 4.1. Environment description

Hardware platform	Sun
Operating system	Solaris version
Database (+version)	Database version
Official release number <sup>1</sup>	
ClearCase label <sup>2</sup>	
Performance test file version	
Execution date	

Table 4: Environment description

### 4.2. Test case execution

Test Case ID	Result	Notes
<b>Refdata</b>		
Inb_Refdata_languages.xml		
Inb_Refdata_footnotetypes.xml		
Inb_Refdata_TransmissionComment.xml		
Inb_Refdata_CertificateType.xml		
Inb_Refdata_AdditionalCodeType.xml		
Inb_Refdata_MeasureTypeSeries.xml		
Inb_Refdata_RegulationGroup.xml		
Inb_Refdata_RegulationRoleType.xml		
Inb_Refdata_PublicationSigle.xml		
Inb_Refdata_MeasurementUnitQualifier.xml		
Inb_Refdata_MeasurementUnit.xml		
Inb_Refdata_Certificate.xml		
Inb_Refdata_Footnote.xml		
Inb_Refdata_MonetaryUnit.xml		
Inb_Refdata_DutyExpression.xml		
Inb_Refdata_CountryGroup.xml		
Inb_Refdata_Countries.xml		
Inb_Refdata_GoodsNomenclatureGroup.xml		
Inb_Refdata_MeasureAction.xml		
Inb_Refdata_MeasureConditionCode.xml		
Inb_Refdata_MeasuringTablePlan.xml		
Inb_Refdata_MeasuringAdditionalCodes.xml		
Inb_Refdata_AdditionalCode.xml		
Inb_Refdata_MonetaryExchange.xml		

<sup>1</sup> This information must only be filled in for testing of official delivery (e.g. 1.0.0).

<sup>2</sup> This information is only available to the development team and identifies the tested internal version.

Test Case ID	Result	Notes
Inb_Refdata_MeasureType.xml		
Inb_Refdata_LegalRegulation.xml		
Inb_Refdata_BaseRegulation.xml		
Inb_Refdata_ModificationRegulation.xml		
Inb_Refdata_ExplicitAbrogationRegulation.xml		
Inb_Refdata_CompleteAbrogationRegulation.xml		
Inb_Refdata_ProrogationRegulation.xml		
Inb_Refdata_FullTemporaryStopRegulation.xml		
Inb_Refdata_GoodsNomenclature.xml		
Inb_Refdata_Export_Refund_Nomenclature.xml		
Inb_Refdata_Measure.xml		
<b>Init</b>		
INB_Init_FootnoteTypes.xml		
INB_Init_Footnote.xml		
INB_Init_RegulationGroup.xml		
INB_Init_MeasureTypeSeries.xml		
INB_Init_AdditionalCodeType.xml		
INB_Init_AdditionalCode.xml		
INB_Init_MeasureType.xml		
INB_Init_MeasureConditionCode.xml		
INB_Init_MeasureAction.xml		
INB_Init_LegalRegulation.xml		
INB_Init_GoodsNomenclatureGroup.xml		
INB_Init_GoodsNomenclature.xml		
INB_Init_ExportRefundNomenclature.xml		
INB_Init_CountryGroup.xml		
INB_Init_CertificateType.xml		
INB_Init_Certificate.xml		
INB_Init_BaseRegulation.xml		
INB_Init_ModificationRegulation.xml		
INB_Init_Countries.xml		
INB_Init_Measure.xml		
INB_Init_NomenclatureGroup.xml		
INB_Init_languages.xml		

Test Case ID	Result	Notes
<b>INSERT ISSUER</b>		
inb_insert.issuer_01.xml		
inb_insert.issuer_02.xml		
inb_insert.issuer_03.xml		
<b>UPDATE ISSUER</b>		
inb_update.issuer_01.xml		
<b>DELETE ISSUER</b>		
inb_delete.issuer_01.xml		
<b>Insert</b>		
inb_insert.additionalcode_01.xml		
inb_insert.additionalcode_01.query.xml		
inb_insert.additionalcode_02.xml		

Test Case ID	Result	Notes
inb_insert.additionalcode_02.query.xml		
inb_insert.additionalcode_03.xml		
inb_insert.additionalcode_03.query.xml		
inb_insert.additionalcode_04.xml		
inb_insert.additionalcode_04.query.xml		
inb_insert.additionalcode_05.xml		
inb_insert.additionalcode_05.query.xml		
inb_insert.legalregulation_01.xml		
inb_insert.legalregulation_01.query.xml		
inb_insert.baseregulation_01.xml		
inb_insert.baseregulation_01.query.xml		
inb_insert.baseregulation_02.xml		
inb_insert.baseregulation_02.query.xml		
inb_insert.modificationregulation_01.xml		
inb_insert.modificationregulation_01.query.xml		
inb_insert.certificate_01.xml		
inb_insert.certificate_01.query.xml		
inb_insert.certificate_02.xml		
inb_insert.certificate_02.query.xml		
inb_insert.certificate_03.xml		
inb_insert.certificate_03.query.xml		
inb_insert.certificate_04.xml		
inb_insert.certificate_04.query.xml		
inb_insert.ern_01.xml		
inb_insert.ern_01.query.xml		
inb_insert.ern_02.xml		
inb_insert.ern_02.query.xml		
inb_insert.footnote_01.xml		
inb_insert.footnote_01.query.xml		
inb_insert.footnote_02.xml		
inb_insert.footnote_02.query.xml		
inb_insert.footnote_03.xml		
inb_insert.footnote_03.query.xml		
inb_insert.geographicalarea_01.xml		
inb_insert.geographicalarea_01.query.xml		
inb_insert.geographicalarea_02.xml		
inb_insert.geographicalarea_02.query.xml		
inb_insert.geographicalarea_03.xml		
inb_insert.geographicalarea_03.query.xml		
inb_insert.geographicalarea_04.xml		
inb_insert.geographicalarea_04.query.xml		
inb_insert.geographicalarea_05.xml		
inb_insert.geographicalarea_05.query.xml		
inb_insert.geographicalarea_06.xml		
inb_insert.geographicalarea_06.query.xml		
inb_insert.goodsnomenclature_01.xml		
inb_insert.goodsnomenclature_01.query.xml		
inb_insert.goodsnomenclature_02.xml		
inb_insert.goodsnomenclature_02.query.xml		

Test Case ID	Result	Notes
inb_insert.goodsnomenclature_03.xml		
inb_insert.goodsnomenclature_03.query.xml		
inb_insert.goodsnomenclature_04.xml		
inb_insert.goodsnomenclature_04.query.xml		
inb_insert.goodsnomenclature_05.xml		
inb_insert.goodsnomenclature_05.query.xml		
inb_insert.goodsnomenclature_06.xml		
inb_insert.goodsnomenclature_06.query.xml		
inb_insert.goodsnomenclature_07.xml		
inb_insert.goodsnomenclature_07.query.xml		
inb_insert.goodsnomenclature_08.xml		
inb_insert.goodsnomenclature_08.query.xml		
inb_insert.goodsnomenclature_09.xml		
inb_insert.goodsnomenclature_09.query.xml		
inb_insert.goodsnomenclature_10.xml		
inb_insert.goodsnomenclature_10.query.xml		
inb_insert.measure_01.xml		
inb_insert.measure_01.query.xml		
inb_insert.measure_02.xml		
inb_insert.measure_02.query.xml		
inb_insert.measure_03.xml		
inb_insert.measure_03.query.xml		
inb_insert.measure_04.xml		
inb_insert.measure_04.query.xml		
inb_insert.measure_05.xml		
inb_insert.measure_05.query.xml		
inb_insert.measure_06.xml		
inb_insert.measure_06.query.xml		
inb_insert.measure_07.xml		
inb_insert.measure_07.query.xml		
inb_insert.measure_08.xml		
inb_insert.measure_08.query.xml		
inb_insert.measure_09.xml		
inb_insert.measure_09.query.xml		
<b>Update</b>		
inb_update.measure_01.xml		
inb_update.measure_01.query.xml		
inb_update.measure_02.xml		
inb_update.measure_02.query.xml		
inb_update.measure_03.xml		
inb_update.measure_03.query.xml		
inb_update.additionalcode_01.xml		
inb_update.additionalcode_01.query.xml		
inb_update.additionalcode_02.xml		
inb_update.additionalcode_02.query.xml		
inb_update.additionalcode_03.xml		
inb_update.additionalcode_03.query.xml		
inb_update.additionalcode_04.xml		
inb_update.additionalcode_04.query.xml		

Test Case ID	Result	Notes
inb_update.additionalcode_05.xml		
inb_update.additionalcode_05.query.xml		
inb_update.additionalcode_06.xml		
inb_update.additionalcode_06.query.xml		
inb_update.additionalcode_07.xml		
inb_update.additionalcode_07.query.xml		
inb_update.additionalcode_08.xml		
inb_update.additionalcode_08.query.xml		
inb_update.additionalcode_09.xml		
inb_update.additionalcode_09.query.xml		
inb_update.baseregulation_01.xml		
inb_update.baseregulation_01.query.xml		
inb_update.baseregulation_02.xml		
inb_update.baseregulation_02.query.xml		
inb_update.certificate_01.xml		
inb_update.certificate_01.query.xml		
inb_update.certificate_02.xml		
inb_update.certificate_02.query.xml		
inb_update.certificate_03.xml		
inb_update.certificate_03.query.xml		
inb_update.certificate_04.xml		
inb_update.certificate_04.query.xml		
inb_update.certificate_05.xml		
inb_update.certificate_05.query.xml		
inb_update.certificate_06.xml		
inb_update.certificate_06.query.xml		
inb_update.ern_01.xml		
inb_update.ern_01.query.xml		
inb_update.ern_02.xml		
inb_update.ern_02.query.xml		
inb_update.ern_03.xml		
inb_update.ern_03.query.xml		
inb_update.ern_04.xml		
inb_update.ern_04.query.xml		
inb_update.footnote_01.xml		
inb_update.footnote_01.query.xml		
inb_update.footnote_02.xml		
inb_update.footnote_02.query.xml		
inb_update.geographicalarea_01.xml		
inb_update.geographicalarea_01.query.xml		
inb_update.geographicalarea_02.xml		
inb_update.geographicalarea_02.query.xml		
inb_update.geographicalarea_03.xml		
inb_update.geographicalarea_03.query.xml		
inb_update.geographicalarea_04.xml		
inb_update.geographicalarea_04.query.xml		
inb_update.geographicalarea_05.xml		
inb_update.geographicalarea_05.query.xml		
inb_update.geographicalarea_06.xml		

Test Case ID	Result	Notes
inb_update.geographicalarea_06.query.xml		
inb_update.geographicalarea_07.xml		
inb_update.geographicalarea_07.query.xml		
inb_update.goodsnomenclature_01.xml		
inb_update.goodsnomenclature_01.query.xml		
inb_update.goodsnomenclature_02.xml		
inb_update.goodsnomenclature_02.query.xml		
inb_update.goodsnomenclature_03.xml		
inb_update.goodsnomenclature_03.query.xml		
inb_update.legalregulation_01.xml		
inb_update.legalregulation_01.query.xml		
inb_update.modificationregulation_01.xml		
inb_update.modificationregulation_01.query.xml		
<b>Delete</b>		
inb_delete.additionalcode_01.xml		
inb_delete.additionalcode_01.query.xml		
inb_delete.additionalcode_02.xml		
inb_delete.additionalcode_02.query.xml		
inb_delete.additionalcode_03.xml		
inb_delete.additionalcode_03.query.xml		
inb_delete.additionalcode_04.xml		
inb_delete.additionalcode_04.query.xml		
inb_delete.legalregulation_01.xml		
inb_delete.legalregulation_01.query.xml		
inb_delete.baseregulation_01.xml		
inb_delete.baseregulation_01.query.xml		
inb_delete.certificate_01.xml		
inb_delete.certificate_01.query.xml		
inb_delete.certificate_02.xml		
inb_delete.certificate_02.query.xml		
inb_delete.ern_01.xml		
inb_delete.ern_01.query.xml		
inb_delete.ern_02.xml		
inb_delete.ern_02.query.xml		
inb_delete.ern_03.xml		
inb_delete.ern_03.query.xml		
inb_delete.footnote_01.query.xml		
inb_delete.geographicalarea_01.xml		
inb_delete.geographicalarea_01.query.xml		
inb_delete.geographicalarea_02.xml		
inb_delete.geographicalarea_02.query.xml		
inb_delete.geographicalarea_03.query.xml		
inb_delete.geographicalarea_04.xml		
inb_delete.geographicalarea_04.query.xml		
inb_delete.geographicalarea_05.xml		
inb_delete.geographicalarea_05.query.xml		
inb_delete.geographicalarea_06.xml		
inb_delete.geographicalarea_06.query.xml		
inb_delete.goodsnomenclature_01.xml		

Test Case ID	Result	Notes
inb_delete.goodsnomenclature_01.query.xml		
inb_delete.goodsnomenclature_02.xml		
inb_delete.goodsnomenclature_02.query.xml		
inb_delete.goodsnomenclature_03.xml		
inb_delete.goodsnomenclature_03.query.xml		
inb_delete.measure_01.xml		
inb_delete.measure_01.query.xml		
inb_delete.measure_02.xml		
inb_delete.measure_02.query.xml		
inb_delete.measure_03.xml		
inb_delete.measure_03.query.xml		
inb_delete.measure_04.xml		
inb_delete.measure_04.query.xml		
inb_delete.measure_05.xml		
inb_delete.measure_05.query.xml		
inb_delete.modificationregulation_01.xml		
inb_delete.modificationregulation_01.query.xml		
<b>NOK</b>		
inb_nok.PR-INB-CM-1.xml		
inb_nok.PR-INB-CM-1.query.xml		
inb_nok.measure_nok.xml		
inb_nok.PR-INB-CM-1_2.xml		
inb_nok.PR-INB-CM-1_2.query.xml		
inb_nok.init_issuer_nok.xml		
inb_nok.TARIC-INB-SPEC-02.xml		
inb_nok.TARIC-INB-SPEC-02.query.xml		
inb_nok.TARIC-INB-SPEC-03.xml		
inb_nok.TARIC-INB-SPEC-03.query.xml		
inb_nok.TARIC-INB-SPEC-03_2.xml		
inb_nok.TARIC-INB-SPEC-03_2.query.xml		
inb_nok.TARIC-INB-SPEC-04.xml		
inb_nok.TARIC-INB-SPEC-04.query.xml		
inb_nok.TARIC-INB-SPEC-06.xml		
inb_nok.TARIC-INB-SPEC-06.query.xml		
inb_nok.TARIC-INB-SPEC-08.xml		
inb_nok.TARIC-INB-SPEC-08.query.xml		
inb_nok.TARIC-INB-SPEC-10.xml		
inb_nok.TARIC-INB-SPEC-10.query.xml		
inb_nok.TARIC-INB-SPEC-12.xml		
inb_nok.TARIC-INB-SPEC-12.query.xml		
inb_nok.VR-INB-MEM-1.xml		
inb_nok.VR-INB-MEM-1.query.xml		
inb_nok.VR-INB-MEM-2.xml		
inb_nok.VR-INB-MEM-2.query.xml		
inb_nok.VR-INB-MEM-4.xml		
inb_nok.VR-INB-MEM-4.query.xml		
inb_nok.VR-INB-MEM-5.xml		
inb_nok.VR-INB-MEM-5.query.xml		
inb_nok.VR-INB-GEN-1.xml		

Test Case ID	Result	Notes
inb_nok.VR-INB-GEN-1_2.xml		
inb_nok.VR-INB-GEN-1.query.xml		
inb_nok.VR-INB-GEN-2.xml		
inb_nok.VR-INB-GEN-2.query.xml		
inb_nok.VR-INB-GEN-3.xml		
inb_nok.VR-INB-GEN-3.query.xml		
inb_nok.VR-INB-GEN-4.xml		
inb_nok.VR-INB-GEN-4.query.xml		
inb_nok.SEC-RQ-DATA.xml		
inb_nok.SEC-RQ-DATA.query.xml		
inb_nok.SEC-RQ-DATA_2.query.xml		
inb_nok.SEC-RQ-DATA_3.query.xml		
inb_nok.delete_issuer_nok.xml		
<b>CDCOKO_INSERT</b>		
inb_insert_kocdco.additionalcode_01.xml		
inb_insert_kocdco.additionalcode_01.query.xml		
inb_insert_kocdco.legalregulation_01.xml		
inb_insert_kocdco.legalregulation_01.query.xml		
inb_insert_kocdco.baseregulation_01.xml		
inb_insert_kocdco.baseregulation_01.query.xml		
inb_insert_kocdco.modificationregulation_01.xml		
inb_insert_kocdco.modificationregulation_01.query.xml		
inb_insert_kocdco.certificate_01.xml		
inb_insert_kocdco.certificate_01.query.xml		
inb_insert_kocdco.ern_01.xml		
inb_insert_kocdco.ern_01.query.xml		
inb_insert_kocdco.footnote_01.xml		
inb_insert_kocdco.footnote_01.query.xml		
inb_insert_kocdco.geographicalarea_01.xml		
inb_insert_kocdco.geographicalarea_01.query.xml		
inb_insert_kocdco.goodsnomenclature_01.xml		
inb_insert_kocdco.goodsnomenclature_01.query.xml		
inb_insert_kocdco.measure_01.xml		
inb_insert_kocdco.measure_01.query.xml		
<b>KOCDCO_UPDATE</b>		
inb_update_kocdco.measure_01.xml		
inb_update_kocdco.measure_01.query.xml		
inb_update_kocdco.additionalcode_01.xml		
inb_update_kocdco.additionalcode_01.query.xml		
inb_update_kocdco.baseregulation_01.xml		
inb_update_kocdco.baseregulation_01.query.xml		
inb_update_kocdco.certificate_01.xml		
inb_update_kocdco.certificate_01.query.xml		
inb_update_kocdco.ern_01.xml		
inb_update_kocdco.ern_01.query.xml		
inb_update_kocdco.footnote_01.xml		
inb_update_kocdco.footnote_01.query.xml		
inb_update_kocdco.geographicalarea_01.xml		
inb_update_kocdco.geographicalarea_01.query.xml		

Test Case ID	Result	Notes
inb_update_kocdco.goodsnomenclature_01.xml		
inb_update_kocdco.goodsnomenclature_01.query.xml		
inb_update_kocdco.legalregulation_01.xml		
inb_update_kocdco.legalregulation_01.query.xml		
inb_update_kocdco.modificationregulation_01.xml		
inb_update_kocdco.modificationregulation_01.query.xml		
<b>KOCDCO DELETE</b>		
inb_delete_kocdco.additionalcode_01.xml		
inb_delete_kocdco.additionalcode_01.query.xml		
inb_delete_kocdco.legalregulation_01.xml		
inb_delete_kocdco.legalregulation_01.query.xml		
inb_delete_kocdco.baseregulation_01.xml		
inb_delete_kocdco.baseregulation_01.query.xml		
inb_delete_kocdco.certificate_01.xml		
inb_delete_kocdco.certificate_01.query.xml		
inb_delete_kocdco.ern_01.xml		
inb_delete_kocdco.ern_01.query.xml		
inb_delete_kocdco.footnote_01.xml		
inb_delete_kocdco.footnote_01.query.xml		
inb_delete_kocdco.geographicalarea_01.xml		
inb_delete_kocdco.geographicalarea_01.query.xml		
inb_delete_kocdco.goodsnomenclature_01.xml		
inb_delete_kocdco.goodsnomenclature_01.query.xml		
inb_delete_kocdco.measure_01.xml		
inb_delete_kocdco.measure_01.query.xml		
inb_delete_kocdco.modificationregulation_01.xml		
inb_delete_kocdco.modificationregulation_01.query.xml		
<b>INSERT EDIFACT</b>		
inb_insert.goodsnomenclature_01.EDIFACT		
inb_insert.goodsnomenclature_01_polling.xml		
inb_insert_edi.goodsnomenclature_01.query.xml		
inb_insert.goodsnomenclature_02.EDIFACT		
inb_insert.goodsnomenclature_02_polling.xml		
inb_insert_edi.goodsnomenclature_02.query.xml		
inb_insert.goodsnomenclature_03.EDIFACT		
inb_insert.goodsnomenclature_03_polling.xml		
inb_insert_edi.goodsnomenclature_03.query.xml		
inb_insert.goodsnomenclature_04.EDIFACT		
inb_insert.goodsnomenclature_04_polling.xml		
inb_insert_edi.goodsnomenclature_04.query.xml		
inb_insert.goodsnomenclature_05.EDIFACT		
inb_insert.goodsnomenclature_05_polling.xml		
inb_insert_edi.goodsnomenclature_05.query.xml		
inb_insert.goodsnomenclature_06.EDIFACT		
inb_insert.goodsnomenclature_06_polling.xml		
inb_insert_edi.goodsnomenclature_06.query.xml		
<b>UPDATE EDIFACT</b>		
inb_update.goodsnomenclature_01.EDIFACT		
inb_update.goodsnomenclature_01_polling.xml		

Test Case ID	Result	Notes
inb_update_edi.goodsnomenclature_01.query.xml		
inb_update.goodsnomenclature_02.EDIFACT		
inb_update.goodsnomenclature_02_polling.xml		
inb_update_edi.goodsnomenclature_02.query.xml		
inb_update.goodsnomenclature_03.EDIFACT		
inb_update.goodsnomenclature_03_polling.xml		
inb_update_edi.goodsnomenclature_03.query.xml		
inb_update.goodsnomenclature_04.EDIFACT		
inb_update.goodsnomenclature_04_polling.xml		
inb_update_edi.goodsnomenclature_04.query.xml		
inb_update.goodsnomenclature_05.EDIFACT		
inb_update.goodsnomenclature_05_polling.xml		
inb_update_edi.goodsnomenclature_05.query.xml		
inb_update.goodsnomenclature_06.EDIFACT		
inb_update.goodsnomenclature_06_polling.xml		
inb_update_edi.goodsnomenclature_06.query.xml		
<b>DELETE EDIFACT</b>		
inb_delete.goodsnomenclature_01.EDIFACT		
inb_delete.goodsnomenclature_01_polling.xml		
inb_delete_edi.goodsnomenclature_01.query.xml		
inb_delete.goodsnomenclature_02.EDIFACT		
inb_delete.goodsnomenclature_02_polling.xml		
inb_delete_edi.goodsnomenclature_02.query.xml		
inb_delete.goodsnomenclature_03.EDIFACT		
inb_delete.goodsnomenclature_03_polling.xml		
inb_delete_edi.goodsnomenclature_03.query.xml		
inb_delete.goodsnomenclature_04.EDIFACT		
inb_delete.goodsnomenclature_04_polling.xml		
inb_delete_edi.goodsnomenclature_04.query.xml		
inb_delete.goodsnomenclature_05.EDIFACT		
inb_delete.goodsnomenclature_05_polling.xml		
inb_delete_edi.goodsnomenclature_05.query.xml		

**Table 5:** Test report form

## ANNEX 1: COVERAGE TABLE

This annex contains a table that describes the coverage of the different domains involved in test scenarios in the test cases. The goal is to trace the tested domains with regard to the test cases and vice versa. The first column of the table contains the domains in the test scenario in the [\[TARIC3-INB-FS\]](#) document as well as exist in current Schema for INB, and the other columns on right side shows what has been tested under what type of operation (delete, delete, delete) through INB test plan or test case(s).

Domain	Insert	Update	Delete
additional code	X	X	X
additional code description		X	
additional code description period	X		X
additional code footnote association	X	X	X
base regulation	X	X	X
certificate	X	X	X
certificate description		X	
certificate description period	X		X
export refund nomenclature	X	X	X
export refund nomenclature description period	X		X
export refund nomenclature description		X	
export refund nomenclature footnote association	X	X	X
export refund nomenclature indent	X	X	X
footnote	X	X	X
footnote description		X	
footnote description period	X		X
geographical area	X	X	X
geographical area description		X	
geographical area description period	X		X
geographical area membership	X	X	X
goods nomenclature	X	X	X
goods nomenclature description		X	
goods nomenclature description period	X		X
goods nomenclature footnote association	X	X	X
goods nomenclature group membership	X	X	X
goods nomenclature indent	X	X	X
goods nomenclature origin	X		X
goods nomenclature successor	X		X
legal regulation	X	X	X
measure	X	X	X
measure component	X	X	X
measure condition	X	X	X
measure condition component	X	X	X
measure excluded geographical area	X		X
measure footnote association	X		X
measure partial temporary stop	X	X	X
modification regulation	X	X	X

**Table 6 Coverage table**

